

PHASES RESTAURANT, BERNARDSTON, MASSACHUSETTS, BY DRUMMEY ROSANE ANDERSON

NEW WORK OF RICHARD MEIER: CHANGE AND CONTINUITY

HEALTH AND PHYSICAL EDUCATION BUILDING AT POTSDAM, N.Y., BY RICHARD MOGER

CALIFORNIA HILLSIDE HOUSE PRESERVES NATURAL QUALITIES

BUILDING TYPES STUDY: HOUSING DESIGN FULL CONTENTS ON PAGES 10 AND 11

ARCHITECTURAL RECORD

JORRY PRIERADOUSKI

COLOR COMES TO ANDERSEN® PERMA-SHIELD®





Now there's a Perma-Shield Casement and Awning Window for commercial designs.

Wood, brick, stone, masonry—Andersen® Perma-Shield® Casement and Awning Windows in our new Terratone color blend beautifully with almost any commercial and institutional building material.

And equally important is the ability of this earth-tone to bring out the low maintenance advantages of Perma-Shield rigid vinyl.

So you not only have windows with color, but long-life windows designed not to chip, crack or peel. Not to rust, pit or corrode.

And, unlike leaky, drafty windows, Perma-Shield Casement and Awning Windows in Terratone are designed to save on owner heating bills.

Beneath their rigid vinyl sheath lies a wood core, one of nature's best insulators.

And they're built two times more weathertight than recognized air-infiltration standards. To help seal out drafts and dust, help save on heating and cooling costs.

With optional double-pane insulating glass, they provide all the fuel-saving benefits of storm windows, without the bother.

And inside, there's Andersen wood trim that can be stained or painted to match any decor.

So now you have Perma-Shield Casement and Awning Windows in a new Terratone color, designed for commercial and institutional construction.

For more information (and a first-hand look), see your Andersen Distributor. He's in the Yellow Pages under "Windows, Wood."


The beautiful, carefree way to save fuel.





Printing limitations prohibit exact color duplication. Use actual sample for building specifications.

Copyright © Anderson Corp., Bayport, Minn. 1975.




Refuse mediocrity.









Metalphoto™ signs are an ideal medium for architects who don't want to be hemmed in by the ordinary.

They are totally unlike other signage media. They are made by photographically imbedding an image—any image—in anodized, photosensitized aluminum. They allow you to incorporate any type face, design, image or photograph into exterior or interior signage.

Metalphoto signs are economical, extremely precise in detail, strikingly attractive and incredibly durable. The only way to destroy the image on the sign is to destroy the sign itself.

In short, Metalphoto signs are highly individualistic, yet practical. The best of both worlds. For complete information, refer to our catalog in your 1975 Sweet's Architectural and Interior Design File, section 10.14, and fill in and mail the coupon below.

metalphoto

Images sealed in aluminum

Mail to:	Metalphoto Corporation 18531 South Miles Road Cleveland, Ohio 44128
	send me complete information or talphoto signage system.
Name_	
Name_	ny
North-	



Cover: Phases restaurant Bernardston, Massachusetts Architects: Drummey Rosane Anderson Photographer: Wayne Soverns

EDITOR

WALTER F. WAGNER, JR., AIA

MANAGING EDITOR

HERBERT L. SMITH, JR., AIA

SENIOR EDITORS

ROBERT E. FISCHER
WILLIAM B. FOXHALL
MILDRED F. SCHMERTZ, AIA
ELISABETH KENDALL THOMPSON, FAIA

WASHINGTON EDITOR

ERNEST MICKEL, Hon. AIA

ASSOCIATE EDITORS

GERALD ALLEN

GRACE M. ANDERSON

BARCLAY F. GORDON

CHARLES E. HAMLIN

CHARLES K. HOYT, AIA

WILLIAM MARLIN, for Programs in continuing education

EDITORIAL ASSISTANT

JANET NAIRN

PRODUCTION EDITOR

ANNETTE K. NETBURN

DESIGN

ALEX H. STILLANO, Director ALBERTO BUCCHIANERI, Associate ANNA-MARIA EGGER, Assistant MURIEL CUTTRELL, Illustration J. DYCK FLEDDERUS, Illustration JAN WHITE, Consultant

EDITORIAL CONSULTANTS

EDWARD LARRABEE BARNES, FAIA
JONATHAN BARNETT, AIA, Urban design
GEORGE A. CHRISTIE, JR., Economics
PAUL RUDOLPH, FAIA
Foreign architecture:
L'Architecture d'Aujourd'hui, Paris

McGRAW-HILL WORLD NEWS

RALPH R. SCHULZ, Director 9 domestic and 10 international news bureaus: Bonn, Brussels, Buenos Aires, London, Milan, Moscow, Paris, Singapore, Tokyo, Toronto.

SALES MANAGER

LOUIS F. KUTSCHER

CIRCULATION MANAGER

HUGH S. DONLAN

PUBLISHER

BLAKE HUGHES

THE RECORD REPORTS

13 Editorial

The balloon is up! The IAF invites entries for the Great International Design Competition

4 Letters/Calendar

33 News in brief

Short items of major national interest.

34 News reports

Federal commitment to new towns is dropped; HUD seeks to help 14 existing projects. President's State of the Union message includes tax credit to aid construction, and intensified energy research. Democrats call for public works acceleration and emergency housing schemes.

37 Buildings in the news

Sixty State Street Building, Boston.
Audubon town center, Amherst,
New York. Black River Condominiums,
Georgetown, South Carolina.
Tega-Cay townhouses, Charlotte,
North Carolina. Federal Reserve Bank
of Philadelphia. Piedmont Center,
Atlanta. Pertamina Plaza, Jakarta,
Indonesia. Baltimore City Hall
renovation (below).



41 Human Settlements: world news

43 Required reading

202 Office notes

ARCHITECTURAL BUSINESS

65 The future of professional firm management

Observing the economic, social and technical forces affecting the ways in which professional firms must practice today, Bradford Perkins looks into his crystal ball and makes some predictions about firm size, design-build and other things—with some side (and snide) comments here and there by the editors.

69 Construction management

Value analysis, or value engineering, its context and procedures, is the subject of this fifth installment in the intermittent series by CM Associates.

73 Building costs

OSHA increases the cost of building.

75 Building activity

Regional activity: where the business is—and isn't—is covered in this report by Henry C. F. Arnold based on F. W. Dodge statistics.



MARCH 1975 ARCHITECTURAL RECORD

FEATURES

111 Four projects by Richard Meier

Many architects may find themselves in an unusually wide range of commission types until the present economic situation improves, and Richard Meier's office is no exception. It is the consistency with which this architect can successfully apply his design concepts that is his measure. Four design-stage projects prove the point: a museum, a parental retreat, a large apartment-building, and a college dormitory.

121 Health and Physical Education Building Potsdam, New York

Richard Moger's design for a student gymnasium is among the last works commissioned for the State University Construction Fund by Anthony Adinolfi. It is also among the most successful.

127 Hillside house at the Sea Ranch preserves natural qualities of a unique place

Architect Donald Jacobs' design for a simple and unpretentious house for a retired couple on the northern California coast. It capitalizes on the site's amenities, creating interiors that are natural, filled with light and open to splendid views.

133 A portfolio of restaurants

Four restaurants that provide an atmosphere designed to induce repeat patrons and that satisfy the economic and the operational needs of the owners:

- 133 Mid Gad Valley Restaurant Alta Canvon, Utah Enteleki Architecture Planning Research Inc., architects.
- 136 Phases Bernardston, Massachusetts Drummey Rosane Anderson, architects; Ferguson Sorrentino Design Incorporated, designers and planners.
- 138 Borels Restaurant San Mateo, California Robinson & Mills, architects
- 140 Trader Vic's Emeryville, California Chan/Rader & Associates, architects.

BUILDING TYPES STUDY 472

141 Discrimination in housing design

Architects tend to approach the problem of housing design by breaking it up into its parts-separating pedestrian circulation from vehicular circulation, public spaces from private spaces, work areas from "living" areas. These kinds of discriminations may have some disadvantages; a few of them are revealed here, along with some solutions.

144 Greater London Council Housing, Paddington,

London, England Hubert Bennett, architect to the Greater London Council.

146 Heritage Villa Condominiums Hilton Head, South Carolina Cooper, Carry & Associates, Architects.

148 Fastover Gates Charlotte, North Carolina Wolf Associates Architects.

150 Village of Owen Brown Columbia, Maryland Charles W. Moore Associates, Architects.

152 Whitman Village

Huntington, New York Charles W. Moore Associates, Architects.



Kingsmill R-3 Housing Williamsburg, Virginia Charles W. Moore Associates, Architects.

ARCHITECTURAL ENGINEERING

157 Floating floors offer simple, economical control of airborne and impact noise

Fiberglass-pad isolation system provides a structural preventive against noise from internal sources such as mechanical equipment and music students.

160 Shielding spaces against electromagnetic radiation

Static interference with electronic instruments in hospitals and research labs has created an increasing need to shield this equipment.

- 165 Product reports
- 167 Office literature
- 172 A/E Update
- **Record Impressions** 216
- **Advertising Index**
- Classified Advertising
- 231 Reader Service Inquiry Card

NEXT MONTH IN RECORD

Building Types Study: Stores and Shops

Attracting customers is easy in a booming economy. In an economic slowdown, things are different—for the customer and for the store. The April Building Types Study includes, besides a variety of stores and shops, a fully illustrated description of a comprehensive interior system designed for a Tennessee store, but widely applicable and adaptable.

insulated glass, double weatherstripping, and XL-70 exterior pre-finish (a tough, long-life polyurea Classic windows: coating fused to the wood by a special curing process). In short, windows designed Casements the way you want them

ARVIN

INDOWS

other Marvin advantages: The world's largest offering of standard and non-standard wood windows, and the world's most efficient delivery system to head off construction phase headaches. Please write us for more facts and a copy of our new tracing file. Marvin Windows, Warroad, Minn. 56763. Phone: 218-386-1430.

It's tough to find better casements than these, and it's tough to match the advantages of working with Marvin. First the window itself: superb wood construction,

For more data, circle 8 on inquiry card

to roll back construction costs, heating/cooling costs, and maintenance costs. Now consider the

Architect: Salvatore J. Balsamo and Associates Builder: Leisure Technology-Midwest, Inc.



The balloon is up! The IAF invites entries for the Great International Design Competition

It's been a long haul, but the program has been written, the money for prizes and jury expenses has been raised, most (though not all) of the operating funds are in hand, a distinguished jury has been chosen, and .

The international design competition for the urban environment of developing countries will be held. The International Architectural Foundation has announced that registration for architects around the world is now open.

Briefly, as described in an announcement squeezed into the February issue (pages 48B and C) almost the minute the presses started up, and repeated in this issue (pages 106 and 107), "A one-page international architectural competition for the design of a self-help housing community in a developing nation [specifically, a renewal site in the heart of Manila] has been announced by The International Architectural Foundation, a nonprofit corporation conceived by ARCHITECTURAL RECORD and L'AR-CHITECTURE D'AUJOURD'HUI. The Foundation is working in close collaboration with the United Nations Environment Programme, and the competition is a project conceived in conjunction with Habitat '76, the major UN Conference Exposition on Human Settlements to be held in Vancouver, May 31-June 11, 1976."

The design problem will be to design housing and community facilities for a neighborhood of between 3,500 and 5,000 people -a small proportion of the inhabitants of a huge squatters settlement close to the redevelopment site. The competition program describes in complete and accurate terms the resettlement site and the abilities for self-help of the people involved—who are to an extraordinary degree literate and, happily, capable of a high degree of self-help. Most importantly. . .

... The big news is that the winning design will be built

The Philippine government—in addition to making available to Gutheim/Seelig/Erickson, the professional advisors, an extraordinary body of data on the site and on the people affected for the competition program, and in addition to guaranteeing a considerable portion of the prizes and certain other competition expenses-has signified its intention to commission the winning architect to complete his design and to build that design on the site. Beyond that, there is a possibility (though no guarantee) that additional entrants may be

commissioned, because the competition site will ultimately be developed into neighborhoods for between 100,000 and 140,000

The prize schedule should attract submissions from around the world

The first award is \$35,000 (plus the commission to complete the prototype design in accordance with Philippine law); the second award is \$15,000; the third award is \$10,000; and the jury has an additional \$10,000 to award at its discretion-perhaps for an extraordinary planning or technical idea within a non-premiated design solution. But perhaps most importantly:

All of the best ideas submitted will be available for study around the world . . .

. because the competition site, and the competition entries, are intended to be prototypical. The competition is designed to search for planning and design and social ideas that address the world-wide problem of housing around the cities of all developing countriessolutions that will be widely applicable. Thus, as the announcement (again, on page 106) says: "The competitors must resolve the highly practical aspects of a specific problem and a particular location; but the competition deals with the entire question of human habitat and its future. . . .

To disseminate the thinking developed by the competition, the premiated designs and many other entries will be widely publicized throughout the world-and both RECORD and L'ARCHITECTURE D'AUJOURD'HUI have agreed to publish the competition results. Further, a book presenting many of the designs and commenting on the ideas developed will almost surely be published. And the best ideas will be exhibited in Vancouver during Habitat '76; where they will be seen by official representatives and technical experts from the UN member states in attendance.

How do you enter? Fill out the registration application on page 107 promptly . . .

. and send it with \$25 (U.S.) payable to The International Architectural Foundation, Inc., to Gutheim /Seelig/Erickson, the professional advisor. You will without further correspondence receive complete competition documents, including, of course, the very complete program. The last date for registration is May 15th. The first date on which documents were mailed to entrants who saw the February notice was March 1st. The last date for design submissions is postmark October 15th, 1975. Anyone qualified to practice architecture in his own country can enter as an individual or as a member of a design team which may include students. The competition will be conducted under the regulations of the International Union of Architects.

The judging will take place in December of this year in Vancouver, by a distinguished and international jury. Its members: Balkrishna Vithaldas Doshi of India; Eric Lyons of Great Britain; Moshe Safdie of Canada and Israel;

Mildred F. Schmertz of the U.S.A. (and a senior editor of RECORD); plus a representative of the Philippines still to be named. Reserve jurors are Takamasa Yoshizaka of Japan and William Whitfield of Great Britain. The professional advisor is Arthur Erickson, FRAIC, of Vancouver, British Columbia; and much of the work on the competition program and arrangements has been done by his partners Fritz Gutheim and Michael Seelig.

An extraordinary effort has gone into setting up this competition—into making it an important and valid one, and making it worth the time and effort that hundreds of competitors and competitive teams will put into winning.

Our hope is, very simply, that this competition can be an important part of a major world-wide effort to improve the conditions of living for the poor around the world.

As we said in the first editorial on this subject, nearly a year ago (RECORD, April 1974): "We are not so naive as to believe that architecture is the solution to all the problems of the world; that good planning and design is a substitute for jobs that don't exist, or for food that doesn't exist or is too dear. But housing and a sense of community are basic human needs—and that is the part of the problem that we know most about and can best do something about. So let us try." —Walter F. Wagner, Jr.

A grateful postscript of thanks to those who gave IAF the money to hold the Competition

As noted before on this page, the staffs of RECORD and L'ARCHITECTURE D'AUJOURD'HUI undertook to raise the money for the IAF to hold the competition. Though he would deny it, 99 44/100s per cent of this effort has been made by RECORD publisher Blake Hughes, whose commitment to this project has been deep and continuous. Of the \$180,000 budget, some \$163,000 has been committed—by a special grant of The Government of the Philippines; by grants from Graham Foundation, Johns-Manville, International Development Research Centre (Canada), The Asia Founda-

tion, The George P. McNear, Jr. Foundation, PPG Industries Foundation, CP Air, Arthur Sworn Goldman & Associates; and to the special pleasure of the editors by The Austin Company; The Architects Collaborative; Skidmore, Owings & Merrill; Smith, Hinchman & Grylls Associates; E. Hendrick Grolle, RAIC; Dalton Dalton Little Newport Inc.; Gruzen and Partners; Harrison & Abramovitz; and the staff (including the secretaries) of RECORD.

With just \$17,000 to go, I'm emboldened to renew a plea made in the October issue: If despite the stomach-churning conditions pre-

vailing these days, you *can* consider a contribution to the IAF, please do so. If 100 firms could contribute \$200; or 200 firms contribute \$100 (or 34 firms contribute \$500) (or 17 firms contribute \$1000) the IAF would be over the top. Please think about it if you possibly can. Checks should be made payable to The International Architectural Foundation, Inc., 1221 Avenue of the Americas, New York, New York 10020. If you have any questions, please call me at 212/997-4565; or Blake Hughes at 212/997-4685.

—W.W.

Down in the doldrums, government and construction can help each other out

Rising above almost any discussion of the construction industry crisis today is first and fore-most a call for the Federal government to come to the aid of this foundering segment of the economy. Indeed release of impounded construction funds and legislation easing the money market would clearly have an immediate restorative effect.

However, in these discussions, a second theme is being sounded. The construction industry itself is beginning to recognize that it is high time to put a halt to construction industry cycling, and at the same time give government a tool to prime or to steady the economy.

When the economy is healthy, the construction industry is, as one economist put it, euphoric, creating a grossly inaccurate image of just how good things are. In poor times, the construction industry dips into the extreme danger zone, as evidenced now by a general unemployment rate in construction more than twice the national level.

In short, the construction industry in its enormous "peaks-and-valleys" cycling is horribly ineffective as a bellwether of the national economy, and this is cause for concern on both the industry and Federal government sides. The construction industry does not, however, lack the means or the incentive to establish some sort of equilibrium and play a precise role in the economic affairs of the nation.

Many observers see the construction industry as a tool for heating up or cooling off the economy. Certainly the governor of Illinois subscribes to this view. At this writing, the Illinois legislature is sitting in joint session to deal especially with the construction industry. Illinois legislators are considering—and are said to favor—a \$4.1 billion accelerated building program proposed by Governor Dan Walker, to provide jobs in the private sector over the next two years. Said Governor Walker, "By putting money into the hands of workers . . . and at the same time improving and building facilities throughout the state, we can have a substantial positive impact on the Illinois economy."

In a position to help each other, the construction industry and government now have the greatest opportunity and the greatest need to do so. For a start, the industry is attempting to unify its various parts, many of them traditional adversaries. Only last month delegates from the AIA met with the AFL-CIO Building and Construction Trades Department to urge a common goal: an investment of public funds to stimulate construction across the country. AIA President William Marshall Jr. and Building Trades President Robert A. Georgine further agreed to a broad combined effort to implement a seven-point plan including lobbying at the national and local levels.


Of possible importance to strengthening a fragmented industry is a move by the Associated General Contractors of America to form a building and construction federation of all industry segments, culminating in the establishment within the Commerce Department of a new Office of Construction. They argue that this is the best way to establish industry presence, sorely needed with the present Administration for starters.

Speaking before the annual convention of


the National Association of Home Builders recently, Harvard economist Howard H. Stevenson said the Federal government has failed to recognize that the housing industry is just that, an industry, with many companies doing over \$10 million in sales each year. It is an industry no longer comprised of carpenters who have graduated to home building, and who-in poor times—can go back to being carpenters. Home builders are large corporations with middle management and all the trappings of other big businesses. If you dismantle the industry structure through too stringent credit or other means, so that these companies cannot survive, they are not going to reappear fullblown when the money situation eases up. This is a warning that should apply to the entire construction industry, which has long ceased being a cottage industry.

Does Washington know this? Does local government understand that unlike the automotive industry, construction cannot start up overnight? As the New York State Association of Architects is pointing out to its legislators personally, construction in 1976 requires design work in 1975, and delaying start of design work until 1977 means a delay in the start of construction until 1978 or 1979.

As a postscript, the organizations participating in the one-voice movement mentioned earlier have formed the National Construction Industry Council, electing American Society of Civil Engineers past-president Charles Yoder as chairman. As a spokesman said, the Office of Construction at the Federal level is perhaps a long way off, but it is also something solid to aim for at last.—Charles E. Hamlin



For buildings up to 30 stories Otis now has 10 new pre-engineered elevators that will put 18% more in your pocket...that's a break.



CCC'S NEW DESIGNER CLASSICS CARPETS. We created the textures. You create the colors.

Some of our best ideas come from our clients. So when we received suggestions for some strong new textures and special colors, we went to work and created Designer Classics — fifteen fresh, architectural textures — all in **custom color.** Or, if you prefer, we offer stock colors in four of the new textures. This collection will help you personalize your carpet choices, delivering an expensive custom look in a **moderate price range.**

The Designer Classics are **woven** of CCC's Acrylic 73, a 70% acrylic — 30% nylon yarn. It far surpasses all-acrylic, and acrylic-modacrylic blends in wear resistance and ease of maintenance. Acrylic 73 and the constructions used in Designer Classics have provided maximum wear-life and high appearance retention for years in projects throughout the U.S.

Designer Classics have a 5-year non-prorated wear guarantee and an integral sponge rubber cushion guaranteed without time limit. They meet flamespread standards and contain a static control system. A CCC carpet system offers guaranteed installation anywhere in the USA and provides single-source responsibility for our carpet's performance. Our maintenance specialists advise on cleaning materials and techniques, and we can show you how to

effectively integrate carpet with movable partitions and subfloor mechanical access systems.

CCC consults with end-users, designers and architects on every type of commercial and institutional installation. From our New York headquarters and offices in Chicago, Los Angeles and Atlanta, we help our clients find the carpet system that satisfies both their aesthetic and functional requirements.

Among designers who have selected CCC carpets are those on the staffs of: Saphier Lerner Schindler (for Amerada Hess); InterArc/Hellmuth Obata & Kassabaum (Smithsonian Institution's Air and Space Museum); Morganelli-Heumann (ARCO); William Sklaroff Design Associates (American Medicorp Inc.); Nicholson, Wilson, Wilhelm & Associates, Inc. (First Pennsylvania Corp.).

CCC's expertise in total carpet systems and the custom look of Designer Classics constitute a powerful combination for your next project. Write today for more information.



Commercial Carpet Corporation 10 West 33rd Street, New York, N.Y. 10001 (212) 868-6200

Chicago: (312) 446-8462 Los Angeles: (213) 553-6272 Atlanta: (404) 448-5550

For more data, circle 11 on inquiry card



Call on the brick and block wall specialist to give your buildings added fire protection.

Drywall elevator shafts and stairwells can collapse in a fire. Steel loses its load-carrying capacity when temperatures rise above 1000°F. Glass and metal curtain-walls can shatter or melt.

Brick and block walls won't burn, melt, buckle or disintegrate. No matter how hot the fire. Good reasons for masonry stairwells, masonry protective compartments, and masonry firewalls on every floor of your building.

No one can prevent all fires from starting, but the bricklayer, working with brick and block, can keep them from spreading.

Brick and block. Some of the best fire protection your building can get.




International Masonry Institute Suite 1001, 823 15th Street, N.W. Washington, D.C. 20005

Send me information on the fire safety advantages of brick and block.

Nature of Business_

Inryco/Milcor Steel Access Doors have you covered eight ways.



count 'em.

Milcor® Steel Access Doors for walls and ceilings provide service openings in any type of surface without encroaching upon design. They are carefully made, rigidly constructed, completely framed for easy installation, furnished in 52 standard models—most available at nationwide stocking locations.

Our offering includes: fire rated

doors, in sizes up to 48" x 48," to help you insure code compliance... ceiling doors which, when covered by acoustical tile or plaster, contribute to sound control... flush panel doors for plaster, drywall and masonry surfaces which can be painted to blend in inconspicuously... doors for low pressure forced air ducts. And we've produced many

specials to satisfy unusual conditions.

For complete information, see Sweet's, section 8.12/InL. Or write for catalog 33-1 to: Milcor Division, Inland-Ryerson Construction Products Co.,

Dept. C, 4033 W. Burnham Street, Milwaukee, Wisconsin 53201.



A5-33-1

For more data, circle 13 on inquiry card

pass right through the joists and joist girders.

The light weight of Vulcraft's joists and joist girders offers other advantages, too. Erection is easier and faster. Supporting columns can be spaced further apart to provide for larger bay areas. And foundation size can be decreased.

The "fast track" technique worked in Harrisburg, Pennsylvania. Plus ten other schools throughout the country where Vulcraft steel joists and joist girders have been used by Steel Fabricators, Inc.



Vulcraft's steel joists and joist girders allow a standard five-foot module between connecting points.



The standardization of column connection also speeds up construction. And requires fewer connecting bolts.



The light weight and simplicity of Vulcraft's steel joists and joist girders make erection fast and easy.



The open web feature of steel joists and joist girders allows ducts, pipes and wiring to pass directly through the steel members.



The high strength of steel joists and



The ease and versatility of designing joist girders provides increased clear span with steel joists and joist girders solve other-area, allowing larger bays. wise complex design problems.

And it can work for you. Just contact your local Vulcraft representative for your Joist Girder Specification Guide. Or write Vulcraft, P.O. Box 17656, Charlotte, North Carolina 28211 to learn how to speed up your work. Or call (704) 366-7000.

We have the know-how. And we have five plants located throughout the country to make sure your deliveries are there on time.

After all, when school time rolls around, nobody wants to be late.


VULCRAF

Architect: William Lynch Murray & Associates, Harrisburg, Pennsylvania. Erector: Walsh Steel Services, Pittston, Pennsylvania. General Contractor: Ritter Brothers Construction, Harrisburg, Pennsylvania. Steel Fabricator: Steel Fabricators, Inc., Fort Lauderdale, Florida. Consulting Engineer: Quentin Bowers, P. E., Harrisburg, Pennsylvania.

There's Really No Magic To Our New Trick



AMERICAN LOUVER COMPANY 7700 AUSTIN AVENUE, SKOKIE, ILLINOIS 60076 (312) 966-0300



Someday all swimming pools will offer these advantages.

This is the pool system that gives you all the comforts of an outdoor Summer pool and an indoor Winter pool. In warm weather over two thirds of the side walls and approximately 50% of the roof can open to the sun. Come cold or inclement weather they close snug, and our exclusive Pad-Air system controls interior heat and humidity.


This same integral action is designed into all components of the Paddock System. It begins with our IFRS system of pipeless water recirculation and our surge wall pool. It continues through a complete line of filters and deck accessories to our energy absorbing enclosure. This

allows you to place single responsibility for your project with one company . . . a company that has set the standard of leadership in the swimming pool industry since 1920.

For pool renovation or new pool projects (including the new educational/ municipal facilities), the Paddock System gives you year 'round swimming within a reasonable budget.

For further information and current installations write Paddock Industries, Inc., P.O.Box 511, Rock Hill, South Carolina 29730.





Power Windows



We make glass with muscle. To put power in your windows. Power to curb the power of the sun. And the cold. And noise. Power to slice a big hunk out of HVAC costs, and energy costs, every day, from now on.

Check to see how well our power windows work. See our catalog in Sweets: 8.26/CE. For further facts, answers and planning assistance, ask your local C-E Glass representative. Or write us: C-E Glass, 825 Hylton Road, Pennsauken, N.J. 08110. (609) 662-0400.

Polarpane[®] Insulating Glass Units

. . . So you don't have to watch all your heat go out the window.

Available in a wide selection of pattern, clear or tinted glass; annealed and tempered. Hermetically sealed in moisture-free construction. 5 and 20 year warranties.



Polarpane[®] Sun Control Units

. . Ideal answer to a glaring problem. Adjustable for privacy.

Rotating venetian blind between sealed lites for full control of sunlight and glare as well as outside view. Blinds stay dust and maintenance-free. Excellent temperature and sound insulating characteristics.



Polarpane[®] Sound Control Units

. . So you can hear yourself think without tractor-trailers, jets, assorted motor bikes and missing mufflers.

Basic unit shuts out as much noise as a 6-inch concrete block wall. Higher STC ratings available. .48 U value. Choice of such prestige customers as the Marriott Corporation for their luxurious facilities at Chicago O'Hare, Dulles, Miami, Kansas City and St. Louis International Airports.



For more data, circle 21 on inquiry card

Compare TI's NEW SR-51...

• Mean, variance and standard deviation.

• Automatic linear regression. • 20 programmed conversions. • Percent and percent difference.

• Random number generator.

• 3 accessible memories. And

**Trig (sin, cos, tan, lnv) | yes yes yes |

**Degree-radian conversion | Degree-radian | Degree-r SR-51 HP-45 yes no yes yes yes yes yes yes yes Deg/rad mode selection much more for only Decimal degrees - deg-min-sec Polar-rectangular conversion yes ex 10× X² \v x y 1/x yes no yes 718281828yes yes 3 Exchange x with y
Metric conversion constants yes yes Mean and standard deviation Linear regression Trend line analysis Slope and intercept Store and recall no yes yes yes E to memory Product to memory Random number generator Automatic permutation no 7 10 Preprogrammed conversions Digits accuracy
Algebraic notation (sum of products) no Memory (other than stack) Fixed decimal option yes 35 Keys Second function key Constant mode operation Test the SR-51 at no More math power for the risk. Full refund money. More than log and trig if not satisfied. and hyperbolics Master Charge and functions of x . the SR-51 has or Bank these and also has statistical functions...
like mean, variance and Americard accepted. standard deviation, random numbers, factorials, permutations, slope and intercept, and trend line analysis. Check the chart above—compare it. With the HP-45 or any other quality calculator. Then try it—at no risk. We're sure you'll agree that the SR-51 offers extraordinary value. If Master Charge is used indicate 4-digit Bank Number appearing on card just above your name: TO: Texas Instruments Incorporated P.O. Box 22013, M/S 358, Dallas, Texas 75221 Try it 15 days. Return with all accessories if not satisfied ACTUAL SIZE Street Enclosed is my money order, company purchase order for \$ for the purchase of ____ Please add state and local taxes where applicable.* Please charge this order to my | Master Charge. Or, | BankAmericard Authorizing Signature (If billed to Credit Card Must be signed by card holder) My Card Number is: *AL, AZ, CA, CO, CT, FL, GA, IA, IL, IN, KY, MA, MD, MI, MN, MO, NC, NM, NJ, NY, PA, With the expiration date: TN, TX, UT, VA, WA, WI, Offer good only in U.S. TEXAS INSTRUMENTS © 1975 Texas Instruments Incorporated 13500 North Central Expressway Dallas, Texas

INCORPORATED

82016A




To begin with 40,000 tie-rod holes were patched with THORITE, the nonslump, nonshrink patching mortar before all concrete surfaces, inside and out, of this library were sprayed with two coats of THOROSEAL PLASTER MIX, cement-base, waterproof coating, PLUS ACRYL 60, adhesive bonding agent. The primary purpose of this finish not only waterproofs and preserves these surfaces for as long as they stand, but maintains the architectural detailing with a beautiful, uniform white texture over all.

Beautiful fluting of Medical Library finished and waterproofed

quickly and economically with THOROSEAL PLASTER MIX!

For more data, circle 22 on inquiry card







The same flair and distinction that is the mark of contemporary architecture is reflected in All-Steel furniture. All-Steel has three complete lines of desks, four contemporary series of chairs and files to let you choose the perfect style and function to fill each office requirement.



Through our national dealer network and our showrooms in Los Angeles, New York, Chicago and Aurora, All-Steel is equipped to furnish the smallest office or to service the most demanding national account. Write All-Steel Inc., Aurora, Ill. 60507.

ALLISTEEL Complements the splendor of modern architecture.



All-Steel Showrooms in New York, Los Angeles, Chicago, Aurora. In Canada, All-Steel Canada, Ltd. One of the CTT Companies.

NEWS REPORTS BUILDINGS IN THE NEWS HUMAN SETTI EMENTS REQUIRED READING

President Ford has asked Congress to appropriate \$5.9 billion for HUD programs in fiscal year 1976, which begins July 1, 1975. This would be \$700 million more than the \$5.2 billion available in the current year, and most of the increase would be evenly divided between housing assistance payments and community development funding. The two largest items in the appropriations request are \$2.24 billion for housing assistance payments, and \$2.55 billion for community development grants. Over \$5 billion of community development funds would be available to states and localities during fiscal years 1975 and 1976, distributed primarily through formula grants that recognize population and housing needs, as well as relative extent of poverty.

Carla Anderson Hills, 41, is expected to be confirmed as the new Secretary of Housing and Urban Development, even though Senate hearings have not begun at this writing. Washington sources report that there is little Congressional opposition to her nomination by President Ford, but construction industry groups are urging reconsideration by the President. AIA, NAHB and the National Housing Conference have issued statements expressing concern that Mrs. Hills, a lawyer and Assistant Attorney General, lacks qualifications for the job. If confirmed, she would succeed James T. Lynn, who now directs the Office of Management and Budget.

New Secretaries of Transportation and Labor have been nominated by President Ford. Hearings are underway, at this writing, on confirmation of William T. Coleman to head the Department of Transportation, and President Ford has also nominated John T. Dunlop as Secretary of Labor. Both men are expected to be confirmed.

The AIA and the AFL-CIO Building and Construction Trades Department are urging release of public funds, amounting to \$13 billion, to stimulate public and private construction. Meeting February 12 in Bal Harbour, Fla., the two organizations joined in supporting a seven-point program to revive the economy. Key points involve a release of public construction funds impounded by the Administration; special emphasis on reviving the country's housing industry; and initiation of a broad public works program.

The Department of Housing and Urban Development has shut down its new towns program. HUD has notified developers that it will not accept new applications for construction loan guarantees or other Federal assistance. The new towns already in various stages of development will continue to receive Federal aid, but many are said to be in trouble. There is strong Congressional disapproval of the HUD action. Details on page 34.

The John F. Kennedy Library Corporation has dropped plans for a presidential museum at Harvard Square. Faced with strong opposition from the community, (RECORD, December 1974, page 98), the museum backers gave up a 10-year-old plan for honoring the late President Kennedy, even though a recent environmental impact study concluded no significant problems would result from the project. Stephen E. Smith, president of the corporation, said the Kennedy archives might remain at Harvard, but the entire complex might be moved elsewhere. So far, two designs for the complex have been prepared by I. M. Pei and Partners.

Preservationist leaders have formed a new national lobbying organization called Preservation Action. With headquarters in Washington, D.C., the group hopes to direct much of its efforts to preserving and renovating low-income and middle-income inner city neighborhoods. Details on page 35.

J. S. Norman, Jr. a Houston builder, lawyer and engineer was elected president of NAHB, by the board of directors in Dallas on January 22. He succeeds Lewis Cenker of Atlanta. Other officers of the National Association of Homebuilders, elected in Dallas, are: John C. Hart, first vice president; Robert Arquilla, vice president and treasurer; and Ernest A. Becker, vice president and secretary. The builders were gathered for the 31st annual convention. Although the convention was held in the midst of the worst recession to hit the housing industry in 30 years, the gathering was cheered by a message from President Ford that pledged "an all-out effort to assist the building industry in providing homes Americans need and demand." This pledge, coming after the President's failure to deal with the housing crisis in his State of the Union address, prompted NAHB to expect specific Administration proposals later.

Carnegie-Mellon University has awarded the 1974 Dickson Prize to David Geiger, structural engineer and partner in the New York consulting engineering firm of Geiger Berger Associates. The \$10,000 prize is awarded annually to persons who have, in the University's opinion, "done the most outstanding scientific or engineering work in the United States in the year." Dr. Geiger is being cited for his innovations in the design of air-supported structures; his research led to his being commissioned as the structural engineer for the U.S. Pavilion at EXPO'70 in Osaka, Japan, the first major cable-stiffened, air-supported roof structure. The building was designed by Davis, Brody & Associates.

Nod to construction in State of the Union talk

President Ford's proposals for a temporary increase in investment tax credit for business and his planned moves in the energy conservation area were subjects of importance to the construction industry, included in his State of the Union address in lanuary. White House said that if it is given this authority: 1) The HUD Secretary will consult with engineering, architectural, consumer, labor, industry, and government representatives to seek advice on development of the efficiency standards. 2) Thermal standards for one- and


The Treasury Department figures that this increase in the tax credit would provide benefits of \$4 billion in 1975 to immediately stimulate job-creating investment. This liberalized credit would apply to property placed in service during 1975. It could also be used in figuring tax payments on property ordered during this year if it is placed in service before the end of 1976. Furthermore, the credit would be available to the extent of construction, reconstruction or erection of property by or for a taxpayer during 1975, without regard to the date ultimately placed in service.

In the energy conservation field, President Ford asked Congress for new legislation to set national mandatory thermal efficiency standards for new homes and commercial buildings. This, it was estimated, would save the equivalent of more than one-half million barrels of oil per day by 1985. The

given this authority: 1) The HUD Secretary will consult with engineering, architectural, consumer, labor, industry, and government representatives to seek advice on development of the efficiency standards. 2) Thermal standards for one- and two-family dwellings would be developed and implemented within a year. New standards for commercial and larger residential buildings would be developed and implemented as soon thereafter as possible. 3) Standards would be implemented by state and local governments through local building codes. 4) The President would direct HUD to include energy conservation standards and safety criteria in new mobile home construction

Another law being sought would carry authority for a 15 per cent tax credit retroactive to January 1, for costs of improvement in thermal efficiency in homes. The credits would apply to the first \$1000 of outlays and could be claimed during the following three years. Storm windows and insulation would qualify, and the President said his program envisions, within the next 10 years, the insulation of 18 million homes.

Carnegie-Mellon landmark rehabed in record time





Charetting, the architect's version of the minute waltz, has resulted in a recently refurbished Fine Arts Building (shown, with a portion of the lobby ceiling) at Pittsburgh's Carnegie-Mellon University. In order to obtain a Federal grant and matching private funds for the restoration and renovation work, the University called upon Decade Architectural Associates, Pittsburgh, to produce a complete

set of contract documents before the grant's deadline in one month; the work was accomplished in 21 days.

A quickly assembled staff of 14, working two 8-hour shifts, completed drawings and specifications for work on the historic structure, designed by Henry Hornbostle in 1895. A separate contract for the restoration of the building's theater was under Robert Taylor.

Dennis Clark photos



Weekend charette devoted to Detroit housing

As the result of an unusual weekend charette this month in Detroit, 18 Victorian homes located in a decaying neighborhood of the city will see new life as multi-family dwellings. Designated a Bicentennial project by Detroit, the Woodward East project enlisted the aid of 17 local and out-of-town architects who, for expenses only, donated a weekend to do schematic designs and suggest site improvements for homes once occupied by the elite, and now slated to provide the nucleus of a proposed downtown development including 150 new town-

The unique project is the brainchild of a black community group, Woodward East Projects Inc., formed following Detroit's 1967 racial riots. With the assistance of a 300-member. all-volunteer group called Professional Skills Alliance, the community group four years ago began acquiring property on the site and pursuing grant money for site development. Woodward East Projects already owns and successfully manages some 400 rehabilitated rental units located near Detroit's downtown.

Faced with an inadequate budget of \$18,000 for schematic design work, architectural consultant to the community group, William Kessler, conceived the all-expensespaid weekend design retreat. In preparation for the event, Chambers & Chambers, Akron. Ohio, donated rectified photographs of the 18 Victorian homes; Lawrence Institute of Technology School of Architecture students did floor-plan drawings of each of the houses; and Kessler associate Edward Francis did a building code analysis.

Detroit architects who participated were William Kessler, Edward Francis, Harold Varner, Howard Sims, William Lyman Ir., Louis (Gino) Rossetti, and Donald Scheible. Out-of-town participants were Giorgio Cavaglieri, Nicholas Holmes Jr., Ernest Allen Connally, J. Henry Chambers, Hugh Newell Jacobsen, Ralph Rapson, Jeh Johnson, W. Hamilton Morton, Don M. Hisaka, and Daniel U. Kiley. Dearborn, Michigan restoration architect Andrew Craig Morrison supervised the student work. Woodward East's consultant is Michael Johnson, RIBA.

HUD discontinues new towns program

Former HUD secretary, James T.Lynn, as one of his last official acts before assuming directorship of the Office of Management and Budget, announced that HUD's New Communities Administration would henceforth concentrate on assisting the 14 projects in its program and take no new applications for guaranty assistance; HUD has stopped forthwith processing all applications on hand.

HUD will continue to try to bail out the projects already under the NCA wing but many of these are experiencing grave financial difficulties and are said by HUD to be "substantially behind schedule." The Federal government's commitment to these 14 projects totals \$336.5 million.

HUD is expected to complete its own study evaluating the new communities effort after 10 months of close investigation. Along with the General Accounting Office, a Congressional arm, the Department has raised significant questions about its own procedures and standards applied to the program.

Now, Congressional committees responsible for housing legislation are expressing concern over the downward direction of the new towns effort and are planning probes of their own to look more closely at the whole experiment. Many members of the House and Senate reportedly were upset when they learned that HUD had decided to discontinue processing applications, chiefly because they were not notified of the action and have received no justification for abandoning the program, they said. Maladministration of the program details by HUD has been charged both in and out of Congress.

Controversy flares over Toronto density

The city of Toronto is contining its efforts to limit the densi of downtown development is means of "holding bylaws until its master developme plan is published in Septembe

The city received a setbal last December when the O tario Municipal Board, a no elected body with authority authorize or reject any byla passed by any Ontario municipality, rejected the existin holding bylaw limiting the height of buildings to 45 feand their area to 40,000 squafeet. The city immediately a pealed the OMB ruling to the Cabinet of the Provincial Goernment, asking that it be riversed until February 28.

At the same time the clannounced its intention to intriduce a new holding bylaw (iterim criteria) to be in force from February 28 until September when an extensive review obuilding downtown (designated intention of the Toronto colarea) is expected to be man public.

The Cabinet has not at the writing ruled on the city's a peal against the OMB's rejetion of its original holding bylaw, and the city has not yearfted its proposed interimentaria. It is intended that the ceteria will limit downtown builtings to a floor area of a man mum five-and-a-half times lar area, but permit a mix of commercial and residential unthat could allow up to eight and-a-half times coverage.

For the benefit of the content to the city is divided into separate planning areas, each which will be permitted doferent degrees of density. The over-all effect will be to cut the density of many downtown areas by two-thirds. Though the interim criteria have not you been written, they are in effect on the basis of Toronto City Council's announced intention of enacting them.

While the legality of the holding bylaw is being mulle and prior to the enactment the interim criteria, major builting in Toronto's core area holding in To

At the time the height bylaw was over-ruled, the city planning staff said it had 9 projects on hand that could be built if the 45-foot restriction was lifted, which would add an estimated 20 million square feet of commercial space to the downtown core and increase office space by some 40 per cent.

The Toronto Chapter of the Ontario Association of Architects is split on the issue. Its executive body, which supported the 45-foot bylaw resigned en masse December 31 when its intended recommendations were voted down by the mempership. Sources close to the executive body say the meeting called to discuss the recommendations was weighted heavily in favor of members from the larger architectural firms in the city, which were against the bylaw

At the same meeting, it was decided by vote that the executive would not be permitted to comment on the interim criteria. Stephen McLaughlin, chairman at the time and co-author of the "Design Guidelines" study says the decision of the executive to resign was taken because it was felt it no longer represented the full spectrum of architectural interests in the city of Toronto.

New preservation lobby formed

Local preservationist leaders have banded together to form a new national lobbying organization called Preservation Action. The group, which held its first meeting in Washington in January, plans to push for passage of legislation and adequate funding for programs designed to preserve and enhance the man-made environment in cities and small towns throughout the country. It is the first national lobbying group related to urban preservation. Other existing historical preservation organizations such as the National Trust are barred from lobbying.

Preservation Action's officers are volunteers, and its poard members range from presidents of local preservation societies and urban planners to tity mayors and the executive director of the United Indians of All Tribes Foundation. Its mempership is expected to be made up mainly of local preservation interest groups.

Preservation Action plans to direct much of its efforts to preserving and renovating low-to middle-income inner city neighborhoods.

Upcoming legislation which Preservation Action plans to back includes bills for increased funding for historic preservation, the environmental protection tax bill, and land use policy and planning.



MIT team will lead major solar study

A team headed by the Massachusetts Institute of Technology has been selected to conduct a design study for an experimental solar energy project on Citicorp Center, a 56-story skyscraper (shown) under construction in New York City. The National Science Foundation, which announced the project, has awarded MIT's Energy Laboratory \$186,000 for the 12-month study.

Citicorp Center was designed by Hugh Stubbins and Associates, Inc., with Emery Roth & Sons as associate architects. Mechanical and electrical engineering design was performed by Joseph R. Loring and Associates, Inc. These firms will also lend their support to the study.

Specifically, the MIT researchers will seek to provide a technical and economic evaluation of solar energy dehumidification systems when used on a large scale in an urban environment. The researchers also will try to provide the operational data and analysis necessary for applying the system to existing and proposed structures. After completion of the design study, a proposal will be made for a full-scale experiment at Citicorp Center.

The project is based on a technique of removing moisture from the incoming air at or near the outside temperature by passing the air through a spray of concentrated liquid which strongly absorbs water. The dilute liquid can then be dried and reconcentrated by heating it to temperatures readily available from solar energy collectors. Components already developed and available will be used.

Preliminary studies of the system envision a full-scale experiment using heat from a solar collector mounted on the southfacing 45-degree sloping roof of the building.

Democrats in Congress announce own programs

While President Ford concentrated his proposed solutions (see State of the Union) to the economic woes on tax rebates and energy conservation, the Democrats in Congress have stressed in addition lower interest rates, an emergency housing program and wage and price stability.

Their "platform" would put the Federal Reserve System policies on a road toward steady and stable economic growth, bringing a gradual but determined reduction of interest rates to a livable level. This, coupled with a credit allocation plan, would channel money away from speculative and inflationary uses, into housing, power generation and other productive capital investments.

The House Democratic study group, author of the plan, included details of a proposed public works acceleration program and an emergency housing scheme. The former urged legislation to fund already approved civil works projects, pollution abatement, highways, public mass transit and other construction now suffering "unconscionable delays" in administrative processing of grant applications.

The group was even more specific in its emergency housing proposals. Calling shelter probably the most seriously depressed sector just now, the paper set out these alternatives as measures to be considered by Congress: 1) Increasing the ability of savings and loan and thrift institutions to attract adequate capital, 2) Interest rate subsidies for low- and medium-priced housing for the near term until concerted effort succeeds in reducing interest rates to an acceptable level, 3) Incentives for the preservation and rehabilitation of older existing housing, including multi-family dwellings. 4) Short-term assistance to homeowners having difficulty making mortgage payments because of unemployment or a significant drop in income.

The report, said the authors, recognized the complexities of the housing market and the mortgage market which fuels it, but expected the banking committees to report specific recommendations to the Congress early in the session.

The group paper also called for low interest and long-term loans for home insulation improvements and an all-out "crash" program looking toward energy self-sufficiency. A Trust Fund dedicated to the latter was one possibility.



Miami architect urges malls under expressways

Among under-utilized urban spaces is that which exists under expressway overpasses, according to Miami architect Irvin Korach, of Smith, Korach, Hayet and Haynie.

Shown is his concept of how this space may be used for commercial and residential purposes. "Malls are a great asset to a community," Mr. Korach states, and use of the spaces under expressways would extend the arcade and plaza prin-

Among under-utilized urban ciple that characterizes many spaces is that which exists under European cities.

What Korach envisions are malls of boutiques, restaurants and even housing under the concrete overpasses. In some downtown Miami areas, the land beneath expressways is being used for metered parking, but in other areas only haphazard parking is taking place. The whole idea of using this space could also lead to new expressway designs, adds Korach.

Washington's Willard Hotel saved from wrecker

Linda Strompl



Washington, D.C.'s historic Willard Hotel of 1901, a "sitting duck" endangered by the careful aim of an owner out to maim it (RECORD, December 1974, page 136), was rescued in January, with stunning symbolism, by the descendents of Sitting Bull.

Without a bow and arrow in sight, just \$7 million, the 10-story structure, now an official landmark, was bought by the National American Indian Council, which represents the interests of some 800,000 Indians across the country through 1500 local and regional groups.

There are sitting ducks, all over the country, ready for renovation and restoration, and of serious value in housing the needs of our time. With the Willard, designed by Henry Hardenbergh (who did the venerable Plaza Hotel and the converted Dakota Apartment

House in New York), the very first Americans, by proposing preservation instead of annihilation, are sending a signal to the society which displaced them, and closing the cultural circle with winning irony.

The hotel, a grande dame of the Belle Epoque, occupies a key corner on Pennsylvania Avenue, near the White House and Treasury and will remain a hotel. A leading chain will be taken on to handle management. The first non-Indian tenant signed up is the International Cultural and Trade Center, chaired by the noted oriental art dealer, Simon Kiriger. The building's voluptuous spatial volumes will be restored and updated to house meetings and conventions, and other public functions.

The Council's action also reinforces the Pennsylvania Avenue Plan which, refined last vear and submitted to Congress. proposed saving the Willard to maintain the identity of the Avenue and kindle economic and social vitality in an area which has been bereft of everything but daytime bureaucrats. The December 1974 decision by a three-judge panel, allowing then-owner Charles Benenson, a New York realtor, to strip the Willard of all but its barebone structure, was a slap in the face of urban and cultural sensibility-a slap which Mr. Benenson, to his credit, has made up for by going through with this deal .- William Marlin

How to make heating/cooling dollars work harder in your buildings.

Today, more and more of the smart money is going on our Hi-Line SEASONMAKER® fan-coil systems as a means of cutting costs and conserving energy. Because these systems mean savings in low initial costs . . . savings in the life-cycle cost of a building . . . and possibly even a saving in financing (loans can come easier when you can demonstrate a proven energy-saving system).

or expensive wiring or troublesome delays.

Maybe you're thinking you have to trade off looks or quiet operation or something else to achieve this kind of economy. Not so! The Hi-Line unit can easily be made to fit in unobtrusively almost invisibly - in any decor. And its quiet, efficient operation makes it a welcome addition just about anywhere.

Cut 17% off installed costs!

We save you money on both field-supplied labor and materials by shipping these units already installed with all risers for chilled water, hot water and drains, and with all internal control systems. In one documented case, this resulted in a 17% savings in installation costs.

There's a plug-in thermostat that saves you money, too. Because it's included as standard equipment, and it just plugs in after the unit is concealed in place, with no complicated

McQuay. We work hard to make our products work


harder for you. Get the complete story from your McQuay Representative, or write: McQuay




Baltimore's 19th century City Hall: double the space in an historic setting

Baltimore's City Hall, completed in 1875, was designed by George A. Fredericks in the Second Empire style said to imitate the "show stopping" contemporary buildings of Paris. Still Baltimore's municipal headquarters, the City Hall is now being renovated according to the design of a joint venture, Architectural Heritage-Baltimore Inc./Meyers and D'Aleo Inc., whose concept will reinstate the historical character of the building's ceremonial spaces, notably the Rotunda and two courtyards flanking it. In the process of changing existing circulation patterns, and creating new contemporary interiors, the architects will increase the usable area from 53,000 square feet to 98,000 square feet. In the new plan, the courtyards are to be cleared of existing structure, and opened from the first floor to the skylighted roof (see rendering). New elevators will be


installed in each court and perimeter balconies will contain new public circulation (dotted portions of plan). Space acquired from the unnecessarily wide original corridors will be used to increase office space and reception areas; a new interdepartment circulation path will be established along the outside face of the existing corridor. The renovation is expected to be completed in June, 1976 at a cost of \$6.5 million.







Longitudinal section

- 1. Mezzanine
- 2. Courtyard
- 3. Spaces open to lower level
- 4. Exhibition area
- 5. Board of Estimate's room







Jakarta's tallest tower under construction

Sih Timothy Seow & Partners, Singapore, designed this office tower-bank building, said to be the tallest building in Jakarta, Indonesia. The 34-story tower will be flanked by a six-story bank and parking garage accessed by a circular ramp, and the entire project will rise from a landscaped site in Medeka Square in the city's civic district. Structurally, four massive corner cores with a central service core form the vertical members of the building, and floors are prestressed concrete. The cores are to be slip-formed to the full height of the building. Curtainwall sheathing is planned.



Federal Reserve Bank underway in Philadelphia

Designed by Ewing Cole, Erdman Rizzio Cherry Parsky, this eight-story building on Independence Mall comprises 800,-000 square feet and is scheduled for completion in 1976. The red granite and glass facade, use of plantings and glassenclosed courts are all designed to minimize the building's mass and relate it to the longitudina character of the Mall. Pietro Belluschi served as architectura consultant to the Bank.



Groundbreaking set for first stage of town center for new community

been set for the first stage of the "Town Center" for the new

visitors' center and a 72,000square-foot retail center. The arcommunity of Audubon in Am- chitect of the project is Richard yard (center) flanked by a new herst, New York. The town R. Moger, and the client is the center is to contain a 36,000- New York State Urban Devel-

A spring construction date has square-foot office building, a opment Corporation. The configuration of the visitors' centeroffice building defines a courtflood control lake and pedestrian promenade.

edmont Center, in uptown Atlanta, progresses; phase one opens this summer

s office park is the concept of anta architects Cooper, Carry ssociates who designed the million project as a series of r seven-story buildings, conted to make one 524,000uare-foot structure with a o-story domed restaurant in

the center. Each building quadrant has its own core of elevators, restrooms and services, but bridges will link upper and lower levels. A covered walkway around both sides of the first floor and balconies around both sides of the second floor

make them practical for leasing as either offices or retail shops. The concrete frame building is banded by continuous floor-toceiling bronze-tinted insulating glass. The entire project will be complete in 1976. Phase I will be occupied this summer.






Forty-story neighbor for Boston landmark

Under construction in Boston is Sixty State Street, adjacent to Boston City Hall and Faneuil Hall (left foreground). The property is within the Waterfront and Government Center urban renewal area containing many historic sites, which the new building seeks to accommodate as much as possible. Its corners, for example, will be chamfered to restore the line of sight between the Old State House and Faneuil Hall, which was obstructed by buildings previously on the site. Nearly 60 per cent of the site will be for pedestrian use. The eleven-sided granitefaced building was designed by Skidmore, Owings and Merrill, Chicago.

lew York firm designs Carolina condominiums


oint Wylie (right), Charlotte, orth Carolina are two current opelin, Lee and Chen. In the lack River project, 200 units

he Black River condominiums will be built on posts above elow), at Georgetown, South canals and rice fields, with arolina, and the Tega-Cay on abundant views in two directions. The 175 Tega-Cay townhouses feature terraces and ousing projects in the office of decks, with individual docking spaces. Construction is to begin soon on that project.









New rule for where carpet was ruled out... Glue down double Jute-backed carpet





You probably prefer carpet. For aesthetics, maintenance savings, sound absorption, thermal economies, morale effect. But did you rule out carpet for one of these reasons?

- 1. Initial cost? Jute-backed carpet costs less than the same plus separate padding, or with equal pile and attached cushion.
- 2. Worry over seams? Carpet can't flex or shift to strain and pull at seams, as with separate padding or attached cushion.
- **3. Floor condition?** Install even over old hard surface flooring. Fill in only large crevices. Jute's thickness prevents smaller cracks from being outlined or felt.
- **4. Caster slowdown?** U. S. Steel, Ford Motor, others use castered secretarial chairs without underchair pads. Chairs, carts, mobile equipment roll easily on level-loop pile.
- **5. Safety codes?** Jute helps qualified carpets pass flame-spread, smoke density tests. Utilized in H. E. W. Dayton facility, Chicago Federal Building, many hospitals and schools.

For secure bonding to any subfloor, use Jutebacked carpet. Only Jute among no-pad backings has the fibrous composition and mesh weave to fully accept and retain adhesive.

WRITE FOR ARCHITECTURAL GUIDE SPEC AND EDITORIAL REPRINT

JUTE CARPET BACKING COUNCIL, INC. 30 ROCKEFELLER PLAZA · NEW YORK, NY 10020

American Industries, Inc. • Bemis Co., Inc. • BMT Commodity Corp. • C. G. Trading Corp. • Cosmic International, Inc. • D and C Trading Co., Inc. • Delca International Corp. • Dennard & Pritchard Co., Ltd. • A. de Swaan, Inc. • Gillespie & Co. of N.Y., Inc. • Guthrie Industries, Inc. • Hanson & Orth, Inc. • O. G. Innes Corp. • Multiproducts Trading and Manufacturing, Inc. • R. L. Pritchard & Co. • Sidlaw Industries Ltd. • Stein, Hall & Co., Inc. • White Lamb Finlay Inc. • Willcox Enterprises, Inc. • WLF Inc.

Controversy continues over Jerusalem's growth

This article is Part II of a report on the International Conference on Housing for the Emerging Nations, (RECORD, February 1975, page 43) held in Tel Aviv, Israel, December 17-20, 1974. The reporter, Samuel R. Mozes, AIP, describes here a special session dealing with a scheme for future development of the area facing the Western Wall in Jerusalem's Old City.

The International Conference on Housing for the Emerging Nations was preceded by the inaugural session in Jerusalem of the newly organized International Advisory Committee for the Planning of Jerusalem. The committee was set up by the International Technical Cooperation Centre on request of Teddy Kollek, the city's Mayor.

The Advisory Committee is a successor to the townplanning sub-committee of the lerusalem Committee, Mayor Kollek's previous advisory body, now discontinued. Several of its members, served also on the former committee, while others have been added to enlarge the scope of international and interprofessional participation. It was the townplanning subcommittee which, in December 1971, rejected the original version of the Jerusalem Master Plan prepared by consultants to the municipality. Since that time, the master plan has been substantially revised, eliminating much of its early massive superhighway system and other physical development proposals which were found to be potentially detrimental to the functioning and appearance of the unique city, sacred to three religions.

A major feature of the Jeru-

salem inaugural session was the presentation of a development scheme for the area facing the Western Wall, in Jerusalem's Old City, prepared by Moshe Safdie. The area, a part of the Old City "Jewish Quarter" (the so-called various quarters of the Old City date back to the ethnic/religious distribution of local population under the Ottoman Empire prior to World War I), was a densely populated Arab slum until the Six-Day War of 1967. After Israel recaptured the Old City in 1967, the slum dwellings in that part of the city were demolished and a vast but unorganized open area was created in front of the Western Wall, the remnant of the outer walls of the ancient Temple of the lews

Mr. Safdie now proposes an ingenious series of receding terraces providing several levels of mass assembly spaces which can be used jointly or separately depending on the number of people present. Under the terraces would be located quarters for various educational and public facilities.

The scheme has caused a minor storm of criticism by Israel architects and planners, and by the local newspapers. When questioned during the committee session about the validity of his proposal, Mr. Safdie asserted that he intended the scheme to be as subdued as possible. He also invoked the name of the prestigious Israeli archaeologist Benjamin Mazar, who directs excavations at the Western Wall. The scheme, Mr. Safdie said, is really a joint solution of the problem worked out by Professor Mazar and himself.

Llewelyn-Davies will plan Teheran new town

The Mayor of Teheran, Gholam Reza Nikpay has announced that the Teheran municipality has signed a \$3 billion contract with Llewelyn-Davies International, London, for planning of Shahestan Pahlavi, an ultramodern new town to be built on a 5.3-million-square-meter site within the capital of Iran.

According to Mayor Nikpay, the project will provide housing for 50,000 persons and would include a large civic center/government complex as well as commercial buildings. The Mayor said that plans would be ready within 13 months, and construction would begin immediately.



Patent granted on suspended dwellings

A patent has been granted to New York architect Richard W. Snibbe, for a structural system that permits economical construction of homes and apartments on currently unusable terrain.

"The system is environmentally sound in that there is minimum permanent defacement of the terrain," said Snibbe. "Ideally, the system is designed for satellite towns of some 10,000 acres, housing 60,000 persons in 18,000 homes and apartments."

The patent, granted by the U.S. Patent and Trademark Office, embraces a suspended structural system of steel cables and pipe secured to the mountainside by rock anchors at six small points. Two levels of living space can be created within the structure.

Lev Zetlin Associates Inc., structural engineers, has analyzed the system and reports that houses built with the procedure can withstand erosion, hurricane, and earthquakes.

"The basic materials to be used include pre-cut steel, aluminum, and plastic," Snibbe said, adding that, "The master plan envisions an essentially automobile-free transportation system with cable cars that convert to commuter trains serving as the prime transit mode. We plan only one major road through each town and cars will be stored under the town itself."

Prices to buyers, the architect noted, will be roughly comparable to conventional dwelling units.

[Ed. note: A feature discussion of this project will appear in the Architectural Engineering section of an early issue of RECORD.]

Growth limits: \$10,000 prize for your thoughts

Declining fertility, increasing resource prices, and shifts in social preferences are among forces that may bring marked reductions in demographic and material growth to many nations by the year 2000. The transition to a steady-state, sustainable society can offer many opportunities for constructive social development, if appropriate foresight is exercised to avoid the problems inherent in any profound social change.

So state the authors of The Mitchell Prize, which has been established in collaboration with The Club of Rome to encourage international analysis and solution of problems that may result from reduced material and population growth rates.

The first such awards will be made at the international conference, "Limits to Growth '75: First Biennial Assessment of Alternatives to Growth," which will be held at The Woodlands, Texas, October 19-23, 1975. The Conference is being sponsored by The Club of Rome, the University of Houston, and Mitchell Energy & Development Corp. The awards are being sponsored by George and Cynthia Mitchell of Houston, Texas.

The forthcoming biennial Mitchell Prizes have been created to stimulate creative, constructive thinking about the problems and the opportunities inherent in the transition from growth to equilibrium, and the competition has been designed to attract individuals representing many different nationalities, professions, ideologies, and socio-economic backgrounds. The prizes are part of a program comprised of publications, symposia, and research efforts that will be conducted over the next decade.


Five basic assumptions underly the total program on alternatives to growth: 1) Some form of material equilibrium may become a desirable, even necessary, alternative to further growth in significant regions of the globe over the next several decades. 2) The conditions of material equilibrium are per-

fectly consistent with a wide variety of alternative political, economic, and social systems. 3) A great deal of earnest and creative thought is necessary if mankind is to negotiate an orderly transition to material equilibrium. 4) It is possible now to anticipate many aspects of any future end to material growth, and possible to initiate constructive responses to any problems it may portend. 5) The sooner a society can exercise foresight in thinking through the implications of a transition to equilibrium, the more likely is it to evolve a system that is consistent with the limits of a finite earth and the universal goals of personal liberty, self fulfillment and equity.

The Mitchell Prize has been initiated to recognize authors who best meet the challenge implied in the above five beliefs. Cash prizes totalling \$20,000, with a \$10,000 First Prize, will be awarded for papers in any appropriate prose format: short story, humorous first person narrative, scientific paper, or other. The focus of each paper may be on a specific individual, cultural group, institution, region or nation, or the global society as a whole.

The judges will weigh the above five areas equally while assigning importance to the clarity of the exposition and the practical significance of the recommendations implicit in the text. Summaries of entries must arrive at 5645 South Woodlawn, Chicago, Illinois 60637, no later than April 20, 1975. Individuals wishing to participate in the competition must file an application. The application filing date has been extended to March 31, 1975.

It is anticipated that the finalists' papers will be published in book form and released in several languages in conjunction with the October meeting, and an honorarium will be paid to all authors whose papers are included in that volume. For further information, write: John Naisbitt, Limits to Growth '75, 5645 Woodlawn Avenue, Chicago, Illinois 60637



Yale Math competition revisited

THE YALE MATHEMATICS BUILDING COMPETITION: ARCHITECTURE FOR A TIME OF QUESTIONING, edited by Charles W. Moore and Nicholas Pyle; New Haven and London. Yale University Press, 1974, 117 pages, illustrations. \$15.00.

Reviewed by Paul Goldberger

That the Chicago Tribune's competition for a new skyscraper headquarters in 1922 has been remembered as a major event in American architecture is probably due not so much to the winning design it yielded-although that building, by John Mead Howells and Raymond Hood is indeed distinguished—as it is to the book which was published shortly after the competition ended to serve as a chronicle of the event. Included are every one of the entries, and they are an invaluable document of the design thought of the time. There is Eliel Saarinen's Hugh Ferriss-like second-place winner, Gropius' and Lonberg-Holm's two essays in modernism, a slew of eclectic buildings, and even a bit of what we would today call Pop.

A few years ago, when the idea of recording the Yale Mathematics Building competition as a similar volume was first proposed, it was hoped that the book could, in time, become the same sort of classic the *Chicago Tribune* book is. The book is now upon us and, sad to say, it is nothing of the kind.

The Yale competition has been surrounded by controversy for years now—the winning design of the 468 entries, by Venturi and Rauch, has inspired little love on the part of many architects, and even a few unfortunate charges of impropriety in the handling of the competition have come from some less than gracious losers. As if to compound the jinx, the Yale administration, which has been steady in its support of the Venturi design, has been unable to build it due to the University's financial troubles. Now, four-and-one-half years after the competition's end there is still no sign of the building's being started, although the University still calls it a "high priority."

The book project has been hardly any luckier. An enormous number of entries were destroyed long ago, with only 26 retained for publication, thus obviating at the start any possibility that the book could be the comprehensive document the *Chicago Tribune* book is.

The putting together of The Yale Mathematics Building Competition: Architecture for a Time of Questioning has been further troubled by disputes over the text. At one point Colin Rowe, a critic not known for his sympathies toward the Venturi camp, was asked to contribute, and he produced an essay so critical of the winning scheme that the scheme's supporters, led by Vincent Scully, refused to participate in the book. The Rowe essay was eventually withdrawn, but was not replaced by much of anything, and as a result the final product is really rather meager: it consists of a thoughtful introduction by Charles W. Moore, who was the competition's professional adviser and is the book's editor with Nicholas Pyle; a discussion of the program by E. E. Rick-

Mr. Goldberger is architecture reporter and critic for The New York Times art, the chairman of Yale's mathematics department and in effect the building's client; illustrations of 26 entries, and descriptions of the winning Venturi and Rauch scheme. All of this material is interesting, but it is far too sparse to serve as the "illuminating look at the state of American architecture 50 years after the start of the Modern Movement," as the book's jacket promises.

Mr. Moore's introduction and review of the history of the competition is sensitive but not particularly revealing of the difficult tensions that were involved here, and while his review of the entries (written with Mr. Pyle) is an interesting description, it does not take us much farther, either. (And since we don't know much about the 442 entries that were not published, it is not easy to make much of a judgment about how representative the 26 included ones are.)

Still, the book is not without its value. Any collection of 26 solutions to a difficult architectural problem by architects of any talent at all is bound to have some interest, and while there are a number of entries here that are laughably mediocre, there are others that are more than respectable.

Venturi and Rauch's scheme emerges on top, as it has a right to do in such a book. But it is, in fact, a thoughtful and sensitive solution that would deserve serious attention on architectural grounds, even if it did not serve as the book's raison d'être. It is difficult, in fact, to see



Venturi and Rauch's winning design



Design by James Lamantia, one of 26 varied entries shown in The Yale Mathematics Building Competition

what all of the messy controversy that this book chooses to skim over was really about—the Venturi and Rauch building is straightforward, well-planned, and appropriate to the program (which, admittedly, was written with a Venturesque building, not a modern "monument," in mind). Perhaps the most revealing part of the book, in the end, is Math Department chairman Rickart's essay of praise for the winner, which stands as a clear indication that the design, if it did nothing else, gave the client exactly what he wanted.

your needs!



with the Parker Family

of washroom equipment

When your washroom equipment requirements include units that combine beauty, durability and utility, you can depend on the Parker Family to fill your needs. The Parker units shown in the scene above are all designed for the ease of use and servicing necessary in today's washroom. Equally important, their quality Parker construction insures that these stainless steel units will keep their attractive appearance throughout a long service life. The Parker Family offers a wide selection of units made to satisfy every possible washroom need.

SEE OUR FAMILY ALBUM IN SWEET'S ARCHITECTURAL FILE 10.16/Pa.

For more data, circle 29 on inquiry card



290 PRATT ST., MERIDEN, CONN. 06450 TEL. 203-235-6365



Incomparable is the word for the \$120 million M.G.M. Grand Hotel. Consider the statistics. 2,100 rooms. A 26-story tower. 21/2 million square feet of floor area, including 145,000 square feet for convention activities. A grand ballroom with 40,000 square feet of unobstructed area, and a capacity of more than 6,000 persons. A casino almost 1½ times the length of a football field. The M.G.M. Grand Hotel is a standout in a city where lavishness is a way of life.

It was inevitable that open web steel joists, with their economy and speed of erection, would find their way into this glittering hostelry. Over 900 tons of standard joists were used selectively for floor supports and for roof supports in various high-rise and low-rise areas. Architects were Martin Stern, Jr., A.I.A., Architect & Associates, Beverly Hills, Calif., with Joel D. Bergman, A.I.A., as project architect. Structural engineers were Dan Cashdan & Associates Ltd., of Las Vegas. Structural steel contractor was The Herrick Corp., Hayward, Calif.

Economy and erection speed are just two of the many advantages of open web steel joists for buildings of virtually every type. Get the complete facts in our latest edition of Specifications and Load Tables for Open Web Steel Joists, Longspan Joists and Deep Longspan Joists.



STEEL JOIST INSTITUTE

2001 Jefferson Davis Highway Arlington, Virginia 22202

STEEL	\cdot	_	\mathbf{O}	~ -

74010

7th Floor, 2001 Jefferson Davis Hwy. Arlington, Va. 22202

Please send me your new copy of Specifications and Load Tables.

NAME_ TITLE_

FIRM__

ADDRESS_

CITY____STATE__ZIP__

For more data, circle 30 on inquiry card

The new GAF 185.FL On-Demand Diazoprinter only works when it's fed.



The new GAF® 185 ■ FL On-Demand Diazoprinter only works when it's fed.

You can feed it film, paper, intermediates, viewfoils, vellum. Blue line, black line, sepia.

It's ventless.

It's convenient.

And it's fast: 25 ft/min. (7.62 meters).

With a solid state system for consistent speed.

With a 48" (120cm) throat.

UL approved.

Amazingly low priced.

And because it turns itself off when it's through, it's an energy saver.

And it's backed by a nationwide service force to serve your needs.



The new instant-on, instant-off GAF 185. FL Diazoprinter works only when you need it.

For more data, circle 31 on inquiry card



0450-	mountlen		4948-	0725
Business 140 West	Systems F 51st Street N.Y. 1002	Dept.		

Gentlemen: Besides wanting to Rediscover Diazo . . . I'd like to know more about your new GAF® 185. FL Diazoprinter.

- Please have a salesman call me for a demonstration.
- ☐ Send brochure

STATE

NAME
TITLE
COMPANY
ADDRESS

ADDRESS

• CITY

PHONE (AREA CODE)



PROFILE OF PROFESSIONALS Architects: Dalton-Dalton-Little, Cleveland and Brubaker/Brandt, Inc., Columbus • Mechanical Consulting Engineer: Kramer, Comer and Passe

- · Construction Manager: Turner Construction Co.
- · Owner: Ohio Building Authority.




Aerofin is sold only by nationally advertised fan manufacturers. Ask for list.

Type D/DC Cooling

Type R/RC Cooling Coil (24 TF x 10 ft. were used in structure)







Bank after bank after bank counts on proven carpet by Bigelow.

If you're doing a bank job, you can create your own specifications for the carpet you want. And we can make it for you.

However, we have another suggestion. Why not specify carpeting that's already proven it can take the hard use (not to mention abuse) bank customers deal out. Carpet that's repeatedly demonstrated it can take a beating year after year after year.

Bigelow has that kind of proven in actual bank use carpeting ready for you in a wide selection of styles and patterns. Carpet that is the result of research and development combined with the realistic experience gained in hundreds of bank installations.

And speaking of experience, what better proof than the fact that Bigelow is now celebrating their 150th Birthday. From 1825-1975, Bigelow—America's most experienced carpet maker. We can give you the best advice, the best in everything to do with carpets because we've been doing it longer and doing it better than anyone else.

Bigelow-Sanford, Inc. Dept. A P.O. Box 3089, Greenville, S. C. 29602

Happy Birthday, Bigelow. Now let's see what your 150 years of experience can do for me on a bank job.

Vame.......Title.

Please print clearly.

City State 7ip

Bigelow 3

AMERICA'S MOST EXPERIENCED CARPET MAKER



NOW-A BETTER WAY TO FASTEN ROOF INSULATION TO METAL DECKS GREFCO'S perma-fastner system



perma-fastner™ System


GREFCO, INC.
Building Products Division
A subsidiary of General Refractories Company
2111 Enco Drive
Oak Brook, Illinois 60521
(312) 654-4500

Holds better-saves bitumen. Specially designed, patented screws hold the board to the deck in a vise-like grip, without any adhesive-hot or cold. Strong 3" x 3" steel distribution plates-not tin tabs-secure the board firmly. No damage to the insulation or felt. The self-drilling, self-tapping Perma-Fastner screws completely fill the holes they make in the deck.

Use over the entire roof-not just the perimeter. One Perma-Fastner every 4 sq. feet locks any type of board tightly without adhesive. Secures the entire area with only half the number of fasteners needed by other techniques which employ nails or clips. With the Perma-Fastner system there are no protruding edges to tear the BUR or insulation.

Perma-Fastner system is FM and UL approved. Specify Perma-Fastner for positive protection against wind uplift, vibration and construction movement.

For more data, circle 33 on inquiry card






Send us this coupon, and we'll send you this folder. It will tell you about all our commercial ceilings.



IT'S FREE


Name		
Company		
City	State	Zip

Armstrong Cork Co. 4203 Rock Street Lancaster, PA 17604



For more data, circle 1 on inquiry card

There's only one SHEETROCK®




SHEETROCK gypsum panels, the one brand that comes in so many specialized forms for more efficient and economical installations.

Please note: SHEETROCK is the registered trademark for gypsum panels made only by

UNITED STATES GYPSUM BUILDING AMERICA

For more data, circle 35 on inquiry card




You're the kind of person we had in mind when we designed our system of acoustical office screens. We think you'll like what you see when you take a close look at our PlanScape Screens. Please write for our full color brochure.

VOGEL-PETERSON CO.

DEPT. 515, ELMHURST, ILLINOIS 60126 Telephone: 312/279-7123

THE MERCHANDISE MART, SPACE 1689, CHICAGO

PlanScape Installation at Ethan Allen, Inc. Danbury, Conn.



One call does it all, when you need office furniture and steel equipment.

Your Lyon Dealer can show you exciting lines of office furniture—with so many options, you can think plush or price according to your taste and budget. And when it comes to steel equipment for convenience and storage, there's no source like your Lyon Dealer.

He offers a selection of over 1600 stock items for your plant.

Remember, too: Lyon service, selection and hand. Your Lyon Dealer will give you close, personal attention, from layout plans to final installation. He'll assure you the fastest possible delivery, from complete stocks in our four

strategically located plants.

So it makes a lot of sense to call your Lyon Dealer for both office furniture breadth of line go hand in and steel equipment. Call him and see! Lyon Metal Products, Inc. General Offices, Aurora, III. 60507. Plants in Aurora, III., York, Pa., Los Angeles. Dealers and Branches in all principal cities.





Inside, there's the warmth and beauty of our traditional wood window.

For years, wood windows have been appreciated for their warmth. In appearance. And in their natural ability to provide good insulating properties. So when we developed the cladding system for our wood windows, we were very careful about leaving both of those qualities intact. Viewed from

inside the building, all of the surfaces that were meant to be wood are still wood. The exterior aluminum skin is not visible anywhere on the inside of the window. And because the skin does not penetrate the frame or the sash (a), the insulating qualities of the wood are not disturbed.


In between, a number of unique options for controlling the environment and associated costs.

The removable inside storm panel in our optional Double Glazing System gives you a number of other valuable options. Like using our Slimshade® (b) to control sunlight, privacy and solar heat gain and loss. Housed between the panes, this fully adjustable blind remains virtually dust-free. The Double



Glazing System also accommodates our snap-in muntins and privacy panels. But mere flexibility is not its only saving grace. The 13/16" air space between the panes does a better job of insulating than ordinary welded insulating glass. And at a lower cost per window.

This Pella Clad window system combines modern convenience with traditional values, in the recently restored Wayne County Courthouse.



Outside, an acrylic coated aluminum finish that reduces maintenance without reducing your choice of colors.

In the Pella Clad window system, all exterior wood surfaces are sealed off from the weather and other atmospheric contaminants by an acrylic coated aluminum skin. An outside finish that has earned its reputation for durability. And one which is available on our Contemporary and Traditional

Double-Hung, Casement, Awning, Fixed and Trapezoidal Windows, Pella Clad Frames, and Pella Sliding Glass Doors. In Dark Bronze, Dark Brown, White (c) and eight special colors. With sizes in each to accommodate a wide variety of design and building requirements.

Afterward, the ease and economy of washing the outside of a ventilating window from the inside.

Window cleaning is another maintenance factor which deserves consideration. And Pella Windows have something to offer in this area also. All of our ventilating units can be cleaned, easily, from the inside. The Pella Double-Hung Window has a spring-loaded, vinyl jamb liner which allows the sash to pivot

> fully. And because each sash pivots at its center point (d), the weight of the sash is counterbalanced. Which makes the job just that much easier. Reglazing can also be accomplished from the inside, along with sash removal. And the same thing is true of our casement and awning windows.



R 50TH YEAR

For more detailed information, send for your free copy of our 6-page, full-color brochure on Pella Windows in Renovation. See us in Sweet's Architectural File. Call Sweet's BUY-LINE number or look in the Yellow Pages, under "windows", for the phone number of your Pella Distributor.




Please	send	me your	6-page	brochure	on	Pella	Wind	lows	in	Renova	tion.	I am
specific	ally in	nterested	in:	Double-H	lung	Wind	dows,		Cas	sement	Wind	lows,
☐ Awn	ing Wi	indows,	☐ Slidin	g Glass D	oors	. U V	Nood	Fold	ing	Doors.		

	0	710
Address		
Firm		
Name		

Telephone

Mail to: Pella Windows & Doors, Dept. T31C5, 100 Main St., Pella, Iowa 50219. Also Available Throughout Canada This coupon answered within 24 hours.







J-M Fesco® Board or Fesco-Foam™ Roof Insulation.



When J-M covers a roof, J-M really covers a roof.

It's called one-source material responsibility.







J-M Asbestos Finishing Felt.

J-M Expand-O-Flash® Expansion Joint Covers.

Because Johns-Manville makes everything that goes into a built-up roof, you have J-M quality all the way -from the deck up.

And when those materials are applied using J-M specifications, the result is "from-the-deck-up" dependability.

Plus clear-cut responsibility for the

performance of all J-M materials in the finished assembly when a J-M Guarantee is issued.

That's why a J-M built-up roof really makes sense. And saves a lot of dollars in the long run.

Need help with roofing problems? Write Johns-Manville, Box 5108, Denver, Colorado 80217. JMI Johns-Manville



depend on Bethlehem

These practical aids make it easier to design in steel

That's our objective: to help you select the most favorable steel framing system for your structure . . . and help you do it faster than ever before.

What you see here is just a sample of the many design aids Bethlehem makes available to architects and designers. Our library is constantly being enlarged and updated as new steels and new design techniques are developed.

Are you on our mailing list? If not, call your Bethlehem Sales Engineer. He'll see that you're kept up to date.

Informative slide presentations

A number of slide-illustrated presentations are available for your in-house programs, or for meetings conducted by your professional and technical societies.

Running from 20 to 45 minutes long, these presentations cover steel systems in architecture. . . . cable-roof structures . . . high-strength steels . . . the San Fernando earthquake . . . exposed steel-framed parking structures . . . weathering steel: where and how . . . Hartford Coliseum space frame fabrication and erection . . . and many other subjects of interest to architects.

Want more information?

Just call the Bethlehem Sales Engineer at the Bethlehem sales office nearest you. His number is listed at left. He'll be happy to give you the details on our design aids, on our framing analysis program, or answer any questions you may have on steel product applications for the construction market. Bethlehem Steel Corporation, Bethlehem, PA 18016.



phone:

ATLANTA (404) 522-4918

BALTIMORE (301) 685-5700

BOSTON (617) 267-2111

BUFFALO (716) 856-2400

CHICAGO

(312) 664-5422 CINCINNATI

(513) 381-6440

CLEVELAND (216) 696-1881

DETROIT (313) 336-5500

HOUSTON (713) 224-5311 LOS ANGELES (213) 726-0611

NEW HAVEN (203) 865-0833

NEW YORK (212) 688-5522

PHILADELPHIA (215) 561-1100

PITTSBURGH (412) 281-5900

ST. LOUIS (314) 726-4500

SAN FRANCISCO (415) 981-2121

SEATTLE (206) 285-2200

Ask for Sales Engineer.

HOW TO GET YOUR PACKAGE THERE AS FAST AS IF YOU CARRIED IT YOURSELF.

It's as easy as 1, 2, 3.

1. Bring your small package to United's passenger check-in counter 30 minutes before flight time. Pay the charges.

2. Phone your addressee. Give him the flight number, arrival time, and receipt number.

3. Thirty minutes after arrival, the package can be picked up at the baggage claim area.


How big is small?

Up to 50

pounds in weight, up to 90 inches in total dimensions (length, plus width, plus height).

What can you ship?

Things like film, computer tape, samples, medicine, advertising material, blueprints. or the briefcase you forgot to take on your business trip.



No.1 in the U.S. sky

IIII UNITED AIRLINES CARGO



AT ORONOQUE VILLAGE, 1200 FAMILIES ARE GOING TO LIVE UNDER THE SAME ROOF.

In Oronoque Village, a condominium community in Stratford, Connecticut that will stretch for over 300 acres, GAF Timberline® Asphalt Roof Shingles is the only roofing being used.

It's not hard to see why. Timberline combines the rugged good looks of wood shake shingles with the safety and maintenance-free convenience of modern asphalt shingles. That's a tall order for one roofing.

Moreover it won't rot, crack, warp or split. It's fire resistant. And it has a special self-sealing adhesive to keep it down in high winds.

Timberline's woodlike texture comes in 6 authentic shades. All with that rich, varied shadowing that

really makes a home appealing to a potential buyer.

There was one final reason why Timberline was chosen for Oronoque Village. GAF. The company that warrants this great roofing for 25 years against manufacturing defects.

GAF Timberline. The reliable roofing.

Oronoque Village wouldn't put 1200 families under it if it weren't. For further details, call your GAF Building Products distributor, or write:

GAF Corporation Building Products Division Dept. AR-35 140 West 51 Street New York, New York 10020



Expect quality carpets And expect their




to be Antron nylon. look to last.

General Telephone & Electronics Corporation wanted commercial carpet that didn't look commercial, a style to complement the distinctive architecture of their new world headquarters in Stamford, Conn. At the same time GTE wanted to take full advantage of the long-term appearance retention inherent in carpet with pile of Antron* nylon. From the wide variety of styles now available in "Antron" they specified this ribbed-texture construction in four custom colors for a total of 35,000 sq. yds.



What you see is what you'll get for a long time. "Antron" is a soil-hiding carpet fiber. It is the leading commercial carpet fiber brand with more than twice the available styles in "Antron" than those made of the next brand. Its ability to diffuse light helps blend soil concentrations into the overall look of the carpet (normally they would show up as spots). Also, being nylon, "Antron" gives carpet exceptional durability and crush resistance.




How "Antron" keeps carpet looking fresh. Its filament structure is remarkable, as simulated in this greatly enlarged model. The four microscopic holes scatter light to minimize rather than magnify the dulling effects of soil, while maintaining an attractive, subdued luster. This property of the fiber, together with its outstanding wearability, helps the look of the carpet to last.



For more data, circle 43 on inquiry card

NEW: "Antron" III nylon for static control is now available in selected styles.

*Du Pont registered trademark. Du Pont makes fibers, not carpets.





COMING IN MID-MAY. . .

ARCHITECTURAL RECORD'S IDEA
ANNUAL OF THE HOUSING FIELD

RECORD HOUSES AND APARTMENTS OF 1975

In mid-May Architectural Record's Record Houses and Apartments of 1975 offers a timely opportunity for manufacturers of quality building products to exert year-in and year-out influence on those architects and builders who are at the forefront of the housing market. It will reach all major groups of specifiers and buyers in this market:

- over 44,000 architects and engineers who are verifiably responsible for 87 per cent of the dollar volume of all architect-planned residential building.
- 20,000 of the nation's foremost builders qualified by Sweet's on the basis of annual building activity to receive the Light Construction File.
- 4-5,000 leading interior design offices qualified by Sweet's to receive the Interior Design File.
- in addition, bonus bookstore distribution to an influential segment of the house building and buying public.

Record Houses and Apartments offers its advertisers a unique advantage:

The issue has the longest working life of any issue of any architectural magazine! Architects refer to it five, ten, even fifteen years after publication.

Don't miss it! Closing date: April 15.





Using manufactured siding?



Put on New Olympic Overcoat: It's guaranteed better than house paint!

Olympic Overcoat is a unique 100% acrylic latex exterior coating specifically formulated to provide a durable, flat, one-coat finish on challenging surfaces such as hardboard and smooth, painted material. Five years of field testing have time and again shown

Overcoat to be superior to other products tested for application and performance. In commercial applications Overcoat has delivered as much as twice the coverage per gallon as conventional latex products. Results

are so outstanding that Overcoat is backed by two remarkable money-back guarantees.

Overcoat is available in most of the popular Olympic Stain solid colors. To finish unprimed hardboard, the matching color in Olympic Solid



Color oil-base stain should be applied before applying Overcoat. Hardboard and Overcoat. Think of them together. For more information on Overcoat and the entire Olympic line, consult 1975 Sweet's Catalog, or contact Olympic Stain.

Application and Appearance Guarantee: Overcoat's quality, durability, protection and ease of application are so outstanding, we would like you to use it. While the first gallon of Overcoat is being applied (at the recommended rate), if you're not convinced Overcoat is better than house paint, the remainder of that gallon plus any other unopened gallons purchased can be returned to your Olympic dealer for a full refund. Receipt required.

Performance Guarantee: If, after proper application

in accordance with the label directions, Overcoat does not perform satisfactorily, replacement gallons will be furnished or a refund of the cost made at the manufacturer's option. Labor costs to apply any material as well as cracking, peeling, or blistering caused by a breakdown of a previous paint film are not covered under this guarantee. No other guarantees expressed or implied are valid.

Olympic Stain. A division of COMERCO, INC. 2 Dept. O, 1148 N.W. Leary Way, Seattle, WA 98107. (206) 789-1000.

CONSTRUCTION MANAGEMENT **BUILDING COSTS BUILDING ACTIVITY**

The future of professional firm management

When Bradford Perkins puts on the pointy hat and gazes into the ing some advantage of Brad's well-earned stature in managecrystal ball, the readers of this department must have learned by ment know-how and are slipping some comments of our own, now to pay attention. But the crystal ball business is for snide and otherwise, into the conclusions of this thoughtful Pereveryone—including pundit-type editors—so this time we're tak-

kins piece. You're all invited to do the same.-W. F.

In recent years there has been much talk of the potential impact of other industries' new techniques on the design professions. Systems analysis, acquisition strategies, project management, public ownership, computer-aided design, and many other techniques have become buzz words-but are still infrequently used. It would be misleading merely to extrapolate from these techniques to determine the direction of future changes in the design professions. When this has been done in the past, it has resulted in such extravagant predictions as: 1) the small firm is doomed; 2) systems analysis will revolutionize all design; 3) the computer will make the draftsman obsolete. None of these nor any other similarly overdrawn conclusion has come true.

Those changes that are occurring are probably caused more by certain mounting pressures outside the profession's control than by a conscious strategy for change. Accepting the risk inherent in all predictions, this article evaluates the potential impact of current pressures and then makes a brave excursion into the crystal ball business.

Pressure number one: changes in the market

As is the case in every other industry, one of the most important motivations for procedural change is change in the marketplace. Nowhere is this being felt more than in the design professions. Types of owners and their service requirements are changing radically, and this in turn is causing deep restructuring of professional relationships.

A strong aspect of the changing market is the increasing sophistication of owner demands. Fewer owners are searching for generalists. They are looking more and more for firms or individuals that have special skills necessary to meet their specific needs. Among the areas of demonstrable expertise sought with increasing frequency by owners are:

- Pre-design expertise—specifically, specialized knowledge of such factors as the operation of the completed facility, financing techniques, local approval processes, etc.;
- · Specialized inputs at every point in the process-in particular those skills directed to-

ward answering community concerns such as community participation or environmental impact assessment, as well as the more quantified technical skills such as life cycle cost analysis, construction cost management, and project economic analysis:

 Other comprehensive services that encompass more and more of the coordinated specialized inputs required for larger and larger projects of increasing technical and economic complexity.

There is even a basic change taking place among building types requiring design expertise. Part of this can be traced to the fact that construction costs have outpaced many consumer groups' current ability to buy new schools, hospitals, single-family houses, and other new facilities. Still other changes can be attributed to declining birth rates, the energy crisis, and many other long-term trends.

The educational institution, highway, single-family house, office building, and many others will still be major elements in the total market, but their share of the total will continue the decline begun many years ago. On the other hand, remodeling of existing structures, multi-family housing, mass transit, health-related facilities such as clinics (but not general hospitals), leisure-oriented facilities are among those types growing in importance.

In order to find the skills outlined above, owners are showing an increasing willingness to extend the search for the "right" firm. The day seems to be passing when the owner was content to just interview either the local firms or those with national "design" reputations. Both continue to be common criteria for selection, but the desire for new skills has brought about an expanded list of criteria as well as of new firms to be interviewed. As a result, professional firms are becoming increasingly competitive, and increasingly diverse in the services offered.

Pressure number two: changes in the process

Another of the basic elements in the changing market has been a substantial shift back toward the view of design as one of many parts of a project delivery process. During the centuries

when the architect was master builder, the production of a new structure was a single process under one-man control. But with growing complexity came specialization. The master builder's response was to concentrate more and more on a purely design role and to coordinate other phases among a host of new types of firms-construction managers, space planners, urban planners, hospital consultants, etc. This fragmentation has created a whole new set of problems. As a result, especially for large projects, the client-architect universe has borrowed a concept—project management—from the management experience of other industrial and commercial enterprises.

Whether this new coordinating function will be provided routinely by the design professions, by the owner, or by a new group, remains to be seen. Over-all, however, there is a trend toward merging all of the specialist groups back into a single team.

A second aspect of the process which has also continued to change in response to the changes in market demand has been the technology of design and delivery. New materials, industrialized building, computer-aided design, standardized master specifications, performance specifications, fast-track, and many other approaches are being refined to a point where they are finally becoming cost effective.

Pressure number three: the economic squeeze

A third important factor in the changing environment for design services is the economic squeeze affecting professional practice. Although there are many contributing factors to this problem, its over-all impact has been to bring financial problems of the industry to the surface so forcefully that they can no longer be

The symptoms of this situation are the decreasing average levels of profitability (from as much as 20 per cent pre-tax profit on gross fees, to less than 8 per cent today), severe cash flow problems, and unusually low personal incomes for both principals and employees. The recent AIA survey reported that average income among architectural firm owners was under \$30,000 a year and that of senior staff

positions was often less than \$20,000. The latter figure only just matched that of this year's graduates of the better business and law schools. The former is very far below adequate compensation for the time, investment, and personal liability of the firm owner's position.

The trend, however, was already established even during the boom of the 1960's. Underlying this trend is the natural economic streamlining being forced on every industry by increasing competition as well as by cost rising faster than income. Both have resulted in the need for higher productivity or better cost management measures. For example, incredibly low as they still are, the largest operating cost of professional practice—salaries—has risen faster than gross fees per employed professional. Firms that are not taking steps to reverse this trend are facing increasingly severe financial problems.

Pressure number four: the high-priced specialist

Part of the reason that salaries have risen is that market and economic pressures have forced design firms to add staff from outside the professions—business managers, systems analysts, specialist consultants in such fields as hospital administration, etc.—all of whom command salaries significantly higher than design-firm average. This has only aggravated an already existing employee dissatisfaction with architectural wage scales.

When I graduated from business school, the average starting salary for an MBA was double that for an architectural school graduate. The disparity between architects and such building-tradesmen as journeymen plumbers and electricians is even more startling. The days of the starving artist ethic disappeared when these disparities became too severe. Young architects, engineers, planners, and interior designers are demanding salaries more commensurate with their training and their peers. They are also demanding more rapid advancement to positions of responsibility. Fewer and fewer are content to be draftsmen or even senior specialists such as specification writers or field representatives. This reluctance, combined with the almost total lack of training in these key skills provided by the current educational system, has created serious staff shortages in the non-design areas of every one of the professions-even in this relatively slow economic period.

Pressure number five: the changing legal climate

Along with the changing market, new economic pressures, and increasing staff dissatisfaction, a serious deterioration in the legal climate has occurred. Unionization, increasing vulnerability to lawsuits, rapidly expanding liability, new types of services, the changing of the ownership structure currently taking place in many firms, and many other factors have multiplied the legal complexity of professional practice. This pressure has had an impact on everything including specification writing, the roster and definition of services provided by design professionals, owner-architect-engineer contracts, and even the creation of new forms

of organization for professional practice, as well as new responsibilities and new personnel policies.

Some would argue for a more general view

There are still other changes, of course, but these seem to be the ones which-singly or in combination-appear to be having the greater impact. In fact, it can be argued—as one of my partners does-that these can only be seen in combination. He argues that there are only three real forces. The first is increased competition requiring greater responsiveness in services, approaches, etc. The second is the need for more efficient use of limited resources causing the change in process, the economic squeeze and the greater emphasis on planning. And third is the increasing understanding of professional services, the nature of the problems to be solved, and the appropriate solutions. This list, he argues, tabulates the driving forces toward integration of professional skills and the increasing application of management skills to project delivery.

I believe that in some cases these combined views are accurate. Nevertheless, it is important to understand the individual factors as well, for many of the changes can be traced to just one of the five pressures for change that are listed above.

Now let's take the plunge into the crystal ball

With the above preamble, I will stick my neck out and actually make a few predictions. (And I will put in my two cents worth of comment in italics.—W. F.)

- 1. The trend toward more sophisticated, more demanding and project-manager-oriented owners will continue and will eventually dominate the major (multi-building) owner groups.
- 2. The project delivery process—particularly (in consultation services) at the front end—will become increasingly complex requiring more kinds of specialized skills.
- 3. Rather than continuing to expand into new areas, design firms will become increasingly specialized. (Except for those who continue to practice architecture?)
- 4. One of the major specialties will be project management. (The latter-day master builder, mentioned above?)
- 5. Construction managers are here to stay and will continue to expand their share of the total project fees available. (Yes, but if they earn their share, won't the architects' profit margins improve?)
- 6. The design/build approach—like it or not—will grow in influence in such previously sacrosanct areas as hospitals. (See the new AIA "Design-Build-Bid Task Force Report.")
- 7. More design professionals will choose the strategies of becoming their own clients, offering complete design/build services, or participating in teams offering finance and management as well as design. (Wish fulfillment, Atlanta style?)
- 8. There will be more large (over 200 employees) firms, and more will acquire or be acquired by firms outside the design professions, but it is unlikely that ownership of design firms

by non-professionals will become a dominant factor until design firms become more desirable investments. (More, but not dominant?)

- 9. The small firm will not become extinct. More owners will continue to need and to seek out the more personalized and specialized service which smaller firms seem to be able to provide more consistently than their larger competitors. (Hear! hear!)
- 10. It will be harder to start a successful new firm, and it is tough already. (Guess I'll start with a smaller, more personal service.)
- 11. Design firms will continue the trend toward employing increasing numbers of senior staff from outside the professions.
- 12. More firms will have business managers. (More architect-MBA grads?)
- Effective management will become an increasingly important prerequisite for survival and success in design as well as financial terms.
- 14. Things will not get worse for the professions as a whole. This is not because the trends are up, but because if things get worse we will all have to look for jobs in other fields. (When "things" get worse, imperatives survive.)
- 15. More proprietorships and partnerships will become corporations and the ownership base will be expanded to include more senior staff as well as outside investors. Public ownership, however, will not be a major factor except for those firms acquired by public corporations. (Will the stockholders vote on design solutions?)
- 16. Economic pressures will help stimulate more use of technically trained draftsmen rather than professional apprentices at the drawing boards. There will be more mechanical production procedures such as master specifications and standardized details, and more use of pre-engineered construction systems.
- 17. Computers will be increasingly important aids in engineering design and some specialized aspects of architecture, planning and interior design. But they will not make significant inroads in the graphics areas of current practice anytime in the near future.

All of the above is, of course, mere speculation of the probable response to the current pressures; but one thing is certain: there are forces which have begun a basic restructuring of the design professions.

Moreover, it is certain that a common thread of these changes in what Peter Drucker has defined as a quiet—and long overdue—revolution in his book, *The Practice of Management*. "The emergence of management as an essential, a distinct and a leading institution is a pivotal event in social history. Rarely, if ever, has a new basic institution, a new leading group, emerged as fast as has management since the turn of this century. Rarely in human history has a new institution proven indispensable so quickly; and even less often has a new institution arrived with so little opposition, so little disturbance, so little controversy."

The revolution has been late in coming to the design professions, but before it too passes, its impact will be felt by every firm.

-Bradford Perkins

Versatility.

Because an office building is more than just offices.



If the entire office building you're about to carpet were made up of only inner offices, just about any carpet fiber would do. After all, an inner office doesn't demand much of a carpet. It doesn't receive much traffic or excessive soiling, and has no really unique requirements. But the fact is that your office building isn't made up of just inner offices. It houses computer rooms, restaurants, board rooms, executive suites, reception areas, cafeterias and sunlit lobbies. For these areas with their unique carpeting requirements, not just any carpet fiber will do. They demand a versatile carpet fiber, one that has the performance features to meet all their requirements. And Acrilan® acrylic fiber by Monsanto is such a versatile fiber.

Acrilan®Plus carpets meet the requirement for a luxurious and impressive appearance in board rooms, executive suites and reception areas. They offer great styling capabilities, a range of vivid colors, resilience, soil resistance and ease of maintenance.

Acrilan®2000+ carpets meet the low static build-up requirement of

computer rooms so now those rooms can have the benefits of carpeting without the risks. Acrilan®2000+ carpets have an extremely low propensity to voltage build-up without using conductive fibers in their face fabric. Their voltage buildup is so low that they only need a conductive system in the backing in order for them to be used around sensitive computers. No other fiber can be used so successfully in a delicate computer environment. Acrilan®2000+ carpets satisfy the requirements of restaurants and cafeterias. In fact, Acrilan®2000+ carpets are better than any others for areas subject to excessive and stubborn food soiling and staining. The reason is their great cleanability. Acrilan®2000+ carpets are made of solution-dyed fiber and so, are extremely colorfast. As a result, harsh chemicals can be used to clean stubborn stains without destroying the color. When backed with a manmade backing, Acrilan®2000+ carpets aren't even fazed by 100%

Acrilan®2000+ carpets also have the lightfastness to withstand all the sun

a windowed lobby has to give and still come through with glowing colors. Literally. In fact, Acrilan® 2000+ carpets are 35 to 50 times more lightfast than the industry

Take another look at your office building. Then take a look at Acrilan. For restaurants, for board rooms, for sunlit lobbies, for computer areas... Acrilan®acrylic fiber has the versatility to meet their unique requirements. And if it can do all that, think what it can do for an inner office.

Acrilan the ability fiber





Monsanto Textiles Company 320 Interstate North Parkway Atlanta, Georgia 30339 (404) 434-4949



Value analysis: total project cost perspective

Some call it "value engineering"—others call it "common sense." By any name, it has to be a disciplined and structured process when applied to the disparate cost influences at work in any building project. That's why the value discipline, applied to cost control in depth, is

part of the over-all discipline of professional construction management. And that's why Robert Y. Finley of CM Associates calls it value engineering in the workshops and seminars the firm has conducted on this subject. He has submitted the following summary as the fifth installment in an intermittent series that began in September, 1973, with an overview by CMA president Charles B. Thomsen, followed by articles on budgeting, project purchasing and estimating in RECORD issues for February, May and October, 1974, respectively.

Each of the countless decisions and pieces of work by literally hundreds of people involved at every professional and trade level in a large building project has an effect on the over-all cost of the project. And many of these decisions and actions are interrelated options taken at key points in the process. The primary professional responsibility to the owner is more than adept control of an immediate cost ceiling at each key point. It is a broader control that takes into account the value to the owner in terms of all the elements involved in his decision to build. That involves scales of quality, prestige and profit that sometimes transcend first-cost considerations.

The methods of arriving at more or less precise definitions of value are essentially mathematical disciplines—hence value *engineering*. The fact that the process is called "value" and not "cost" engineering is significant, for even though it takes its cue from cost, value engineering is not simply a paring-down process. Armed with well-defined value alternatives, the owner, architect, and construction manager have the opportunity to make design decisions that strike the best balance between product and cost and thereby achieve the optimum building for the least cost.

Setting up the scales for defining value

The standard method for defining a value alternative is to rate it according to parameters of effect on the building's use, cost, esthetics, environmental impact and ultimate market value. Does the proposed alternative help the building fulfill the functional requirements that generated the need for it? Are the initial and/or long-term costs compatible with the money the client is willing to spend? Does the building contribute positively to the environment? How marketable will it be at the end of its use to the owner?

The client, with the aid of his architect, must rate the importance of these elements. If the client wants economical operating and maintenance costs for the life of the building, then he is going to be concerned with long-




Figure 1. The value engineering process, showing feedback patterns.

term outlay more than initial costs. If he's a developer who's planning to sell his interest in the building in a few years, he's probably looking for low initial expenditures. That same developer, however, may want to put in some extra dollars for those architectural qualities that attract tenants and enhance the building's salability. Value objectives cannot be assumed. They must be given definition by the client at the outset.

Undoubtedly there will have to be tradeoffs. If the *use* value is primary and dictates a building configuration that cannot be adapted easily to the site conditions, then a trade-off will have to be made between function and cost. Esthetics is the value most talked about in a building project. Yet, while it is of utmost importance and tends to create the most emotion, it usually is the first to get tampered with when the budget is threatened. This is a special hazard when owners and/or con-

struction managers blindly equate good design with higher cost. One of the major goals of value engineering should be to permit cost effectiveness that doesn't generate a quality trade-off.

The four basic steps toward realistic values

At CM Associates, value engineering is applied in the early design stages and then at every subsequent stage of the building process—as the design unfolds and right on through the procurement and construction stages (Figure 1). The procedure essentially is a four-phased effort in the following order.

The information phase, has two separate stages. First, pre-design concepts are documented and reviewed. Then, when drawings, specifications and a program are established, they are reviewed and the owner's values are established.

- 2. In the analysis phase, cost estimates are made for each of the major building disciplines (architectural, structural, etc.), approximating the contracts that will be let. Cost models based on historical cost data are prepared, estimates are run and compared to each of the models, and the study objectives are compiled. Typically, the value engineer analyzes building disciplines, systems, and components from the standpoint of what their function is, what they cost, what could be substituted, what the substitute would cost, and how it would affect the owner's value scale.
- 3. In what is called the *speculation phase*, an interdisciplinary team of professionals is chosen. This includes representatives of the client, architect, engineering firms, and the construction manager's value engineering specialists. Scope parameters and values are defined, and functions are analyzed. Ideas are presented, recorded, evaluated, and numerically rated against a list of value objectives. A concensus is reached on the best solution.
- 4. In the documentation phase, a written recommendation based on the concensus of phase three is made to the client and, if approved, becomes a document with the drawings and specifications.

Approaches to a method applying value engineering

During the information and analysis phases, the value engineer is pulling together all the details that will relate the whole project to cost. He has the program data and preliminary drawings and specifications from which an initial budget can be projected. Historical cost data showing what individual costs have been will establish a cost model. When estimates made at the schematic design and subsequent phases are compared to this model, any variances will become obvious.

By now, the value engineer knows where the client is placing his value emphasis. If that emphasis is on low maintenance costs, and the mechanical engineering estimate is higher than normal because of a heat recovery system, then there is some value justification for the mechanical overrun, and the value engineer must decide whether it meets the client's objectives.

To illustrate the value engineering process, let's assume that the schematic design estimate for the exterior wall materials and finishes is well above the cost model.

A team of professionals representing each major discipline is brought together to evaluate the effect of any proposed alternatives on all the other building systems. In this way, the possibility that savings in one system might be eradicated by increased costs in another is not overlooked. Another advantage of having an interdisciplinary group conduct the study is that the initial engineering work required for each design proposal can be accurately assessed early in the project.

This assumed project is a corporate headquarters for which both high architectural quality and low operating and maintenance costs have been stressed by the client. Cost estimates of individual systems reveal that the exterior skin, the roof system and the flooring are higher than normal cost elements. Of these, the marble exterior skin seems to be the outstanding item for value examination.

At this point the scope of examination is narrow: to study the exterior wall material—not the insulation and not the interior finishes. The scope doesn't really have to be all that narrow. The team could have chosen, for instance, to look at the entire exterior wall system. Definition of scope is important, for as the study progresses team members will need to continue to view things from the same perspective. Otherwise, comparative relationships will fall apart.

The study begins with an analysis of the design criteria: why was marble chosen? Well, the client liked it, and it is virtually maintenance free. Once the criteria are established, the team can move to a functional analysis of the specific item.

The functional analysis describes very basically what a particular component or system does. For example, the most obvious and basic function of the marble skin is to enclose the building. It also has esthetic value and, while the functional analysis will recognize esthetics as a primary value in this case, it is also noted as a secondary function. The main concern here is to pinpoint exactly the most fundamental use accomplished by the specific item under study in order to determine what else can do the job.

After the basic and secondary functions have been determined, the team assigns each a dollar value and an original cost and arrives at a cost/worth ratio.

With this done, the team can begin to seek out alternatives. This initially is accomplished with a kind of rapid-fire listing of all the conceivable—including the barely conceivable—materials that can perform the same function. The list may be 10 or 110 items long. Team members are encouraged to offer any and all ideas, however remote, in order to free-up their thinking and get their creativity flowing. Elimination and evaluation follow.

Each idea that makes the cut from the listing to the consideration stage is evaluated. The team on our hypothetical project, for example, might eliminate all but masonry, aluminum panels and pre-cast concrete panels. In the case of brick, advantages include low first cost and low maintenance as well as reasonable esthetic values. Slower assembly is a disadvantage. Pre-cast concrete is less expensive than marble and may create an acceptable if not a similar visual image. Aluminum panels can be assembled rapidly and they are moderate in cost. But they do not provide the visual image that our client has in mind.

As the advantages and disadvantages are weighed by the individual team members, an average rating from 1 to 10 is calculated for each alternate. If this sounds like "design by committee" it should be emphasized that these ratings serve as guidelines for the architect who has the ultimate responsibility for final specification of the material.

The next step is simple: estimate the cost of each material. If our hypothetical head-quarters is a 65,000-square-foot building with 26,500 square feet of exterior wall, \$12.60 per

square foot of marble will run the exterior wall material costs to \$333,900. Brick will come in around \$90,000; aluminum panels at \$79,300, and pre-cast concrete at \$180,200.

First cost is not the only criterion

Now the cost picture is clear, and if that were all that mattered, an estimate would have been enough. However, in selecting the best idea, the client's values and the architect's judgment are going to prevail. The value engineering team selects the criteria applicable to the evaluation study with reference, of course, to the client's original value judgments. A sampling of criteria used in this example is shown in the worksheet (below) demonstrating the numerical rating procedure. (In every case, the criteria must relate to the specific area being studied. Obviously, interior flexibility bears little relationship to the exterior wall and therefore would not be a useful criterion in this example.) The team weights each criterion on a scale of 1 to 10 with 10 the best ranking. Similarly, each team member rates the selected alternatives and the specified material according to how they measure up to each evaluative criterion and a score is recorded. The scores are then totalled, giving each idea a "total weighted factor score." These scores, in turn, are divided by the cost of each alternative. The idea with the highest factor/cost ratio is recommended to the owner and architect.

The owner may still elect to go with the original design, but at least he has good information on which to base his decision.

Achieving the best possible building project for a client requires more than sub-systems optimization. It requires optimizing the whole. That is the main contribution of value engineering. It relates all the parts back to the whole. Beyond that, there really is little more to the process than intense discipline and applied common sense.




Figure 2. Evaluation worksheet. Note that scores below the diagonals are the products of value weight times the ratings above the diagonals.

This relatively simple but superbly designed bank is a striking example of the manner in which Terne roofing can become an integral part of a total architectural concept.

Aesthetics aside however, Terne also has certain outstanding functional characteristics. Among these are great tensile strength combined with light weight and a low coefficient of expansion; exceptional resistance to corrosive attack, and a durability measured in generations rather than years.

Terne roofs are also relatively inexpensive when judged by the standards of those to whom ultimate performance is no less significant than initial cost.

Citizens' Bank, N.A., Readington Township, New Jersey Finne · Lyman · Finne · Reese, Architects-Engineers, Elizabeth, New Jersey Roofer: J. Strober and Sons, Ringoes, New Jersey Photographs by Otto Baitz

FOLLANSBEE



WHAT PRICE FORM, COLOR, FUNCTION?



Alcan Mark II* blinds control heat, light and glare as well as any window treatment. But we made our blind a shade better than the rest. Because we made the only one-inch blind that is one inch all over: louvers, headrail and bottomrail. With nearly invisible ladders. So the slim-line effect is beautifully consistent from top to bottom.

Now we've added another little touch.

Motorized control. Two "C" batteries power a tiny
motor that fits invisibly inside our one-inch-square
headrail. And the control can be installed at the
wall or anywhere in the room.

Remote control is just a shade of difference,

maybe. But enough to set one executive office or conference room apart from another. And it's an especially good idea for blinds between the surfaces of double-pane windows.

We'll send you a list of window manufacturers who use Alcan Mark II blinds. We'll also send you a book full of other good design ideas — colorful ideas — for using the Mark II with or without motorized control. Just write for *Window Moods* to Alcan Aluminum. Dept. IA. Box 511. Warren, Ohio 44482.

Alcan Building Products

Division of Alcan Aluminum Corporation

OSHA increases building costs

The impact of the Occupational Safety and Health Act of 1971 has been tremendous in its effect on the cost of construction. Indeed, the effect has been so critical in the construction field that there are firms today who specialize in analyzing the cost impact of OSHA requirements on specific projects in the design phase.

Code conflicts and penalties add to confusion and anger

Typical of many examples of the confusion that architects are facing is the fact that the Uniform Building Code, used by many states and municipalities, has a requirement of a minimum ceiling height of 7 ft 5 in. and a 5-in. lettering size on exit signs. OSHA, on the other hand requires 7 ft 6 in. for ceiling heights and a 6-in. lettering size on exit signs. In addition, the act also provided for a nationwide network of inspectors to enforce the provisions of the act and to impose stiff penalties upon violators. The six major categories of the act cover standards for: work places, machines and equipment, materials, employment conditions, power sources, and the construction process.

OSHA is currently facing a severe test in the courts which may affect it's ability to impose penalties. A contractor has challenged the authority of the courts to assess penalties without a trial by jury. Many attorneys believe OSHA's ability to penalize will be upheld and a trial by jury will be deemed unnecessary.


> John H. Farley, senior editor Dodge Building Cost Services

NDEXES: March 1975			00.00 (exc	% change		
Metropolitan	Cost		last 12			
area	differential	non-res.	residential	masonry	steel	months
U.S. Average	8.3	476.1	447.0	467.2	455.8	+ 8.51
Atlanta	7.5	583.5	550.2	572.1	561.2	+ 5.44
Baltimore	8.6	544.9	512.4	533.2	518.7	+12.22
Birmingham	7.2	428.1	398.3	413.5	409.7	+ 4.61
Boston	8.7	470.0	444.1	467.1	453.3	+ 5.52
Buffalo	9.1	526.7	494.7	519.0	504.6	+10.07
Chicago	8.3	538.5	512.1	519.8	512.3	+ 4.02
Cincinnati	8.6	508.1	478.2	496.3	483.8	+ 8.02
Cleveland	9.0	518.1	487.6	506.6	495.0	+10.09
Columbus, Ohio	8.2	501.9	471.4	493.4	480.6	+10.63
Dallas	7.8	483.7	468.4	473.9	465.1	+ 9.36
Denver	8.2	517.1	486.6	507.2	493.6	+10.49
Detroit	9.7	546.1	520.4	556.1	533.2	+ 7.40
Houston	7.1	432.1	405.9	419.1	413.3	+ 8.59
ndianapolis	7.7	431.0	404.9	421.9	412.3	+ 8.20
Kansas City	8.2	452.1	427.3	444.7	431.4	+ 9.48
os Angeles	8.4	546.0	499.3	532.2	520.5	+ 5.36
Louisville	7.6	471.2	442.6	459.5	450.3	+ 7.68
Memphis	8.3	489.3	459.6	470.8	464.0	+12.59
Miami	7.8	492.8	469.7	477.8	468.2	+ 8.42
Milwaukee	8.2	525.1	493.2	514.7	500.6	+ 9.43
Minneapolis	8.6	495.4	466.2	486.2	477.6	+ 6.99
Newark	8.8	467.1	438.7	459.5	449.0	+11.00
New Orleans	7.2	449.3	424.2	443.6	433.3	+ 5.00
New York	10.0	528.7	491.7	516.3	503.5	+ 6.06
Philadelphia	9.0	525.2	500.9	521.8	505.3	+ 6.76
Phoenix (1947 = 100)	7.8	272.3	253.1	263.0	258.6	+ 7.97
Pittsburgh	8.8	472.2	444.3	467.1	452.8	+ 9.56
St. Louis	8.5	484.4	457.3	479.6	468.4	+ 7.18
San Antonio (1960 = 100)	7.6	185.5	174.3	181.4	177.3	+14.68
San Diego (1960 = 100)	8.4	200.7	188.6	197.4	192.5	+10.32
San Francisco	9.2	688.9	629.9	684.7	661.6	+ 6.35
Seattle	8.4	463.3	414.9	459.0	442.0	+ 5.94
Washington, D.C.	8.2	470.1	441.5	459.9	448.4	+15.34


Tables compiled by Dodge Building Cost Services, McGraw-Hill Information Systems Company

																	40
Metropolitan										1	973 (Qu	iarterly)			1974 (Q	uarterly)
area	1964	1965	1966	1967	1968	1969	1970	1971	1972	1st	2nd	3rd	4th	1st	2nd	3rd	4th
Atlanta	313.7	321.5	329.8	335.7	353.1	384.0	422.4	459.2	497.7	516.4	518.0	543.8	544.8	555.2	556.7	573.5	575.
Baltimore	280.6	285.7	280.9	295.8	308.7	322.8	348.8	381.7	420.4	441.8	443.6	474.5	475.5	516.3	517.8	532.8	534.
Birmingham	260.9	265.9	270.7	274.7	284.3	303.4	309.3	331.6	358.3	371.7	373.2	401.1	402.1	405.5	407.0	419.7	421.
Boston	252.1	257.8	262.0	265.7	277.1	295.0	328.6	362.0	394.4	414.0	415.6	436.8	437.8	455.1	456.6	461.0	462.
Chicago	306.6	311.7	320.4	328.4	339.5	356.1	386.1	418.8	444.3	465.3	466.9	507.6	508.6	514.2	515.7	528.1	529.
Cincinnati	269.5	274.0	278.3	288.2	302.6	325.8	348.5	386.1	410.7	430.4	432.0	461.4	462.4	484.5	486.0	498.6	500.
Cleveland	283.0	292.3	300.7	303.7	331.5	358.3	380.1	415.6	429.3	436.7	438.3	461.2	462.2	490.3	491.8	508,0	509.
Dallas	256.4	260.8	266.9	270.4	281.7	308.6	327.1	357.9	386.6	407.3	408.9	435.4	436.4	453.7	455.2	476.4	477
Denver	287.3	294.0	297.5	305.1	312.5	339.0	368.1	392.9	415.4	429.5	431.1	460.0	461.0	476.1	477.6	508.5	510.
Detroit	277.7	284.7	296.9	301.2	316.4	352.9	377.4	409.7	433.1	463.4	465.0	500.0	501.0	519.5	521.0	537.2	538.
Kansas City	250.5	256.4	261.0	264.3	278.0	295.5	315.3	344.7	367.0	387.7	389.3	404.8	405.8	435.6	437.1	443.4	444
Los Angeles	288.2	297.1	302.7	310.1	320.1	344.1	361.9	400.9	424.5	453.3	454.9	503.2	504.2	514.3	515.8	531.3	531.
Miami	274.4	277.5	284.0	286.1	305.3	392.3	353.2	384.7	406.4	419.0	420.6	446.2	447.2	467.6	469.1	484.6	485
Minneapolis	282.4	285.0	289.4	300.2	309.4	331.2	361.1	417.1	412.9	430.6	432.2	455.1	456.1	469.7	471.2	487.1	488.
New Orleans	240.9	256.3	259.8	267.6	274.2	297.5	318.9	341.8	369.7	382.1	383.7	419.5	420.5	437.5	439.0	440.6	442.
New York	289.4	297.1	304.0	313.6	321.4	344.5	366.0	395.6	423.1	453.5	455.1	484.3	485.3	497.4	498.9	513.8	515
Philadelphia	275.2	280.8	286.6	293.7	301.7	321.0	346.5	374.9	419.5	459.3	460.9	484.1	485.1	495.7	497.2	517.0	518
Pittsburgh	263.8	267.0	271.1	275.0	293.8	311.0	327.2	362.1	380.3	406.3	407.9	423.4	424.4	443.7	445.2	464.1	465
St. Louis	272.1	280.9	288.3	293.2	304.4	324.7	344.4	375.5	402.5	427.8	429.4	443.2	444.2	458.7	460.2	475.2	476
San Francisco	365.4	368.6	386.0	390.8	402.9	441.1	465.1	512.3	561.0	606.4	608.0	631.3	632.3	647.1	648.6	671.0	672
Seattle	266.6	268.9	275.0	283.5	292.2	317.8	341.8	358.4	371.5	388.4	390.0	423.4	424.4	437.8	439.3	448.7	450

Costs in a given city for a certain period may be compared with costs in another period by dividing one index into the other; if the index for a city for one period (200.0) divided by the index for a second period (150.0) equals 133%, the costs in the one period are 33% higher than the costs in the other. Also, second period costs are 75% of those in the first period (150.0 ÷ 200.0 = 75%) or they are 25% lower in the second period.







A textured environment with a sense for the future.

Subtle texture or dramatic? Whichever you want in exposed aggregate walls, you can achieve it with H. B. Fuller Tuff-Lite® epoxy-based wall matrix. Proven by over a decade of use, it's as durable as it is beautiful for interior and exterior walls. It can be applied

on-the-job or to panels off the job site.



Because it weighs far less than concrete, it's suitable for remodeling as well as new construction. Far more economical, too. It saves over stucco mastic systems, too, because it goes on directly over the substrate. There's no metal lath, scratch or brown

required. Tuff-Lite® is also weatherproof so it doesn't draw moisture and dirt through it. H. B. Fuller also supplies light-weight, epoxy-based, seamless flooring systems suited to institutional and commercial as well as residential use. These thin-set floorings can be applied over most solid substrates.

For help with specifying, selection or application information call our toll free number -800/323-7407.

138 HB FULLER COMPANY

Architectural Products Division 315 S. Hicks Rd., Palatine, III. 60067, Dept. 513 For more data, circle 53 on inquiry card

Regional activity: where the business is...and isn't

For only the second year in twenty years, the total value of new construction declined in 1974-by six per cent, according to F. W. Dodge statistics of the McGraw-Hill Information Systems Company. But totals often conceal underlying trends that sometimes offset one another. This is particularly true in the construction industry where the national total of a year's output is the combined effort of thousands upon thousands of architects, engineers, contractors, and suppliers all working in local or regional markets.

One such offset in 1974 was the divergence between residential and nonresidential building. While housing had its worst year in recent memory, nonresidential buildingupon which most architectural business depends-had a record year-the result of fewer projects, but considerably higher cost.

Since circumstances vary from one area to another, you'd expect a certain amount of variation in construction activity around the nation. This month we'll be looking behind the national contracting totals to examine regional differences in construction activity.

As anyone who hasn't been visiting the moon for the past couple of years knows, the

Total	constr	uction c	ontract	value	
Pe	er cent	change	1974/19	973	
	U.S.	North- east	Mid- west	South	West
Nonresidential	+ 7		+13	+10	+ 6
Residential	-25	-29	-21	-29	-20
Nonbuilding	+13	+13	- 2	+23	+18
Total	- 6	- 9	- 5	- 7	- 4

area. Total residential contracts in the U.S. plummeted 25 per cent last year, more than offsetting the gains in nonresidential and nonbuilding construction. Indeed, the Federal government's attempts to WIN through tight monetary policies really hurt the housing market. And this was the case in all major areas of the U.S. Even the smallest declines-20 per cent in the Midwest and West-were still hefty ones. With the exception of Alaska and Hawaii and the New England states, every residential building type—one- and two-family houses, apartment buildings and non-housekeeping buildings (hotels, motels, dormitories, etc.)—suffered declines in contract value. New England showed a moderate rise in nonhousekeeping construction and Alaska and Hawaii posted gains in that category as well as in apartment building.

The Northeast and South were hardest hit in the residential category. In both the New England and Mid-Atlantic states one- and twofamily home building was off roughly 25 per cent. But the real damage in residential construction in the Northeast was done to apartment building in the Mid-Atlantic states. Two of the five largest cities in the U.S. (New York City and Philadelphia) are located in this region, and apartment building is a major factor in the residential construction market there, accounting for about one-third of total residential contract value. Last year apartment building in these states dropped more than 40

In the South, one- and two-family houses posted a "moderate" decline of a little more than 15 per cent. But apartment building fell more than 45 per cent. Even so, the South built around 35 per cent of the nation's apartments in 1974-over 25 per cent in the Carolinas, Georgia, Alabama and Florida alone. But the contract value of hotels, motels and dormitories fell off nearly 60 per cent nationwide, while in the Southeastern states this category was off almost 75 per cent. Gasoline shortages in 1974, the general uncertainty about future fuel supplies and the economic recession wreaked havoc on the vacation industry, upon which Florida is so heavily dependent, with calamitous results for related building types. A slowdown in condominium construction led the decline in apartment contract value. The main reason: over-promotion coupled with a tinge of scandal in the handling of condominium operations.

In the Midwest, the declines in most residential building categories were less than in the Northeast and South. And in the West, a 28 per cent gain in contract value in Alaska and Hawaii partially offset the 24 per cent decline in the continental Western states. The result was a more moderate decline for the whole area when compared with the Northeast

As the table shows, gains in the nation's nonresidential and nonbuilding construction partially offset the sharp drop in residential building. Around the country, nonresidential building contract value declined only in the Northeast, and even in that region by only one per cent. The weakening economy has a severe impact on commercial building, particularly in the New England states where contract value fell more than 30 per cent. Over-all, commercial contracting-which accounts for roughly one-third of total nonresidential building in the Northeast, as well as the rest of the nation-fell nearly 15 per cent. Public, religious and other nonresidential work also recorded decreases. A spurt in hospital construction in the Mid-Atlantic states led to the biggest gain among nonresidential building categories in the Northeast-over 25 per cent. Manufacturing, educational and amusement, social and other recreational contracts also posted increases.

In the South, every non-residential building type except commercial showed an increase. Commercial building, which accounted for almost 45 per cent of total nonresidential contracts in 1973, fell more than 13 per cent in 1974, mainly because of a sharp drop in the South Central states. All other categories, led by manufacturing and educational building contracts, racked up sizeable gains. Several large refinery contracts in Texas accounted for nearly 60 per cent of total manufacturing contract value in the Southwest, and pushed manufacturing up over 80 per cent in

Every nonresidential building type in the Midwest showed increases in contract value from 1973 to 1974. Most posted modest gains-around 10 per cent. However, educational building was up substantially, mainly in the Great Lakes states where contract value shot up over 50 per cent.

The West was the area where the over-all six per cent rise in nonresidential contract value hid underlying trends. Educational contracts jumped nearly 40 per cent, while public building was off almost 20 per cent. And when the educational data are refined more, we find that contract value was down almost 25 per cent in Alaska and Hawaii and up 45 per cent in the continental Western states. Commercial contracting increased by three per cent in the West, which hid the 100 per cent rise in Alaska and Hawaii. The continental Western states (which account for more than 95 per cent of total commercial contract value in the West) showed a slight one per cent decrease.

Nonbuilding construction contract value rose in all sections of the U.S. except the Midwest. Substantial gains in street and highway construction as well as sewerage and water disposal systems in the New England states boosted nonbuilding construction in the Northeast more than 13 per cent. South Central states-Mississippi has a \$1.3 billion nuclear power plant contract in December-led to a 23 per cent gain in contract value in the -Henry C. F. Arnold South

We put a whole lot of

It's the Dallas-Ft. Worth airport, the biggest in the world.


That little bit of Texas is bigger than Manhattan Island. And practically all of its lighting—indoors and outdoors—is done with Sylvania lamps.

Altogether, Sylvania supplied the airport with nearly 50,000 lamps in over 60 different types.

The airport's 52 miles of roadway are illuminated by Metalarc lamps. These high-intensity discharge lamps save energy and produce a powerful white light very much like daylight. The uni-




PROJECTS BY RICHARD MEIER: CHANGE AND CONSISTENCY



Less than two years ago (in July 1973), the RECORD published an article that described the consistency with which Richard Meier presently continues to design projects, ranging in size from single-family residences to buildings meant to house many thousands of persons. The consistency lies in a clear-cut expression of a hierarchy of spaces; these gain increasingly finite enclosure as their functions become more specific. The most basic illustration is a house which has a rigid definition of utility areas contained by bearing walls, while the living areas are flexibly defined by the lightest of column-and-beam construction; the definition of circulation areas and bedrooms is somewhere between the extremes. Similarly, the offices of a commercial building are contained in a visually solid mass whose edges define the fluid public spaces of lobbies and courts. Often-noted similarities to the "International School" are more superficial than real: Meier frankly seeks dramatic content in his buildings—as opposed to the impasse of passion found in the "machines for living"; and his means depart from that precedent by mixing many structural systems within one building.

In recent work, he has not much altered his basic disciplines of spatial organization, but-often due to particular circumstances-the visual results are new; the surprising project above utilizes the existing walls of a 19th-century Italian stable but in a manner of enclosure which does not differ from that of solid walls in the architect's work of all-new fabric. His projects—whether by choice or by the commonly shared chance of the economic times—continue to be diversified in scope and offer a most interesting test of adherence to design principles. —Charles Hoyt



VILLA STROZZI


One of the more unusual projects in Richard Meier's (or anyone's) office is this Museum of Modern Art for the City of Florence, Italy. It is planned in a way that may make strict preservationists shudder—but it is completely within the new spirit of building modern facilities that respect the visual richness provided by older buildings. There is to be a whole new architectural entity here, incorporating two existing walls of the stables of the 19th century Villa Strozzi. The old walls will visually tie the new building to a nearby structure, which is being restored by architect Hans Hollein, and will respect the existing relationship of the stable to the courtyard and courtyard-approach views (see site plan above).


Tradition is respected without fakery—illustrating that the best of the old and new can


be integral, when there is something of value left with which to start. As can be seen in the photo of the existing building (opposite page, bottom), the walls to be saved were regarded by Meier as they were by the original Villa architect, Guiseppe Poggi, as an independently important part of the original structure—for Poggi, a screen to hide the lesser building behind. Meier has taken great care to match his new materials to those of the original building, which was constructed of a dark gray stone (and later covered with stucco, which will be removed in the new work).


The Museum is to be a carefully articulated frame for the older walls, which are presented as sculpture. At the same time, the walls provide an anchoring solid mass, against which Meier has always generated his freely

flowing public spaces. The heavy wall itself takes the place in the composition of strongly defined spaces in-for instance-the Shamberg Pavilion (overleaf). The visitor passes through (or in this case, around) a confining introduction to the spatial drama beyond. The main room of the museum is to be a multilevel space, connected by ramps (between the second and third levels) to a remote exhibition space (lower left in the photo below). Visitors will be confronted with far more visual interest than the paintings on the walls: alternating solid and transparent wall-planes will provide surprise views of Florence in the distance, as well as of the exhibition hall, all from various elevations and angles. The two separate building volumes will provide additional views toward and into each other.











Contained within two existing walls of a stable (left), this new exhibition gallery will have spiraling-loop circulation between the balcony levels in the main hall and the floor of the secondary gallery. The latter is projected from the large building to form an enclosure for the adjacent courtyard (see site plan, opposite page, top). It is reached by a ramp, in a connecting neck, from the second level of the main room. Another sloped ramp, located alongside, leads visitors to the top balcony in the main room and the end of the circuit. Much of the light will be natural, introduced by skylights and the glass walls, most of which face north. The structure is steel with a rectangular grid of round columns that belies the planned visual complexity, and gives a lightweight appearance, in contrast to the visual weight of the existing walls.






SHAMBERG PAVILION


As in the case of other architects whose work is widely discussed, Meier has growing confidence in his description of his design processes. He is willing to stress his own sculptural intent over the more mundane subject of efficient function-which, of course, is evident in the work of all good architects. Compared to previous houses (the most recent is the Douglas House, RECORD, July 1973, page 90), this design for an addition to a suburban house in Chappagua, New York, is both simpler and more complex. It is simpler in its over-all form, which is unified into a rectangular box by a deep fascia on the open sides, and simpler in its spatial relationships, which are a response to a modest program of providing a refuge for parents. But within the box-like form, there is a complicated variation of the architect's earlier design approaches. The entry side is a characteristically pierced bearing wall, behind which the utilitarian functions are arranged as a solid screen—separating the public from the lightly structured family spaces beyond. But—as in the recent design of the Villa Strozzi Museum (preceding page)—the screen has become an L shape. This restricts views toward the main house at the side, and aims the outlook towards views in the downhill, southwesterly direction.


The utilitarian functions are contained by Meier's usual rectilinear inside walls, but these stop short of the ceiling to express the fact that they are not bearing; all of the interior structure of wood joists is carried on the steel pipe columns. The master bedroom is seemingly suspended in the living room at the second level,

and expresses the uniquely private function of the whole building.

Part of the artistry with which Meier molds the otherwise amorphous open areas of his buildings is the visual suspension of such elements as corridors, balconies and stairs. Discontinuous beams isolate columns from the floor that they carry, as in the case of the upper corridor and bedroom here. Other elements graze visible structural support without real connection, as in the case of the curved interior stair. Railings are alternately opaque or open, by use of stub-walls or horizontal pipes, and the location of each type determines the way in which the viewer will see the suspended part: as a solid or a plane. In such spaces, the seemingly complex variety of experiences is achieved by limited means.







YONKERS CONDOMINIUM


At another end of the spectrum of Meier's current work, this apartment building is designed for a private developer, and includes 1300 units (which range in size from one-bedroom flats to three-bedroom duplexes) on a semi-suburban site near New York City. It can be contrasted to an earlier project, Twin Parks Northeast (RECORD, July 1973, pages 94-98) which was built for some 1500 lower-income tenants in the Bronx. That project carried through Meier's shaping of large-scale spaces, which he developed in his private houses, by surrounding open areas with buildings placed at the edges of the site. It artfully adapted its irregular configuration to a surrounding grid of six-story construction, and was definitely a design solution for a particular area of a city—the antithesis of the solution shown here.

This 38-story tower stands free from surrounding buildings and-as much as possible-from its site, a steeply sloping, naturally forested area of 22 acres. The best view from the site is toward the Hudson River (foreground of photo, right). The curvilinear plan (similar to Meier's dormitories for IBM in RECORD, February 1974, pages 122-3) is designed to avoid large existing trees, and follows the natural contours of the terrain. The bulk of the site is to remain as part of a green belt that follows the river to the north and that terminates on the south at an area of closely spaced, single-family houses. The building will cover only six per cent of the available land, although the wholesite density will be close to 60 units per acre. The planning here offers an interesting contrast to Meier's previous work—and to the effects of

the single-family houses close by.

The analogy to a private house-where this architect introduces the viewer to open spaces by means of passage through closed spaces-is not easily found until it is realized that the building itself is the solid screen through which the river view is perceived. A wide range of services are planned for the residents, and will be located on the main floor, which is to be otherwise open through the building. Five vertical transportation cores (projections in photo, above) will each serve a maximum of seven apartments and will connect with the tenant parking spaces in a structure located below the main floor. The partially sub-grade location of the garage can be seen in the section (opposite page, bottom), and eliminates large paved areas.





posal: existing trees, at the upper street level, will totally obscure the building from view. A formal park from the Civil War era is located immediately to the left in the photo above. A strong existing axis, created by a raised walk terminating in a gazebo, is reflected in the more natural site development in the new plan. This includes an outdoor amphitheater and retention of an existing 19th-century pergola. A parking structure will be recessed into the natural slope of the site.

100

SECTION THROUGH HIGHPOINT OF SITE


CORNELL UNIVERSITY HOUSING


A seemingly informal grouping of buildings, this student housing typifies Meier's ability to create large-scale spaces by defining them with monolithically housed, relatively utilitarian facilities. On a second look, although the two curved elements form an over-all "free-form," there is a carefully structured relationship for maximum interdependence and dramatic impact. Residents and visitors arrive on a walkway-service road from the site's entrance and from parking areas to the northwest. A curved building-wall leads them into the containment of the central court, which is emphasized by the placement of the commons room as the heart of the complex (see plan below). A gradually opening vista greets the pedestrian proceeding from this point, and recognizes the semi-rural nature of the site. It is in respect to this site, a former golf course, that the four-story buildings take their curved shapes, which follow natural contours and avoid large existing trees. The over-all freedom of the composition is meant to reinforce the location, which is outside the rectangular street-grid of the university and downtown lth-aca. The overlapping relationship at the center produces a focus for the buildings in both a visual and functional sense.


There are 96 apartments here for 497 students, in arrangements recognizing increasing personal freedoms on campuses across the nation. In the straight portions of each building, the bottom two floors are devoted to duplexes, and the upper two are devoted to simplexes. The curves contain simplexes on all floors. Each apartment has three to five bedrooms





with common living room, kitchen and bath. Access is gained directly from stair towers, and the only horizontal connection above the ground is an exterior corridor at the third-floor level. The stair towers are placed on the side of each building that relates to the access walk and court. As these circulation routes are open to the weather and enclosed only by pipe railings, it is here that the visual and real activity will occur. The opposite side of each building will form a quiet edge to the complex, and, accordingly, will have a limited variety of fenestration, despite the varied functions behind these outer walls. Meier has relieved all of the exterior skin of structural function, so that openings are not dependent on alignment by bearing requirements. There will be an allwhite skin.















TYPICAL DUPLES

A variety of apartment types offers options for the various sorts of communal living that is programmed. Duplexes occur on the lower two floors of each straight portion of the building, and simplexes are above. As the apartments are mainly reached by vertical access only, the effect on the courtside is to be that of a series of linked houses, although the walls on the opposite sides will have a unified character.





SPORTS FACILITY FOR UPSTATE NEW YORK

When the late Anthony Adinolfi commissioned work for New York's State University Construction Fund, he often by-passed large, established firms in favor of small, design-oriented offices—whether or not such offices had any previous experience whatever in the design of university buildings. In an important sense it was a gamble, but a host of new facilities on campuses across the state now tend to vindicate Adinolfi's judgment. The new athletic building at Potsdam, photo below, by architect Richard Moger, is a recent and persuasive example.









"At sports-minded colleges or universities—where the whole objective of the athletic program is to cut a second-and-a-half off every swimmer's time in the 100meter free-style—field houses, rinks or gymnasia are built to the designs and specifications of the Director of Athletics. Here, however, at this cold-climate campus in Potsdam," says Richard Moger, "we were commissioned to design a recreation building as well as a competitive sports facility-a place that could be used and enjoyed by community groups and intramural student programs as well as by varsity teams." By way of illustration, Moger points to the band of clerestories that rings portions of the pool and the ice skating rink, and at certain times of day casts a distracting bar of light across the swimming lanes or across the ice. "These windows would be out of the question in some places, but the Construction Fund realized that a casual swimmer likes to look up and see a little blue sky and the casual skater prefers at least the sensation of outdoors to a sealed chamber." This is an important part of the spirit of this place and Moger has worked carefully to enhance it.


He started by breaking down the scale of the building-which otherwise could have been overwhelming. He articulated its major parts and made the most of sculptural opportunities when they presented themselves—as at the entrance (photo, previous page) where a high water table necessitated a long entry ramp that could protect its users from wind and wind-driven snow. He organized the major circulation into a large "L", which bites deep into the building (see plan next page) and is marked at each end and at the middle by large skylights. He further enhanced this linear space by dressing the floor in slate and providing comfortable seating just off the main pedestrian flow. (All this in contrast to the more familiar blind cinderblock passageways of many gyms where a visitor knows he is approaching the pool only because the air becomes humid).

The major activity spaces in the building are lively and are further animated by the functions they house. The vast expanses of light maple floors, patterned by bright-colored stripes, the pool water, the white brilliance of the ice, the scoreboards with flashing colored lights, the uniforms of the players, and the space frame overhead, unifying everything, provided a powerful palette for interior design. Nothing else was necessary.


The building is open from eight in the morning until midnight and here at Potsdam, where winter comes early and spring comes late, the building gets continual, varied and intensive use.


HEALTH AND PHYSICAL EDUCATION BUILDING, SUNY at Potsdam, New York. Architects: Richard Moger—George Large, Gustave Rohrs, associates. Engineers: Paul Gugliotta (structural); William Kaplan (mechanical/electrical). Landscape architect: Peter Rolland. Consultants: David Mintz (lighting); Donald Wolf (cost); Edward L. Barnes (campus architect). Contractor: Rouse Construction Company.















The plan, below, shows not only the facility's four large elements and the circulation links between, but it accurately suggests the dramatic spatial contrasts with which designers of athletic facilities must come to grips. This range extends from tiny offices to huge, clear-span spaces large enough to include running tracks or hockey rinks. Climatic, acoustic and functional contrasts are almost as great and require careful handling. In this building, as the photos clearly demonstrate, they got it.














The architects expanded the main circulation spine and provided comfortable seating just off it to encourage random encounters between students and staff. A large skylight set over the bend in the spine brings daylight into the circulation area and signals its importance in the spatial hierarchy. Photo at left shows the patented space frame, which unifies all the main spaces and certain of primary avenues of circulation. The scale of these spaces, as evidenced by the human figure, is never allowed to become overwhelming.

HILLSIDE HOUSE AT THE SEA RANCH PRESERVES NATURAL QUALITIES OF A UNIQUE PLACE



This house is one of the most recent successful examples of housing at The Sea Ranch. It is unpretentious, fitting into its site and capitalizing on the site's amenities to create an environment that is warm and natural, filled with light and open to splendid views.






The site is a highly visible, open hillside with magnificent views of the Pacific Ocean and the rugged northern California coast. The house is set on the lower portion of the property to obtain as sweeping a panorama as possible, since trees and large bushes to the north would have obscured part of the view had the house been situated on the upper portion. A row of pines to south and west filters the view in that direction and screens the house. In response to the nature of the place and to minimize intrusion of the house on the site, the profile of the structure is kept low, and the pitch of the roofs visually ties the house to the land. To continue the character set by the first buildings at The

Sea Ranch, the house has an almost stark look, to which details—no overhangs, no moldings on any of the openings—as well as the plain board siding contribute. Although deck space is provided on the sunny sides, west and south, the most usable outdoor space is a partially protected courtyard on the east between the studio and garage. The angled courtyard fence, at the southeast corner of the studio, breaks the line of the house on the south side. There was little disturbance of indigenous grasses and plants and the owners have retained the natural landscaping. The use of redwood siding and cedar shingles, left to weather, help to relate the house to its natural surroundings.












The open plan, variations in ceiling heights, and a change in levels create a feeling of spaciousness in the main living areas. The entrance gallery, bedrooms and a studio for Mrs. Barrell are located on the upper level; and the living room, dining room and kitchen are on a level a few feet lower. The owners wanted "no dark places" in the interiors, so skylights were placed where light was needed most. The largest skylight, running the length of the entrance gallery, allows abundant light to fill the entry hall and provide the "warm welcome" the owners asked for, to flow into the interior of the living room, and to light the walkway between the studio and dining room. The length

of the hall affords display space for the owners' rugs and for books. The main living areas are oriented to views on the north, west and south through a band of windows which bring the view "into scale with the individual," a particular request of the owners. Rough sawn red cedar walls and fir ceilings give warmth to the interiors and help relate them to the outside surroundings. Bronze-tinted glass in the main living areas cuts glare.

RESIDENCE FOR MR. & MRS. RICHARD BARRELL, The Sea Ranch, California. Architect: *Donald Jacobs*. Structural engineer: *Fook Z. Lee*. General contractor: *Mathew D. Sylvia*.
























FOUR RESTAURANTS

Designing a restaurant calls for a special sense of the dramatic—who goes out to dine in an atmosphere just like everyday?-but it also requires a precise knowledge of the economic and operational needs of the restaurant. Here are four restaurants which satisfactorily—and handsomely—meet these requirements.




BRIDGE-LIKE STRUCTURE ADAPTS A RESTAURANT TO SNOW COUNTRY

The bridge-like structure of this restaurant in the mountains near Salt Lake City makes feasible its location on so isolated a site at the midpoint of a ski trail system. The heavy gluelaminated timber trusses, designed for the severe conditions at the site (winds up to 125 mph, snow loads of 125 psf, possible earthquakes, and a limited, 16 week, building season) and the 6 concrete piers which support them take all stresses. The infill panels are of glass, permitting superb views of the mountains and of the village of Snowbird below. Raising the building on stilts makes it independent of the heavy snowfalls and minimizes snow removal. Snow on the flat roof is blown off by winds from the south. In a severe winter, the building was erected expeditiously.

MID GAD VALLEY RESTAURANT, Alta Canyon, Utah. Architects: Enteleki Architecture, Planning, Research— Franklin T. Ferguson, partner-in-charge. Engineers: Edmund Allen (structural/foundation); Bridgers & Paxton Consulting Engineers, Inc. (mechanical); Nielson Engineering (electrical). General contractor: Cannon Construction Company.







Storage Vestibule


Fireplace Future bridge


Lower floor:


Women's restroom Men's restroom

Mechanical

Receiving and storag







RURAL RESTAURANT CAPITALIZES ON VIEWS AND CHANGING LIGHT

Phases Restaurant is a paradox: a sophisticated dining environment on a rural site in the Berkshire Hills, which looks out over an old orchard to a panoramic view east, south and west. An entrance gallery-lounge-bar element runs through the building as a slate-paved street, with a skylighted courtyard at the center. At a level four feet higher, and separated by a low parapet wall, are two dining rooms which can be separated by low modular panels (designed to double as waiters' stations) to provide private dining space. For further


flexibility, the courtyard can be stripped of its furnishings to permit it to be used as a theater.

PHASES, Bernardston, Massachusetts. Architects: Drummey Rosane Anderson-principal-in-charge: David W. Anderson; project architect: William V. Gillen; design architect: Jack L. Frazier. Designers and planners: Ferguson Sorrentino Design Incorporated. Engineers: Patrick J. Menehan (structural); Robert W. Hall, Inc. (mechanical/electrical). Consultants: Ferguson Sorrentino Design Incorporated (graphics); Stuart Levin (restaurant). Contractor: Vincent & Williams, Inc.














- 1. Courtyard
- 2. Entrance
- East dining room
- West dining room
- Bar and lounge Outdoor lounge





A TRIANGULAR SECTION GIVES AN EYE-CATCHING IDENTITY


The site for this restaurant is the highest point in an office park, some 30 miles south of San Francisco. The rough texture of cedar shake roof and side walls, and the triangular form of the building set it off from the nearby concreteframed office buildings, and give it the desirable identity such a business requires. The triangular section also provides interior space of exceptional height—40 feet—in the dining areas. The entrance from the parking area is at the mezzanine level, where bar and lounge are located, and from which a dramatic stairway


leads down to dining and cafe rooms. A diversity of woods-Douglas fir glue-laminated beams and columns, left exposed, paneling of stained fir and redwood, and decking of hemlock is used for interior surfaces.

BOREL RESTAURANT, Peninsula Office Park, San Mateo, California. Architects: Robinson and Mills. Engineers: Richard R. Bradshaw Engineers, Inc. (structural). Consultants: William Klein Engineers (lighting); Lee & Praszker (soils); Reis & Manwaring (graphics); Donald Campbell (laser artist). Contractor: WEBcor Builders, Inc.









- Dining entrance Coffee shop entrance
- Waiting area Bar and lounge
- Dining room Coffee shop
- Banquet room Kitchen Outdoor terrace








SOUTH SEA ATMOSPHERE CREATED WITH CONTEMPORARY SIMPLICITY

This Trader Vic's restaurant is in a new waterfront commercial-residential development at Emeryville, on the eastern shore of San Francisco Bay. Its site, on the edge of a man-made promontory, has a splendid view of the city across the water. Like other restaurants in this chain, the building is Polynesian in character. Corrugated asbestos cement panels on hipped roofs, redwood board and batten walls, and the look of a collection of shelters rather than of a single building, produce the required effect—but with a pleasantly light touch. Interior details are contemporary and simple, in contrast to the rich display of South Sea objects. Circulation for service to perimeter dining rooms is by a meandering gallery from the centrally located kitchen-service area.


TRADER VIC'S, Emeryville, California. Architects: Chan/Rader & Associates-Lun Chan, partner-incharge; Andre Tchikovani, Arthur Dacany, Leonard M. Tivol, staff. Engineers: Leong/Razzano & Associates (structural); Charles & Braun (mechanical); Mazzetti & Parish (electrical). Contractor: Lathrop Construction Co.



Bernard Poinssot photos







- 1. Entry 2. Bar & lounge
- 3. Dining
- 4. Galley
- 5. Kitchen

Discrimination in housing design



Houses in Oak Bluffs, Martha's Vineyard

... not between black and white, but between "front" and "back," "public" and "private," "ours" and "yours." Rigid general discriminations are a basic part of the process of contemporary housing design—and they could be a basic part of its undoing.

There is a design technique taught in schools, practiced in practice, so well-learned and so familiar that many designers never question the fact that they are using it. It is the technique of discrimination—of analyzing and dissecting a design problem into discrete and, it is hoped, essential components. Take the Zip-a-Tone colors of a planner's Land Use Map; they discriminate by consecrating whole areas of a city exclusively to some particular use. The governmental bureaucracies that regulate design also make careful discriminations-between, for instance, circulation space in a building on the one hand, and habitable space on the other (assuming, we might guess, that it is not possible to circulate in a room, or to inhabit a corridor). Architects practice discrimination when they separate out all of the programmatic requirements for a building and assign some amount of square footage to each. Then, with the help of bubble diagrams, or a Functional Relationships Matrix, they analyze and demonstrate how each part relates to all the other


parts. They also make broad, general assumptions about public and private zones, and the zones needed for mechanical equipment and for vehicular and pedestrian movement.

What results is a universe made up of individual parts. We learn to assume, first, that all these parts can be identified, and, second, that each of them is only itself (green Zip, say, on the planner's map) and not to some extent some other (red). These assumptions become surprisingly well ingrained, so that a lot of excitement can be generated when architects start talking about contrary notions like "mixed uses" in a building, or a "mixed income" housing development, because these kinds of buildings deny the either/or relationship of parts (either green or red) and substitute a less clearly schematic both/and. When asked what kind of building is that, most of us find it easier to say "offices for multinational corporations," or "housing for the poor" - which is to say that most of us find it easier to cope with essential entities than with essential ambiguities.

Who says designing by discrimination is bad?

Nobody can deny that it makes perfectly good sense to understand a problem by trying to understand its parts. Accordingly, contemporary architectural practice has subjected just about every conceivable part of the design and construction process to analysis and to discriminations. The whole process is seen as a collection of separate, smaller processes (architectural design, structural design, mechanical and electrical design, site planning, etc.), and its sequence is seen as several separate and identifiable stages (programming, schematic design, design development, etc.).

High-style twentieth-century architectural theory, moreover, has made a considerable point of trying to find essential and pure forms to express a building's function, and to separate them off from mere and meretricious details. Take as an example the housing blocks designed by London County Council in Roehampton, shown overleaf. They are classic ex-



Roehampton, London County Council's late 50's vision of domestic bliss—beautiful white concrete slabs floating above Richmond Park. Note how the residents' gardens have migrated up onto the terraces.




amples of Modern housing design, though their success is probably due as much as anything else to the fact that Richmond Park, where they stand, is so evidently a nice place to live—unlike the sites of other twentieth-century classics, like St. Louis' infamous Pruitt-Igoe (or, for that matter, Marseilles' famous Unité d'habitation).


In any case, the design of the Roehampton housing is based on a host of careful discriminations. Two-story apartment units, whose separateness is clearly indicated on the outside, gather together to form giant slabs which not only look different from their natural surroundings (because of their whiteness and their plain forms), but are actually separate from it (by virtue of being raised up off the ground on columns). Notice how easy it is, even without identifying labels, to tell what is what on the site plan: buildings are clearly buildings, roads roads, and footpaths footpaths—all carefully distinct systems floating on a pleasant and undifferentiated greensward.


How the diagnosis can become the cure


The Roehampton housing—no matter what the real reasons for its success are—probably came about as the result of an elaborate process of discrimination, a process that may well have been something like the one shown on the opposite page. This is for a low-rise, low-density housing development designed by architects Charles Gwathmey and Robert Siegel (and shown more fully in RECORD, July 1974, pages 105-109).

The Gwathmey Siegel diagrams seem conspicuously reasonable—a set of analytical assumptions that seem to march inexorably toward an architectural solution. For this reason, and also because so many architects are used to designing in just this way, these diagrams are a good example of the way an overly exclusive analysis can not only falsify the problem at times, but can also seem so incisive and compelling that it gets mistaken for a solution. (This is not, of course, to say that Gwathmey and Siegel have come up with a bad design; there is no way of telling yet, since their housing is not yet built.) At the outset, the architect's distinction between "habitable" and "non-habitable" spaces in each dwelling unit seems perfectly sensible, and it recalls other more or less similar discriminations, like Kahn's "served" and "servant" spaces, or Venturi's "specific" and "unspecific" spacesthough some people would probably wonder about Gwathmey and Siegel's terminology (shouldn't a kitchen or a stairway be "habitable," just like a living room?). In any case, the point is that a discrimination is being made between two kinds of interior spaces. It may be a very good one, but, once made, it establishes a pattern of further discriminations that may turn out to be much less appropriate. Thus Gwathmey and Siegel's distinction between "habitable" and "non-habitable" spaces seems to require that all of the so-called nonhabitable spaces face the entrance side of the dwelling units. Parking naturally goes on this side, and so do the roads for the cars to arrive on. This becomes a kind of "public" side. By contrast, the view goes on the other side,











A logical process revealed—Space in the individual apartment unit (top left) is divided into "habitable" and "nonhabitable" (blue) areas. The units are then clustered in one of two ways (top center and right), with the non-habitable areas facing the public zones and the habitable areas facing the view. Next, these clusters are gathered in larger groups, and, with the imposition of the vehicular circulation diagram (above, in yellow), the site plan emerges; it is for the Whitney Road Residential development in Perrinton, New York, by Gwathmey Siegel Architects. By contrast, Alan Dunn's adjacent cartoon offers an appraisal of this kind of design logic.





The Greater London Council Housing in Paddington is designed in a modern vocabulary, but carefully formed around an older neighborhood, known as Little Venice (photo left). Here a canal is surrounded on all sides but one by handsome early nineteenth-century houses. On the final side, and replacing deteriorated buildings, is the new GLC housing. Its architects have tried to make the new building "fit" its older surroundings. The scale of the windows and bays of the older buildings is replicated (photo below), as was their cream painted stucco finish. The bottom floor apartments are studios for the elderly; the units above are three-bedroom duplexes, with large living rooms that look out over the canal.

GREATER LONDON COUNCIL HOUSING, Paddington, London. Architect: Hubert Bennett—job architect: Sheila Williams. Engineers: J. H. Humphreys, GLC Engineer, and The Helical Bar and Engineering Company Ltd. (structural), C. A. Belcher, GLC Engineer (mechanical/electrical). General contractor: William Willett, Ltd.









where it can be seen from the habitable spaces, and this becomes a kind of "private" side. Thus one result of this chain of discriminations-subtle and perhaps unintentionalis that there can get to be a "good" side and a "bad" side. The bad side is the result of separating out elements in the design that are less attractive and more problematical (like the accommodation of parked cars) or potentially dangerous (like the paths vehicles move on), and lumping them together, away from the other, "nice" things. This process, incidentally, which is here described purely in terms of architectural design, is startingly similar to what happens in cases of social discrimination, where those people who are discriminated against end up all together in a ghetto, with the seemingly magical power to gather all the physical and economic and social ills of the society around them. And so it is well worth asking whether or not too ruthless a discrimination by the architect between public and private, for instance, may not inevitably but unintentionally lead to unhealthy discriminations between "yours" and "ours," "dangerous" and "safe," or "bad" and "good."

Parceling out the caring indiscriminately


A sure measure of how successful certain housing is is how well people like it, and how well they like it is surely reflected in how much their care for it shows. The format of the housing itself may provide a vehicle for the caring, as it does in the meticulous gingerbread details traditionally provided on the houses in Oak Bluffs in Martha's Vineyard, Massachusetts (shown on page 141). Or the caring may be expressed in contradiction of the format, like the miniature gardens the residents of Roehampton have made on the terraces of their apartments, contrary to the design "concept," which separates the natural (Richmond Park) from the man-made (the plain concrete slabs).

By the same token, the absence of signs of care may well signal bad housing, no matter where it occurs—and people's sense that there is nothing in their general residential environment worth caring about, or that their concern won't make any difference, or that it will be overwhelmed-all this may be a cause, not just a result, of bad places to live in. And its effect may not be simply the standard ones most Americans have heard about, but not actually seen-violent crime in city streets laden with garbage. Its effect may finally extend to wide suburban streets inhabited mostly by cars, and to houses whose blank facades and open garages clearly say that the caring is out back by the barbeque and the swimming pool.

A consistent experience versus a consistent form

The solution to these problems, insofar as architecture by itself has the power to effect broad social solutions, is bound to be in a kind of residential environment that at least does not prevent care in any of its parts, and that, with any luck, invites it in all of them.

But what will that entail? For one thing, it may entail avoiding foolish consistency, however appealing consistency may be. Consider, continued on page 148





Heritage Villas on Hilton Head Island are arranged according to the familiar format of rows of houses along curving streets and cul-de-sacs. Three more or less well defined zones—a swimming pool, a lagoon and tennis courts-are separated from the roads by the houses. All the parts, though, seem less memorable than the whole place, which is wooded, mainly with pine and oak, and redolent of the images and moods of this warm southern island. The houses are modest and leave the theme-making to the site.

HERITAGE VILLAS, Sea Pines Plantation, Hilton Head Island, South Carolina. Owners: The Landmarks Group Incorporated and the Sea Pines Plantation Company. Architects: Cooper Carry and Associates-project architect: Rodger Dodson. Consultant: Harry Clements, Jr., Georgia Nursery and Landscape Company (landscape). General contractor: Marthame Sanders and Company.








for instance, the case of the schematic design for a house that has public space in front, private space out back, the car in a carport, the furnace in the furnace room, and kitchen, baths, bedrooms and living room all neatly consigned to their proper places. It makes a consistent, logical system—as an abstract representation lying on the architect's drafting board. The problem is that, for all its consistency, it can be deeply at odds with a totally different kind of consistency-that of the human sensibility, which presumably does not change as it moves from the garage (which may be cold and damp and cluttered) or from the public space (which may be dangerous) inside the house to the kitchen (perhaps designed around the appliances more than for their owner's comfort) or to the living room (which may be completely splendid).

All of the designs that are shown here and on the following seven and the preceding four pages make efforts in many directions at once to form residential environments not so much around a diagrammatic, conceptual consistency as around the consistent sensibilities of the inhabitants. The designs shown on the previous four pages—one in London, and one on Hilton Head Island in South Carolina-make whole places, the former by adapting itself carefully to the qualities of the neighboring buildings, and the latter by being carefully modest and unobtrusive in order not to destroy the qualities of the natural site, which then become themselves the qualities of the housing environment.


On this and the following pages are a series of designs for housing which organize themselves around community spaces (almost all of them streets) in an active attempt to enliven those spaces while at the same time making private places to live adjacent to them. All of these designs, too, have to deal in some way and at some scale with the difficult problem of accomodating the automobile-which, in the housing in London, was not a problem because few people who live there own cars, and which, in the housing on Hilton Head Island, was fairly easily solved on a spacious site by having cars drawn up in front of each house in the traditional suburban way. In the housing designs that follow, however, the density is greater, and so is the problem of the automobile—not just because there are more of them requiring more and more parking spaces, but because their power to insulate people from their environment is increased.


Finally, readers will notice that the designs shown on these pages look startingly, or perhaps discouragingly, traditional—a fact which is not easy to explain. One explanation was offered by Marley Carroll, head of the design team for Eastover Gates, which is shown on the right: "We didn't start out to design traditional looking houses; we just wanted to be sensible about the function and the imagery of each of the parts. So we used chimneys because fireplaces are nice, and chimneys visible on the outside seem to say 'house.' Pitched roofs let the rain drain off easily, and they have a nice profile; and large arched front doors tell you clearly where the entrance is. We were surprised when the design turned out to look traditional." -Gerald Allen




Eastover Gates is a small townhouse development in an old neighborhood with single-family houses on curving, tree-lined streets. Accordingly, and unlike many new developments, this one is similarly organized. More than half the required parking spaces are here, and the rest are behind the houses. The architect's first concern in planning the site was to create a place that could be comfortably inhabited by people and cars, whether stationary or in motion. But they were also careful to make the soft delineations—between, for instance, street and sidewalk, or sidewalk and the front steps and gardens of the houses—that tell what is whose in this public space.


EASTOVER GATES, Charlotte, North Carolina. Architects: Wolf Associates—design team: Marley Carroll, Paul Poetzsch, Aid Mistri. Engineers: Bullard/Austin Associates (mechanical/electrical). Consultant: Arnold Associates (landscape).















The design for the Village of Owen Brown in Columbia, Maryland, is similar in intent to that for Eastover Gates, shown on the previous two pages, in that it is organized around a street—here a series of streets. But there is one very important difference: whereas the density of Eastover Gates is about eight and a half units per acre, the density here is about 15. Thus the street itself can be counted on to provide only visitor parking, and the parking for the residents themselves has to be provided somewhere

This is done in two ways. In the fourplex units, sited between the two streets, parking is immediately adjacent to the dwelling units-most often in an awkward head-on arrangement that lets the second car for a dwelling unit, if there is one, block the first. The rest of the residential parking is in conventional lots behind the dwelling units.

What is created by this arrangement is an oldfashioned street, traveled on by cars, with sidewalks for pedestrians. But most of the residents will actually arrive at the back doors of their houses, where they can park their cars. It seems worth asking whether this kind of site plan will not simply replicate the standard suburban situation, where houses almost always are entered from their back doors near where the cars park, leaving the front door (and also the front lawn) almost completely unused.

The site plan for the Village of Owen Brown is an almost exact reversal of the more usual suburban housing site plan, which provides large numbers of parking spaces (and not much else) in front of the houses, and reserves the spaces behind for various private or community activities. It is reasoned here that it is better to have these activities out front, rather than to sequester them behind.


VILLAGE OF OWEN BROWN, Columbia, Maryland. Owners: Rouse-Wates Inc. Architects: MLTW/Turnbull Associates-associate architects: Charles W. Moore Associates. Engineers: Skarda and Rikert (structural), Ernest Moritz and Associates (mechanical/electrical), Seybolt, Gore, Newquist and Berlinsky (civil). Consultant: Kurt Bluemel Inc. (landscape).





Whitman Village in Huntington, New York, is shaped around two characteristics of its site. One is that in the middle the site is open and grassy, with large, handsome old trees (photo above). The other is that on one side it is bounded by a busy four-lane road separating it from the local train station parking lot (photo above right). Accordingly, on this side the housing units turn their back on the street and on their parking in order to face the interior greensward. On the other side of the site, however, freestanding fourplexes make a much softer boundary.

WHITMAN VILLAGE, Huntington, New York. Architects: MLTW/Moore-Turnbull—construction administrator: Edward Johnson and Company. Engineers: Spiegel and Zamecnik Inc. (structural), John Alteri (mechanical/electrical), Nelson and Pope (civil). Consultant: David Weingarten (graphics). Owner/contractor: Melville Industrial Associates.



















Housing for Kingsmill on the James, near Williamsburg, Virginia (see also RECORD, December 1974, pages 130-131), continues the format of Eastover Gates and Owen Brown Village, shown on the preceding pages. Here the density is about eight units to the acre, and most of the parking is provided on the street in small parking areas behind one of the two basic types of unit clusters (photo below). This building, recalling an old-fashioned garage or stable, acts as a gateway between the street and the parking area, and is in the process two houses. The site is organized more formally near the main entrance (left of the adjacent site plan), where the land is cleared and relatively flat. The organization becomes more










Floating floors offer simple, economical control of airborne and impact noise



---- 4" SLAB FLOATED ON 2" ISOLATION PANEL

by J. Thomas Rector, AIA, Consolidated Kinetics Corporation

The kind of structural acoustic isolation that is frequently a must in custom-designed broadcasting and recording studios can be obtained with a standardized "floating-floor" system that, because of its relative economy, often finds application in other situations. A fairly common planning necessity that might profit from this built-in acoustic protection is the placement of a mechanical room (the source) directly above offices, conference rooms, hospital rooms, classrooms or libraries (the receivers), all areas requiring some degree of quiet. While the architect should try to physically separate noisy from quiet spaces during design, for a variety of reasons this is not always possible.

Isolation may also be the answer to such diverse acoustic problems as music practice rooms, which represent both noise sources and critical receivers, and low-flying jet aircraft. Impact noise under bowling alleys or beneath pedestrian malls can also be controlled.

A floating floor system consists of a concrete slab "floated" on special acoustic isolators, which in turn rest on the structural floor. Typically, the floating slab is 4 in. thick, cast in place by conventional methods. In the system developed by our firm, the acoustic isolators are 2-in. thick pads of specially molded, precompressed fiberglass encased in a flexible elastomeric membrane. These pads, along with fiberglass sound-absorption cavity infill, are bonded to 1/2-in. exterior-grade plywood panels. The standardized panels serve as onetime forms for the concrete slab poured on top of them.

The resulting floor-8 in. of concrete sandwiching a 2-in. space—achieves a sound transmission class (STC) of 80+. To achieve the same STC using mass alone would require a 64-in. concrete slab. At the same time, the isolated slab has an impact noise rating (INR) of +19, laboratory tested using a tappingdevice technique.

The acoustic pads isolate the upper, floating slab from the structural slab beneath. When noise generated in the space above the floor sets the floating slab in motion, the isolation pads reduce the acoustic energy reaching the structural slab, which would otherwise

transmit sound to the "quiet" area below. A loose analogy is the difference between an electrical conductor and an insulator controlling the flow of electricity.

Installation of a floating floor must prevent acoustic leaks at joints and penetrations

A floating floor must be treated as only part of an over-all system. After the floor has been isolated, the weakest links in the chain of acoustic protection are side walls and columns, which may conduct sound to the ceiling over the protected area. Design and installation must guard against acoustical short-circuiting that will diminish the floor's effectiveness.

The floating floor and isolated walls and ceiling must be free of rigid connections to the main building structure. Floor perimeters must be isolated from adjacent walls and columns by a space filled with isolation media before the concrete is placed, and this joint must be sealed with resilient caulking after concrete has cured. Where penetrations occur, ductwork and pipes must be enclosed with isolation sleeves (see detail drawings).


For especially demanding applications, such as excessively noisy, penthouse-located, engine-driven equipment, the isolated slab may be thickened up to 6 in. This system, while relatively light, provides a sound transmission loss comparable to that of conventional floors of a mass eight times greater.

When a floating floor is used to isolate a machine room, it needs to be supplemented with a hung ceiling only in very exceptional circumstances. Flyover aircraft, however, often create exceptional noise; military jets especially, we found at one installation, tend to fly both faster and at lower altitudes than commercial planes. A roof designed to isolate interior space, such as a theater, from aircraft noise should usually have both a floating slab and a ceiling suspended from isolation hangers.

The composite barrier concept can be used both horizontally and vertically. The combination of double lightweight wall and ceiling components, plus a floating slab, can surround a high-magnitude noise source or a sensitive receiver, isolating it completely from adjacent areas.

The pedestrian mall through the ground floor at the City University of New York's Graduate Center (top right) connects Manhattan's 43rd Street with the very heavily trafficked 42nd Street, Because the mall is at the center of a long block in the populous midtown area, and because it is near a busy subway station, pedestrian use is substantial. At the same time, architect Carl J. Petrilli concluded that the most convenient location for the center's auditorium and library was below grade in what had been basement selling space in a department store (center right). This placement of areas requiring quiet raised serious questions of impact noise disturbing readers and auditors beneath the mall. Isolation panels were interposed between the structural slab and the concrete topping slab, and the architect reports that the loudest sound audible in the auditorium is the occasional distant rumble of a subway train.






Structurally, the floating slab can be designed to accept a wide range of loads, from the 40 psf adequate for a pedestrian mall to 400 psf for heavy mechanical equipment. The acoustical pads of the isolation panel can be varied from their normal 12-in. centers—say, to 24-in. centers—to accommodate lesser load ranges on the floating slab at lower cost. If pads are placed too far apart, however, the system may lose its utility for future requirements; that is, if the load is later increased, the isolators may be overloaded and the natural frequency of the material raised, thus reducing its capacity to screen out noise created by machinery vibration.

Designers should be conscious of what floating floors can and cannot do


Floating floors, however effective, will not eliminate all noise problems and should be treated as simply one of a number of methods for acoustic control. They do, for one thing, add weight and cost to a building—as a general guide, the additional dead weight is 50 psf, the additional cost \$4 to \$5 per sq ft. The system also typically adds 6 in. to total floor thickness.

Moreover, a floating floor attenuates highmagnitude sound and vibrations only in the acoustic range above 30 Hz. It does not, therefore, eliminate the need for proper isolation of vibration below this range, such as the noise made by low-speed fans and, under some loading conditions, centrifugal chillers. Separate vibration isolators, such as springs, are used to dampen this. Additionally, the natural frequency of the isolation pads is between 10 and 15 Hz and may amplify rather than isolate frequencies below 15 Hz, such as those produced by an air compressor.

To repeat, a floating floor should be considered as part of an entire acoustical system. It should be specified only after more direct and economical cures, such as relocating either the noise source or the receiver, have been rejected, and only after a thorough analysis of the volume and nature of noise issuing from the source, of the noise level acceptable at the receiving end, and of the paths through which the noise will be transmitted.




42 ST.



The cutaway drawing above mission of airborne and impact provides special perimeter isoshows the major components of noise to the structure itself. the standardized isolating panel that supports concrete floating transmit sound, the integrity of between partition and floating floor. Molded, precompressed the isolation system is threat-slab (below right). Pipes and fiberglass pads, set on 12-in. ened if the connection between ducts must also be isolated from centers, create a space between floating slab and partitions is not both slabs by fiberglass sheathlower, structural slab and upper acoustically protected. The ing and by perimeter isolation

slab, thus preventing the trans-standardized system therefore curbs (below left).

lation boards to be set beneath Because walls may also partition and structural slab and



Shielding spaces against electromagnetic radiation

by Ralph Aronson, Ray Proof Operation, Keene Corporation

The increasing reliance of medicine and industry on sensitive electronic instruments coincides with an increasing amount of ambient electromagnetic noise ("static") from radio and TV transmissions, X-ray units, even telephone dials. Recent studies estimate that ambient radio frequency is about 60 dB in and around hospitals, and further estimate that this noise increases 3 to 5 dB every year. These random signals seriously interfere with the precision of electronic measurements.

Because the sources of radio-frequency interference (RFI) cannot be controlled or even predicted by a building's users, the most effective way of dealing with it is to provide sensitive instruments with a shielded environment. An RFI shield is a highly conductive metallic envelope that offers minimum resistance to any current flowing through it.

The basic envelope of our firm's RFIshielding system consists of rigid modular panels of galvanized steel with a plywood core. The framing members, also of galvanized steel, are designed to provide an RFI-proof joint without caulking. Because the joints must be snug, particular attention is paid to the mechanical fasteners—cadmium-plated steel screws placed on 4-in. centers for a tight continuous fit.

Although the ideal shield would be a thick steel tank with no openings, provision must, of course, be made for ingress and services. Doors and frames must fit close around the opening, and a set of contact fingers ensures a leak-proof seal when the door is shut.

Air inlets and outlets must be fitted with wave-guide vents, metallic baffles that prevent radio-frequency intrusion. It is also often advisable to join vents to the building's ductwork with nonmetallic flexible connectors, typically a canvas collar. Water and gases must also enter the shielded space through wave-guide

Any wire—power, telephone, intercom penetrating the shield may act as an antenna to conduct radio frequency into the space. Every electrical wire must therefore enter through a special radio-frequency electrical filter. Because fluorescent lighting introduces its own contamination into the shielded environment, lighting must be supplied by either incandescent or interference-free cold cathode fluorescent lamps.


The system described is like that used in about 70 per cent of our installations. It provides an attenuation of around 120 dB, and allows considerable planning flexibility. For special purposes, however, other systems have been developed.

Normally, shielding is tested once after installation but before architectural finishes have been applied, and again after finishes are in place. It is good practice to re-test the shielding at least once a year.



COSMO Photographers

A highly conductive metallic envelope constructed around sensitive electronic instruments shields this equipment from radio-frequency interference ("static"). Surfaces of the room at left (photographed before architectural finishes were applied) are sheathed with galvanized steel and plywood panels. To ensure RFI-proof environment, seams and corners are tightly sealed with galvanized steel strips fastened at 4-in. intervals (immediately below). Duct openings are a potential source of radio-frequency intrusion, and supply air must enter the space through baffled waveguide vents (below).



For more information, circle item numbers on Reader Service Inquiry Card, pages 231-232.

Energy-saving glass offered in bronze tone

improving on traditional fabrication, this Solarban 485 Twindow reflective double-glazed unit has a transparent metallic film that provides a bronze tone and muted reflectivity, with good life-cycle cost. PPG Industries, Pittsburgh, Pa.

Circle 300 on inquiry card





Sofa and settee by **Richard Schultz**

The basic units of the new seating series include a two-seater settee and a three-seater sofa (shown), but multiple seating applications are available, designed to provide public areas with a well proportioned extendable seating system. The structure includes an upholstered back and seat suspended from a round tubular steel base frame connected to an oval tubular steel stretcher, both in chrome or polyester finish. . Knoll International, New York City.

Circle 303 on inquiry card more products on page 169

Freestanding fireplaces in three configurations

Available in low-profile, conical or rectangular styles, the ireplaces are being marketed as The Compatibles, all offered in six colors: red, lime green, orange, off-white, yellow and olack, in baked-on porcelain enamel. These are woodburnng units that may be converted o electric or gas log operation. Conical units come with 30- or 36-in. diameter hearths, while ow-profile models have 30- or 40-in. diameter hearths. The ectangular unit has a 28-in. wide hearth. All fireplaces are guaranteed for smoke-free operation and carry a 20-year owner guarantee. • Heatilator ireplace, Mt. Pleasant, Iowa.

Circle 301 on inquiry card




Oak signage with change potential

In natural oak-with other woods available—these signs are made to graphic and size specifications, and feature wood sections that are easily changed by hand. Best Mfg. Co., Kansas City, Mo.

Circle 302 on inquiry card







For more information, circle item numbers on Reader Service Inquiry Card, pages 231-232.

AIR CONTROL CATALOG / The company's complete line of registers, grilles and diffusers for heating, cooling and ventilation is featured in a new 48page catalog. Included are baseboard, sidewall, floor and ceiling units in a variety of sizes and finishes. Leigh Products, Inc., Coopersville, Mich.

Circle 400 on inquiry card

UNITIZED TUBS, SHOWERS / One-piece, molded tub and shower combinations for houses, apartments, hotels and motels are described in a color brochure including a new tub/shower unit which features an exceptionally large bathing well, full shower, wide flat bottom, and built-in grip bar. Available in gold, avocado, blue, white, bone and bayberry, these unitized, fiberglass-reinforced polyester resin fixtures are said to be easy to install. . Lasco Industries, Anaheim, Cal.

Circle 401 on inquiry card

SANDWICH PANEL FLAMMABILITY / All types of sandwich panels are said to be examined in this brochure, including foamed plastics, plywood and various composites. Over 150 tables, diagrams, and graphs provide a data bank on sandwich panels, and a bibliography covers the literature of these materials from 1950 to 1974. The appendices provide ASTM standards and tests for sandwich panels and information on their applications. The literature is offered at \$25 from the publisher. • Technomic Publishing Co., Inc., Westport, Conn.

Circle 402 on inquiry card

HAND-BLOWN LIGHTING / The company announces that it is now the U.S. distributor for handblown contemporary lighting manufactured by the Glasshütte Limburg company in Europe. A 152-page catalog contains information on ceiling, wall and table fixtures. A price list is included. . Koch & Lowy Inc., New York City.

Circle 403 on inquiry card

HOSPITAL ARTERIAL SYSTEM / Com/Core provides medical facilities with built-in patient life support services, including all medical gas pipelines, communications and electrical power, which can be distributed directly to the patient's bedside. Full-color literature describing the system is available explaining construction details and system advantages over conventional installations. . Day-Brite Lighting Div., Emerson Electric Co., St. Louis, Mo.

Circle 404 on inquiry card

CENTRAL AIR CONDITIONING / A four-page brochure on high-capacity central air-conditioning systems designed for larger homes includes specifications and features information on precharged condensing units, blowers and preinsulated refrigerant tubing. ARI standard ratings range from 41,000 to 47,000. McGraw-Edison Co., Albion, Mich.

Circle 405 on inquiry card

HEALTH CARE DECORATING / The new kit provides paint, trim and accent colors and coordinated vinyl fabric wallcoverings plans for 12 specific areas of the hospital, clinic, nursing home, convalescent home and sanitarium. Illustrated in full color, each plan for a specific facility contains coordinated and complementary wallcovering swatches and a room design sketch depicting possible use of the materials. According to the company, the Designer's Portfolio is for the smaller health care facility that may not be able to afford professional assistance. The information provided could also be of assistance to architects in planning health care facilities. The kit is available for \$3.50. United-DeSoto, Inc., Chicago, III.

Circle 406 on inquiry card

EXPOSED AGGREGATE / A full-color brochure describes chemically retarded exposed aggregate precast concrete panels for architectural applications. Included are descriptions of the various depths of reveals obtainable, each illustrated with detailed color photographs. Examples of exposed aggregate on several buildings are shown, as well as a documented comparison of exposed aggregate versus smooth concrete. . Preco, Plainview, N.Y.

Circle 407 on inquiry card

SOUND-ABSORBING MASONRY / Soundblox 2 features modified construction using special fillers with metal sentums to provide sound-absorption performance. The units are load-bearing and permit sound control to be built into the structure of a building, according to the company. An eight-page brochure gives details. . The Proudfoot Co., Inc., Greenwich, Conn.

Circle 408 on inquiry card

KITCHEN CABINETS / Catalog sheets covering a 1975 line of moderately-priced modular kitchen cabinet systems and bathroom vanitoires include information on construction, finish and hardware features of the all-wood cabinets. Cabinet styles are offered in single- and double-paneled all-oak fronts, in oak fronts in V-groove plank and peg designs, and in cherry or dark walnut tone finishes. . Excel Wood Products, Inc., Lakewood, N.J.

Circle 409 on inquiry card

ROOF DECKS, INSULATION / A 12-page brochure on Zonolite roof decks and roof insulation describes how these decks protect the roofing membrane and provide insulation, strength, fire- and wind-resistance. Specifications, fire resistance ratings, "U" value and load span tables are included. • W. R. Grace & Co., Cambridge, Mass.

> Circle 410 on inquiry card more literature on page 185



TALK-A-PHONE HOME INTERCOM

peace of mind this system provides. You can:

- Independently originate and receive calls to or from any other room.
- Answer outside doors from any room without opening doors to strangers.
- Enjoy radio in every room with the simple flick-of-a-switch.
- Listen-in on baby, children or sick room from any room; yet other rooms can have

complete privacy.

Distinctively styled. Beautifully finished in richly blended gold, polished and satin silver tones. Easily installed in any home. Built-in and surface-mounted models available.

TALK-A-PHONE . . . the accepted symbol of quality and dependability in Intercommunication for over a third-of-a-century.
With Exclusive "Dynasonic Selector." "Has Everything, Does Everything."



INTERCOM FOR OFFICE, INDUSTRY, IN-STITUTIONS. Instant and direct 2-way conver-sation between any 2 points. Saves thousands of man-hours, simplifies routine. Distinctively styled, Pays for itself many times over

TALK-A-PHONE CO.



1 or 2 talking circuits 1 or 2 door opener buttons

vides instant and direct 2-way conversation be-tween any Apartment and Vestibules—in buildings of any size. Greater performance with these exclu-sive Talk-A-Phone features • Ample volume withruggedly built for continuous day and night use. sive Talk-A-Phone features ● Ample volume with-From 2 to 100-station systems, you can do it out "boom" ● Automatic privacy ● Individual vol-better and more economically with Talk-a-Phone. ume selection for each apartment ● Built-in Buzzer 1 or 2 talking circuits.

> Send 25c for catalogs. No charge to Trade or Professionals.

5013 N. Kedzie Ave., Chicago, III. 60625 (Dept. AR)



Constantly developing better ways to form concrete

Ceco's research and development of forming systems affords architects, engineers and contractors the benefits of new and better ways of executing poured-in-place concrete construction. As always, Ceco's experience gives you simplicity, reliability and economy. With monolithic reinforced concrete systems, all materials and forming equipment are available locally everywhere. You can design with true versatility in rib slab, waffle slab or flat slab construction. And with Ceco's forming services, you get a dependable floor system fast. You can have large modules and attractive finishes for exposed ceilings by specifying Ceco's fiberglass forms. Ceco crews of formwork specialists erect and remove forms of steel and fiberglass, on schedule, on a firm lump-sum contract. For more facts, please see Sweet's files or consult your nearest Ceco district office.



Colorado National Bank, Denver, Colorado Minoru Yamasaki and Associates, Architects Skilling, Helle, Christiansen, Robertson, Structural Engineers N. G. Petry Construction Company, Contractor



The Ceco Corporation • General Offices 5601 West 26th Street . Chicago, Illinois 60650 ACRYLIC-NYLON CARPET / "Virginia City," a



tufted contract carpet, is a blend of 85 per cent acrylic and 15 per cent nylon. The pile yarns are three-ply, processed in a manner that creates a variegated "imbedded chip" or "dappled fleck"

appearance. Because of the dense construction of its tightly twisted three-ply yarns, the product is said to offer exceptional resistance to wear and abrasion. Seven variegated colorations are available, most dominated by natural tones: brown-heather, charcoal, gold-beige, tan, gray, brown and beige . Philadelphia Carpet Co., Cartersville, Ga.

Circle 304 on inquiry card

SELF-POLISHING CONCRETE FLOOR / The Vibra-



tory Absorption Process topping is a self-polishing concrete floor for industrial plants, warehouses, laboratories and other buildings. Enough water is used to achieve workability during placing. This

also permits the topping to contain large amounts of rough, coarse aggregate. Immediately after the concrete has been placed, the Absorption Process technique is used to remove the workability water. This produces a very high final strength concrete binder by reducing the water-cement ratio close to the theoretical minimum, according to the company. After a calculated time delay, the floor is troweled to seal the surface. By repeated time-delayed floating and proper timing of the troweling operations, the topping develops a built-in gloss. . Kalman Floor Co., Inc., White Plains, N.Y.

Circle 305 on inquiry card

VANDALPROOF SIGNAGE / Photographic imbed-



ding of imagery makes Metalphoto highly resistant to attack by weather, chemicals or vandals, according to the company. Any form of imagery for reproduction in the metal-photographic

halftones, line or toned art or typography-may be specified. Maximum single sheet size for plates is 24 by 40 in. Adhesive, magnetic and mechanical mounting techniques are used to create multiple sheet murals and wall sections. . Metalphoto Corp., Cleveland, Ohio.

Circle 306 on inquiry card

APPLIQUE SYSTEM FOR DRAFTING / The polyester




applique sheet is said to eliminate repetitive drawing of title blocks, specs, circuit diagrams, and any drawings that are used repeatedly. Copies of the original tracing or drawing are reproduced on the

sheets using any plain (or bond) paper copier, states the company. The new applique is pressure-sensitive and easily applied to the required work. Applique sheets are supplied in standard 81/2-by-11-in. sizes. Standpat Products, Port Washington, N.Y.

Circle 307 on inquiry card

more products on page 171



- Cylindrical and counter top blood banks
- Biological and Pharmaceutical refrigerators
- Wall-mounted refrigerators
- · Small capacity over- and undercounter refrigerators
- Nurses' station and utility room refrigerators
- Walk-in refrigerator and freezer doors

- Explosion-proof refrigerators
- Temperature Monitoring Systems for all temperature controlled spaces and equipment
- Recording Thermometers with Marka-Matic continuous flow inking system
- Free-standing and built-in mortuaries
- **Autopsy tables**
- Air Sentry—air purifier and deodorizer

Jewett offers you a complete planning service for your health-care facility project. Our engineering department will give you the benefit of years of consultation experience with architects. We have worked on large hospitals, with over 1000 beds, and on small ones, including renovations for existing facilities.

Write for name of the Jewett representative in your area





Take the renovation of this office building at 625 N. Michigan Avenue, Chicago, for example. Here, the 20th and 21st floors house the executive offices of Romanek, Golub and Company, prominent Chicago real estate developers, brokers, building managers and investors.

When this knowledgeable company decided to renovate their headquarters, they were happy they had selected Roper Eastern's Tablock 281 as the original ceiling system. Why?

Because Tablock's immediate accessibility, flexibility and stability enabled the firm to salvage the suspension system and nearly all the ceiling tile.

Using the loft method of construction (positioning the ceiling before installing partitions), shown in photo at left, partitions were removed with only slight damage to the tile. In contrast, where partitions were placed prior to the ceiling system, shown in photo at right, not only were the walls destroyed, but also a major portion of the ceiling system.

Tablock 281 is just one of Roper Eastern's five unique ceiling suspension systems.

Each can accommodate nearly any manufacturer's acoustical tile or panel, so you can take your choice of the world's


We've also developed an exciting new modular package that combines grid and air delivery systems. It's called Geminairea real problem solver. Geminaire features both exposed and concealed elements for a dramatic 3-D effect...ceiling air delivery ducts are totally unobtrusive!

Demountable walls too...the truly modern way to renovate.

Here's even more design freedom. With our ESP Demountable Wall System, you can specify the wall or partition—ceiling height or free standing—gypsum board, wood paneling, vinyl or metal, that fits the requirements of the job. ESP installs quickly and easily, dismantles and reassembles in minutes. Cost? Surprisingly low—often less than conventional drywall construction construction.

For more information, just pick up your phone or write our Columbia, Maryland headquarters.

Warehouses in principal cities.





BUILDING

9325 SNOWDEN RIVER PARKWAY COLUMBIA, MARYLAND 21046 TELEPHONE (301) 730-8800

For more data, circle 82 on inquiry card

RESIDENTIAL GARAGE DOOR / Door panels have



a rough-sawn cedar look, yet are said to offer the durability characteristic of hardboard which may be stained any desired color. All hardware in the garage door is custom-designed

and manufactured, including custom-wound and performance matched springs. All parts of each door will be recorded on data film at the factory, so exact replacement parts may be ordered any time. The door is available in single car or two car models.

Raynor Mfg. Co., Dixon, Ill.

Circle 308 on inquiry card

OLD-TIME CEILING FAN / This fan is not a replica,



but is offered as an actual descendant of the 1890's model which has never been out of production. Fan blades on the 36-in. and 56-in. models resist

splitting, cracking and chipping. The two-speed motor has a weather-resistant bronze finish, lifetime lubricated bearing, and a five-year guarantee. Fans mount on ceilings as low as 8 ft and come complete with ceiling hook, insulated hangar, and installation instructions. • Chromalox Comfort Conditioning Div., St. Louis, Mo.

Circle 309 on inquiry card

DOUBLE JOINTED SPOUT FAUCET / The faucet



features cast red brass housings, replaceable stainless steel seats, and swiveling seat disks held in place with corrosionresistant screws. The wallmounted supply arms adjust from 4 to 8 in. for in-

stallation, and the spout and swivel joints are heavy duty brass with a polished chrome finish. • Fisher Mfg. Co., Los Angeles, Cal.

Circle 310 on inquiry card

RUST-PROOF STEEL RODS / A process of coating



threaded steel rods with zinc phosphate virtually eliminates rust, extends the life of the rods and offers many other advan-

tages to users in the building field, according to the company. Identified as *ProCote* finish, the process costs considerably less than zinc plating which is used for the same results. *Pro-Cote* finish can be used for rods up to 14 ft long. Meadowbrook Products, Inc., Lancaster, Pa.

Circle 311 on inquiry card

AREA LIGHTING / The "Dual" outdoor area light



combines two different lamps and optical systems into a single luminaire. One optical system throws illumination out over an area, while the other system spreads illumination to the sides. The fixture's construction includes a one-piece alumi-

num housing; cast aluminum ballast housing and pole fitter; sliding door frame for servicing, and Alzak aluminum finished reflectors. • Guth Lighting, St. Louis, Mo.

Circle 312 on inquiry card

more products on page 181

62-63 Auditorium seat designed by Peter Dickinson Installed at the Jennie King Mellon Library, Chatham College Johnstone, McMillin and Assoc., architects, Pittsburgh, Pa. Kilham, Beder and Chu, Consulting architects **JG Furniture** 121 Park Avenue Company, Inc. Quakertown, Pa. 18951 for design, NYC.

AE/UPDATE A classified advertising section devoted to helping architects and engineers keep up to date on building product manufacturers.



FREE, HIGHLY ILLUSTRATED BRO-CHURE shows show ODSTM-Overhead Distribution Systemsprovide economical, convenient alternatives in overhead distribution of electrical and communications services. Choice of surface metal raceways for the most efficient use of materials. Plugmold® multioutlet power laterals providing for single or


mixed 125V and 277V services. Plug-in convenience for Tele-Power ® Poles and ceiling lighting fixtures. Switch control as desired. Matchless space use versatility. The Wiremold Company, West Hartford, Conn. 06110

For more data, circle 84 on inquiry card




FREE FENCE SPEC KIT saves time, trouble. Invaluable for planning chain link fencing. Kit includes drawings on styles, wire gauges, gates, fittings, framework. Also includes lab reports, work sheets and specifications. Page® aluminized fabric lasts 3-5 times longer than the best of galvanized. Send for your kit today. Page Fence Division of Acco. P.O. Box 430, Bridgeport, Conn. 06602.

For more data, circle 85 on inquiry card



For more data, circle 86 on inquiry card



DIETATIVOAT BRETAIR

Designing with steel?

Look at the aesthetics and structure/ability of **Regal Welded Steel Tubing**



1" square thru 12" x 8" rectangle. .083 thru .500 wall

Our clean-lined, smooth squares and rectangles assure better appearance and give you basic design advantages.

Higher strength-to-weight ratios let you use lighter structural columns and beams, trusses, mul-

lions, and stairways. Also provide handsome concealment of conduit, pipe, etc.

You can simplify layout and speed construction due to easy joining to the four flat surfaces.

These are only a few of the cost-saving advantages of Regal structural steel tubing. Learn more about how Regal structural steel tubing can save you time and costs. Write for our new catalog, free on request. Or contact your steel service center.

7401 South Linder Ave., Chicago, III. 60638 • 312/458-4820

For more data, circle 9 on inquiry card





GF presents The Cube.



It doubles your thinking power






The new GF Cube offers twice as many desks and console configurations as other systems of similar design.

This variety will help you meet the requirements of just about any business office. You will be able to design for work efficiencies and the best utilization of today's expensive office space.

The segment of an Open Office plan shown here displays the basic elements of the new GF Cube System. Other pieces in the system enable you to meet the need for different heights, depths and work surfaces throughout the office.

Think about versatility.







The GF Cube offers solutions to the requirements of each individual in an office, and it does so while maintaining design continuity throughout.


Extended desk units

provide added work surfaces and increased storage capacity in their pedestals. Standard end panel units are 36" and 45" long. Pedestals are offered in 36", 45" and 60" length returns. Cube consoles come in desk and typing heights. Five lengths are available, including a 90" Console.

The Cube System enables you to handle work stations requiring Input and Display Units, CRT Devices, Calculators or word processing units. Desk risers for the GF Cube provide space for reference materials, with open or closed shelf space.

Think about compatibility.





The new GF Cube has design compatibility with other GF furniture in both design and function.


The Cube complements the GF Davis Allen Collection of executive

and general office furni-ture (left). And The Cube is compatible, in dimensions and overall appearance, with the panels of the GF Environ-mental System Program (ESP) (center) as well as

our Quantum System of

lateral files. (right).
You can, quite literally, extend The Cube concept from the reception room to an executive suite.

Think about workability.



Cube desks contain full-depth storage drawers as standard equipment. They are designed to absorb impact without bending or warping.

1. Fully-progressive suspensions are available for heavy duty use. These are the same units used in our finest

filing systems. 2. Pedestal drawers offer many options. For instance, it is possible, to provide filing for 11,000 tab cards in one pedestal.
3. Cube desk offers the finest wire management system available for telephone and electrical equipment. Large

Amphenol connectors are no problem. 4. And the unique GF locking system locks the entire desk with "push-button" ease.

Call your local GF Dealer or visit our showroom. They're in the Yellow Pages. Or write GF Business Equipment, Inc., Youngstown, Ohio 44501. In Canada: Toronto, Ontario.



DELTA AIRLINES SPECIAL HANDLING

On DASH shipments Delta guarantees delivery on the flight or routing you specify between most Delta cities.

Packages accepted up to 50 lbs. with length plus width plus height not to exceed 90" total, with only one dimension exceeding 30.

Deliver to Delta's ticket counter or airport air freight terminal at least 30 minutes prior to scheduled departure time. Shipments may be picked up at either location 30 minutes after flight arrival.

Delta's exclusive "Dashboard" control procedure insures constant tracking of your shipment from delivery to pick-up.

DASH charges are nominal. Check Delta reservations for charges between specific points. Pay in cash, by company check, most generalpurpose credit cards, special credit arrangements or on government shipments by GBL. ADELTA

Rate examples (Tax included)

Atlanta-Washington \$21.00	-
Boston-Miami \$26.25	,
Cincinnati-Louisville \$21.00	,
Cleveland-Phoenix \$26.25	
Los Angeles-New Orleans \$31.50)
Dallas-Los Angeles \$26.25	i
San Francisco-Atlanta \$31.50	1
Philadelphia-Houston \$26.25	,
New York-Tampa \$26.25	į
For details call Delta reservations	



Delta is ready when you are:

For more data, circle 88 on inquiry card

PRODUCT REPORTS continued from page 171



RECONSTITUTED WOOD STUDS / Lumber studs made largely of reconstituted particles, have been developed as part of longrange plans to help increase the nation's timber supply through better utilization. Named COM-PLY, the product is a com-

posite two-by-four made with particleboard and veneer. A glued-up "sandwich" is made, using 11/2 by 25/e-in. strips of the particleboard as the core. Two 1/6 in, veneers of solid wood are then laminated to each narrow side of the particleboard. The product uses the high-strength stiff wood from the outer portion of the log for the veneer facings while the inner portion is chipped for particleboard. . Georgia-Pacific Corp., Portland, Ore.

Circle 313 on inquiry card

HEAVY-DUTY CARPETING / Engineered for heav-



ily-trafficked commercial installations, this carpet combines a subdued check motif, a ribbed texture, and a stripe. Pile yarns are two-ply Antron nylon, treated to prevent build-up of static elec-

tricity. "Plaza Square" is woven on velvet looms with three colors alternating in each colorway to produce the design effect. Three examples feature maroon, used with gray and red, again with purple and blue, and again with rust and cardinal red. . Lees Carpets, King of Prussia, Pa.

Circle 314 on inquiry card


HIGH-PRESSURE LAMINATE COLORS / Natural



and subtle patterns, earth tones and butcher block wood grains are included in the 1975 standard line of decorative Micarta. With the addition of a blonde end cut (left), there are now three different

butcher block patterns. End cuts in blonde and walnut shades (right) are made up of 1- and 1%-in. blocks and a blonde long grain is composed of ¾-in. planks running the length of the sheet. Other new designs are also available. Micarta is a high-pressure laminate available in 100 grades in standard construction and sizes. • Westinghouse Electric Corp., Decorative Micarta Div., Hampton, S.C.

Circle 315 on inquiry card



UNDERLAYMENT FOR WOOD FLOORS / Blanketseal is a closed cell polyurethane foam which is said to improve the moisture resistance and playability of Lock-Tite maple sports flooring. . E. L. Bruce Co., Inc., Memphis, Tenn.


Circle 316 on inquiry card more products on page 183


Forming Architectural Concrete **Textures**

Standard/Custombuilt Form Lining Systems

16 Standard Corrugations

14 Standard Textures





Total Systems Concept for Concrete Forming

Standard And Special Domes/Joist Pans/Forms: Beam, Long, Column, Wall, Balcony/Integrated Flying Form Systems/Architectural Formwork/Special Form Hardware

Main Office: 18744 S. Reves Avenue Compton. California 90221 Telephone (213) 537-4063

Regional Offices: New York, New York Cincinnati, Ohio Denver, Colorado

For more data, circle 89 on inquiry card

bright idea


Shower valves guaranteed for 831/3 years.

We guarantee our Bradtrol and Pos-I-Pak shower valves for 83½ years... an even 1000 months. If either valve leaks or drips during that time, we furnish replacement parts free of charge. We can give you a guarantee like this because our Bradtrol permanently lubricated single control valve has just one moving part. No washers, O-rings, springs or seals. Nothing to wear out or corrode. And the Pos-I-Pak valve for hot and cold or tempered water. No washers here either. No seats, threads or packing. So no leaking.

You can specify either for any shower we make. For Column showers that serve from 2 to 6 people with a single set of connections. For Panelon, Econo-wall, Wall-saver and Corner showers that put every inch of floor and wall space to use. Showers that save money during installation and afterwards. Ask your Bradley washroom systems specialist for complete guarantee details. And write for latest literature. Or call (414) 251-6000. Telex 2-6751. Bradley Corporation, 9109 Fountain Blvd., Menomonee Falls, Wisconsin 53051.

FROM BIGGET IN Washroom Fixtures and Accessories

For more data, circle 39 on inquiry card




SAVE TIME AND LABOR

Rebars for concrete slabs can now be tied in place and supported in one operation with the use of G-Loc Clip-Chairs and Guns that automatically lock intersecting bars together.

This new system gives the steelsetter a new dignity in applying the skill of his trade. Clip-Chairs are applied from a comfortable standing position.

WRITE FOR CATALOG GL-374



DIVISION OF IMOCO-GATEWAY CORPORATION 3233 W. Grand Ave. • Chicago, III. 60651

SALES OFFICES, PLANTS & WAREHOUSES Baltimore, Md. • Miamitown, Ohio Kansas City, Mo. • St. Louis, Mo. Mequon, Wisc. • Miami, Florida

For more data, circle 92 on inquiry card

MODULAR FORMING SYSTEM / A modular gang



forming system that claims to cut forming time in all kinds of mass concrete work consists of preengineered reusable steel components that can be assembled quickly and easily into gang sections

at the job site. These components are available separately and in any combination. The "Gird-R-Form" system can be used to form shear walls, core walls, corners, pilasters, piers and columns on dams, power plants, etc. The rigidity and high-load capacity of each unit permits one tie to cover an area of 12 to 20 sq ft. Patent Scaffolding Co., Fort Lee, N.I.

Circle 318 on inquiry card

HARDBOARD PANELING / "Plainsman" is a highly



textured, deeply embossed hardboard paneling for residential and commercial use. Available in three colors (gray, brown, and white) the 4by-8-ft panels offer random-plank design approx-

imating the look of rough hewn cedar. . Masonite Corp., Chicago, III.

Circle 319 on inquiry card

SHINGLE PANELS / Designed to create a rustic effect



on sidewalls and mansards, the natural light and dark Western Red Cedar shingles are bonded into panels and hewn for realism. Horizontal butt lines are formed by the threelayer shingle panels,

which are self-aligning with a 14-in, weather exposure. The 8-ft panels are offered in natural cedar or various semi-transparent tones. Matching color nails and wood corners are available. • Shakertown Corp., Winlock, Wash.

Circle 320 on inquiry card










CHEMICAL ACTION CONCRETE REPAIRS / Compressive strength of 1975 psi in 45 minutes and flexural strength of 825 psi in three hours is claimed for this concrete repair developed for highway, bridge deck and airport pavement maintenance. The new material is a complex magnesium phosphate compound described as neither a Portland cement nor an epoxy, but conceptually different from these two types of concrete patching materials. Called Set-45, it is mixed with water only, can be used at belowfreezing temperatures and forms a monolithic bond with concrete, cement and masonry surfaces. • Set Products, Inc., Macedonia, Ohio.

Circle 321 on inquiry card

anyone who plans sports facilities should have the new NEVE [] solid state scoreboard catalog



Basketball Model 4-FACE-2-2000-A4



Baseball Model 2-1002

Twenty-four scoreboards are shown in full color from among the more than 45 totally new scoreboards now offered by Nevco. See and read about these outstanding features:


- exclusive 2-WIRE control cable for truly low-cost and simple installation
- 100% solid state electronics that really work!
- all new styling and lettering for functional display
- · simple-to-operate controls for unmatched accuracy
- plus, more standard scoreboard features per dollar than ever before.

Write or call now for your catalog and details.

: NEVCO SCOREBOAR	
215-225 E. Harris Av (618) 664-0360	re Greenville, IL 62246
	d prices on scoreboards for:
O basketball	O swimming
: O football	O wrestling
: O baseball	O hockey
: O soccer	O track
O other	
 RUSH—will purch Sponsor—will be 	
: Name_	O Student
: Title	O Stadent
• School	
Address	
City/State/Zip	
• Phone	
•	

For more data, circle 93 on inquiry card

See how corrosion starts, then stops, because of an aluminum substrate.



Scanning-electron photomicrograph (2500X) of test sample of metal siding with an organic coating, exposed to a highly corrosive industrial atmosphere for four years.

The scanning-electron photomicrograph you're looking at shows how any organic coating weathers in time. The coating has become spongelike and retains moisture. Wet cycles last longer. The hydrophilic cells trap such contaminants as sulfur dioxide, which combines with water to form sulfuric acid. Now the corrosive effects of electrolytic action include chemical attack at the interface . . . underfilm problems that can

cause flaking or loss of adhesion . . . and staining or streaking, depending on the performance of the substrate. At this point, however, an aluminum substrate helps to protect an organic coating because its natural aluminum oxide film resists the effects of electrolytic action. This stability at the paint-metal interface discourages flaking or adhesion loss. Painted aluminum can be drilled, punched and sawed without concern about chipping or undercutting. If you want color in the second

place, put it on aluminum in the first place. It will last. Especially if you specify an Alcoa® Super Alumalure® finish, the long-life PVF coating that offers the advantages of a supertough fluorocarbon at a price you can live with.

For more information, see Sweet's Architectural or ICR/PE files. Or write Aluminum Company of America, 1085–C Alcoa Building, Pittsburgh, PA 15219.

Change for the better with Alcoa Aluminum



For more data, circle 91 on inquiry card

WOOD PRESERVATIVE / A 12-page technical bulletin discusses a water-repellent wood preservative, recommended as a prime coat for paint to prevent blistering. It may also be used as a natural finish for wood, and is said to kill termites, powder post beetles and moss. Detailed product specifications are included in the literature. . Zehrung Corp., Portland, Ore.

Circle 411 on inquiry card

ENERGY-SAVING LIGHTING / An eight-page case history booklet describing energy-saving lighting illustrates the wattage reductions and improved seeing conditions possible for a variety of applications through the use of high efficiency lighting equipment. Twelve case studies cover school, commercial, office, industrial, outdoor, highway, and other applications. . Johns-Manville Service Center, Denver, Colo.

Circle 412 on inquiry card

CONTRACT CARPETING GUIDE / A 168-page guide to contract carpeting, complete with illustrations and tables, written especially for architects and designers describes the components of a specification and how each affects performance. The author next discusses the different methods of construction for woven, tufted, needlebonded, knitted, and loomed or spongebonded carpets. Fibers, both natural (wool) and man-made (nylon, acrylics, polypropylene, polyester), are defined and evaluated according to physical properties and performance; and various types of backings, installations, and cushions are described. The significant aspects of performance-static control, flammability, tests and performance standards, and maintenance-are each explored in separate chapters. This information is then applied in evaluations of installations in hospitals, schools, airports, offices, and banks. The price is \$18.50. The Whitney Library of Design, New York City.

Circle 413 on inquiry card

PLAYGROUND EQUIPMENT / A 24-page, color catalog illustrates and details play environments for all ages, and outlines the principles behind their durability, low maintenance, and safety. Also covered are multi-action slides, pocket playground and special equipment for helping rehabilitate handicapped children. Discussed are methods for permanent or portable ground-level or rooftop installations, and above-ground pools for community, school and institutional use. The catalog includes complete costs and specifications. . Playground Corp. of America, Long Island City, N.Y.

Circle 414 on inquiry card

VINYL LAMINATES / Twelve styles and shades of wood and leather grain vinyls are shown in a new brochure, along with 12 solid colors, and all are now available for immediate delivery from stock. The brochure explains how the company's vinyl film is constructed and why it is particularly well suited for use in mitre grooving applications. . Phillips Films Co., Inc., Auburn, Pa.

Circle 415 on inquiry card

UTILITY DISTRIBUTION AND CONTROL / Specification sheets for pre-packaged utility distribution and control systems designed for the heavy loads of food service operations are available from the company. Systems bring electric, gas, water and steam services directly to equipment by means of stainless steel raceways and quick disconnect connections. Units meet all requirements of national codes governing utility distribution construction. . Avtec Industries, Inc., Downers Grove, III.

Circle 416 on inquiry card


DETAILING REINFORCED CONCRETE / A revised "Manual of Standard Practice for Detailing Reinforced Concrete Structures" (ACI 315-74) based on the Building Code ACI 318-71, and standard specifications for highway bridges of the American Association of State Highway Officials, contains improved methods and standards for placing reinforcing steel and information on preparing engineering drawings. Developments in precast and prestressed concrete and in the increased use of computers to aid the detailer are covered. Typical engineering and placing drawings are shown to illustrate the use of the standards. The manual costs \$16. . American Concrete Institute, Detroit, Mich.

Circle 417 on inquiry card

LIGHTING MAINTENANCE AND INSTALLATION /

The "Trouble-shooting Guide for Fluorescent Lamps" contains 14 tables that describe normal endof-life characteristics and typical fluorescent lighting system maladies. Shortened lamp life, end blackening of lamps, slow lamp starting, lamp blinking, streaks on tubes, radio interference, lighting system poise and other problems are detailed along with 64 possible causes and suggested corrective maintenance techniques. This 20-page booklet also explains how to analyze fluorescent systems for fixture circuitry malfunctions and discusses the operating characteristics of common fluorescent light sources. · General Electric Co., Cleveland, Ohio.

Circle 418 on inquiry card



For more data, circle 90 on inquiry card

Rooftop pool



2½ acres big, five stories up, and leakproof.

Overly builds the pools that others don't.

The three decorative pools in the center of the Empire State Plaza in Albany, N.Y., just may be the world's largest structurally unsupported aluminum fabrication—and Overly's the fabricator. The pools rest on top of the five-story Empire State Plaza Substructure and cover 21/2 acres of Plaza area.

The statistics involved almost boggle the mind. Some 13 miles of welds have been made, and all welders had to pass stringent welding examinations before they were certified. Overly engineers and foremen trained them. High winds and rainfall sweep the site; welders work inside enclosed rolling shelters. The main pool will expand 81/2 inches in length and 41/2 inches in width at times, so the pools are floated on gravel beds. One will be frozen for ice skating in the winter; the main pool and

south pool will feature decorative fountains, sprays and an Alexander Calder sculpture. All three pools are warranted for five years against leakage.


This is the biggest rooftop pool job Overly ever built, of course. If we can build them that big, we can build one to your specifications, on top of a hotel or anywhere. We also design, fabricate and install therapy pools as well as competition-type Olympic-sized pools. For the complete story on our Albany installation and our pool catalogs, write Overly Manufacturing Company, 574 West Otterman Street, Greensburg, Pa. 15601. We're also in Sweet's.

DOES WHAT OTHERS DON'T

For more data, circle 94 on inquiry card

Here's a good sandwich for weight and energy watchers:

Dylite® foam and concrete.



Concrete sandwiches with cast-in cores of Dylite expanded polystyrene foam are being specified by architectural engineers and designers to cut tons off a building's weight and reduce air conditioning and heating energy costs for the building owner.

Dylite is desired as the core material because of a combination of properties. It has low thermal conductivity. Its closed cell structure results in low water absorption.

Dylite has been used successfully with concrete and other materials in many applications around the country. The University of Pittsburgh Student Residence Towers shown is one example.

It is also being used as insulation for many types of construction panels and as a plaster base. It can be cut, sawed or shaped on the job site with conventional tools.


For more information, write to ARCO/ Polymers, inc., 1500 Market Street, Philadelphia, PA 19101.

CAUTION: Dylite is combustible and should not be exposed to open flame or other ignition sources.

A-3 Architectural Record; Roofing, Siding & Insulation (3025)

ARCO/Polymers, inc. Subsidiary of AtlanticRichfieldCompany

For more data, circle 44 on inquiry card



Notre Dame: Paris. In 1845, Eugene Emmanuel Voillet-le-Duc took on the task of restoring Notre Dame de Paris and other Gothic structures in France. He wanted to preserve its Gothic integrity or as Victor Hugo put it, "the living history" of the building. Yet Voillet-le-Duc was not a purist. He was keenly interested in new concepts and new materials such as cast iron and in prefabrication. Neither was he a stranger to budgets.

Voillet-le-Duc would have been particularly interested in Star's preengineered building systems that offer economy, quick erection and compatibility with other materials. He'd also have appreciated *our* progressive attitude.

We think the real innovations in pre-engineered buildings are yet to come. Why not from you, monsieur? At least consider the possibilities that exist with Star before you tell us to go take a flying buttress.



For more information about Star Building Systems, write: Star Manufacturing Company, Dept. AR35, Box 94910, Oklahoma City, Oklahoma 73109. Or see the Star catalog in Sweet's Architectural and Industrial Construction/Renovation Catalog File, Section 13.7.

WHEN YOU'RE AI 34° BELOW OI INCH OF HIGI



NCH AWAY FROM 8 ABOVE, FORMANCE GLASS.



THE GLASS FOR ALL SEASONS. VARI-TRAN®-THERMOPANE®

While extremes may not be the norm, the people of St. Paul, Minnesota, have stepped very quickly through -34° winter mornings, and sweltered through long 98° summer days. Under these extreme conditions, architects and owners select building materials very wisely. At the Northern Federal Building in St. Paul, wise meant selecting LOF reflective Vari-Tran® coated glass in Thermopane® insulating units for the tower.

SAVINGS ON ELECTRIC ENERGY TO HEAT BUILDINGS.

In the 14-story tower portion of the building glazed with LOF high-performance glass, the amount of energy required for heating at a peak load is just over 2,800,000 BTUH. Had it been glazed in single-pane clear glass, the peak load requirements would have been 4,700,000 BTUH. The 1,900,000 BTUH difference reduces peak load system input by 559 kilowatts-amounting to a considerable savings in electrical heating cost.

OVER \$164,000 SAVED IN INITIAL A/C COSTS.

The total building cooling requirements were also reduced from over 900 tons to 736 tons. Over \$164,000 savings in initial costs resulted. In fact, Vari-Tran 1-114's ability to cut solar heat gain has made the walls so efficient that during most of the summer only one of the two 368-ton A/C units installed is used.

THE WORKING GLASS FROM LOF.

LOF makes a wide variety of high-performance, hard-working glasses. Their versatility to meet the requirements of extreme conditions has been widely proven. If you would like to know how the right glass can save you building and energy dollars, our highly qualified architectural representatives will be glad to help you. Or write LOF, 811 Madison Avenue, Toledo, Ohio 43695.




Going places together

Protect people from nature, and conserve energy with maximum thermal protection, structural gasket systems that can be glazed from inside or outside.


With the energy crisis, the Amarlite SGS series is an idea whose time has come. BTU loss or gain is stopped because of an integral full thermal barrier. This neoprene gasket adds clean, almost flush, black lines to your design tools for high rise or low rise.


Block Building, Bayside, Wisconsin. SGS-580 structural gasket system with bronze reflective glass

Architect: Donald L. Grieb & Associates Curtain Wall Contractor: Lurie Patek Glass Co.



The SGS 580 stick system may be installed in modular fashion and will accept single or double glazing.





See the Pyramids of Egypt—the only one of the 7 Wonders of the Ancient World the exists today. Or choose a trip to the area of any of the others: Hanging Gardens Babylon, Mausoleum at Halicarnassus, Shrine of Zeus, Colossus of Rhodes, Tempor Diana at Ephesus, Pharos Lighthouse at Alexandria.

WEEPSTAKES RULES

- 1. Fill out entry card to be eligible for Sweepstakes and free set of 7 Wonders prints.
- 2. Entries must be postmarked before December 31, 1975.
- 3. All entries eligible for Sweepstakes Drawing, January 21, 1976.
- 4. Winner will be notified by mail.
- 5. This contest is nationwide except where prohibited by law.
- 6. Winner will be announced February 1, 1976.





/Ith AMARLITE...



FREE! Drawings of 7 Wonders of Ancient World. Suitable for framing. Available to registered architects and consulting engineers.

A limited edition printed on parchment type paper, these drawings are a handsome addition to any wall. Each set is accompanied by a synopsis of the Wonder's history and architecture. Yours FREE with the coupon. Send for your limited edition set now.


For more data, circle 97 on inquiry card



Protect people from injury and forced entry problems with an Amarlite Safety-line Entrance in your choice of finishes: clear anodized aluminum and black or bronze Amonodic hard coat.

You can't be injured at pivot stile. Patented cylindrical pivot design prevents opening at jamb. You can't be injured at lock stile. Unique, vinyl guards depress if fingers get caught. Forced entry problems are minimized. 2-point top and bottom rods are unlocked only by key. Inset cylinders provide added security. Amarlite Safetyline is acceptable to safety, security, insurance organizations.

A complete line with a variety of stile and rail sizes for any application. Details show safety features at pivot and lock stiles



Anaconda Aluminum Co., Inc.

AMARLITE ARCHITECTURAL



MAIL TO:

AMARLITE/ANACONDA

MARKETING DEPT., P.O. Box 1719 ATLANTA, GEORGIA 30301

Yes, I wish to enter the Amarlite Going Places Together Sweepstakes and receive a set of 7 Wonders of the World Prints.

TITLE

ADDRESS_____

CITY____STATE__ZIP___

AR 375

CONDITION WITH



Plexiglas
acrylic plastic is a
combustible thermoplastic.
Observe fire precautions appropriate for comparable forms of
wood. For building uses, check
code approvals. Impact resistance
a factor of thickness. Avoid
exposure to heat or aromatic
solvents. Clean with soap
and water. Avoid

PLEXIGLAS® beautiful sense.

today, more than ever... it makes such beautiful sense.



Find out more about Plexiglas by writing for our brochures and engineering data. For on-thespot answers to specific questions write or call our Architectural Coordinator (215) 592-6799. See our catalog in Sweet's—8.26/Roh

Building codes limit areas of plastic glazing. Approvals for large-area Plexiglas enclosures must be applied for on a special permit basis. Fire safety design considerations must take into account the combustibility of Plexiglas.

Martin Luther King Elementary School Pittsburgh, Pa. (above) Architects: Liff, Justh and Chetlin Pittsburgh

Suffolk Franklin Savings Bank Boston, Mass. (left) Architects: Bastille-Neiley

Beach Cottage, Harvey Cedars, N.J. (right) Architects: Murphy Levy Wurman Philadelphia, Pa.

the trademark

PLEXIGLAS

ROHM HAAS

For more data, circle 10 on inquiry card



PLANNING A WINNING POOL?

PUT PARAGON POOL EQUIPMENT IN YOUR PLANS.

Let our design and manufacturing know-how work for you.

Paragon, for over two decades has been a leading manufacturer of swimming pool deck, underwater and filtration equipment. We can help you find the solutions to your problems and provide the best equipment for your design needs.


Our reputation for award winning design, precision engineering and meticulous care that are put into every one of our quality pool products is our benchmark and your guarantee of satisfaction.

To you the creative Architect, our Paraflyte Deck Equipment means total flexibility in design and materials. We offer a variation in grades of materials, superstructures, and price range.


While our catalog shows our many standard designs, we also have complete customizing services to meet your requirements with the highest standards in materials and design.

We have loads of technical data and information available at your request. See our catalog in Sweets Architectural File or write for a copy.

Make sure your winning designs are complimented by the best in pool equipment; specify Paragon and we'll do the rest.








KDI Paragon Inc. The People Who Care Manufacturers of Quality Swimming Pool Products

KDI Paragon Inc. 12 Paulding Street Pleasantville, N.Y. 10570 914-769-6221 TWX 710 572 2202 West Coast Rep. Corrick International 206 Locust St. Santa Cruz, Ca. 95060 408-426-9010





- CONTROL lock and/or unlock from a remote location
- MONITOR from a central control panel
- ▶ RELEASE automatically in a power failure emergency

SPECIFY RELIABLE ELECTRIC STRIKES ENGINEERED AND MANUFACTURED BY

(UL) LISTED

FOLGER ADAM CO.

Architectural Security Division 700 Railroad Street, Joliet, III. 60436 815/723-3438 Telex 72-340

For more data, circle 99 on inquiry card



The only window covering that combines light control, privacy, beauty, and the Guardian Tilter.*

Levolor Riviera Blinds.

We've added a safety clutch to our Magic Wand tilter...to protect your blinds from damage caused by "overturning."
This is just one of many reasons why your window treatment specs should read: Levolor Riviera. Send for our complete manual. Levolor Lorentzen, Inc., 720 Monroe St., Hoboken, N.J. 07030.

*Guardian Tilter is a trademark of Levolor Lorentzen, Inc.

For more data, circle 100 on inquiry card

Another introductory offer to new members of the **ARCHITECTS' BOOK CLUB**



463/45X STANDARD STRUCTURAL DETAILS FOR BUILDING CONSTRUCTION

by M. Newman Pub. Price, \$19.95 Club Price, \$11.60

ARCHITECTURAL DRAWING AND PLANNING, 2/e

by Goodban and Hayslett

Pub. Price, \$10.50 Club Price, \$7.50

513/686 NEW DIMENSIONS IN SHOPPING CENTERS &

by L. G. Redstone Pub. Price, \$19.95 Club Price, \$13.95

096/473

TIME-SAVER STANDARDS FOR ARCHITECTURAL DESIGN DATA 5/e

by J. H. Callender Pub. Price, \$32.50 Club Price, \$24.95

THE USE OF COLOR IN INTERIORS

by A. O. Halse

Pub. Price, \$19.50 Club Price, \$13.95



ARCHITECTURAL RENDERING, 2/e

by A. O. Halse

Pub. Price, \$24.50 Club Price, \$16.95

231/15X STRUCTURAL ENGINEERING

HANDBOOK by Gaylord and Gaylord

Pub. Price, \$35.00 Club Price, \$19.95

678/502 LEGAL PITFALLS IN ARCHITECTURE, **ENGINEERING** AND BUILDING CONSTRUCTION

by Walker, Walker & Rohdenburg Pub. Price, \$17.50 Club Price, \$10.65

700/753

ENCYCLOPEDIA OF URBAN PLANNING by A. Whittick

Pub. Price, \$29.50

Club Price, \$19.95

022/208

INTERIOR SPACES **DESIGNED BY** ARCHITECTS

by B. F. Gordon

Pub. Price, \$22.50

Club Price, \$16.50





VALUES FROM \$7.50 to \$32.50

ANY ONE

of these great professional books

Special \$1.00 bonus book comes to you with your first club selection



287/341

STANDARD HANDBOOK OF ENGINEERING CALCULATIONS

by T. G. Hicks

Pub. Price, \$19.50 Club Price, \$14.25

ARCHITECTURAL DELINEATION

by E. E. Burden

Pub. Price, \$21.95 Club Price, \$14.50



162/182

TIME-SAVER STANDARDS FOR BUILDING

by DeChiara and Callender Pub. Price, \$32.50 Club Price, \$19.50

MODEL BUILDING FOR ARCHITECTS AND ENGINEERS

by J. R. Taylor

Pub. Price, \$18.50 Club Price, \$11.50

SAVE TIME AND MONEY BY JOINING McGRAW-HILL'S NEW ARCHITECTS' BOOK CLUB

This new professional club is designed to meet your day-to-day needs by providing practical books in your field on a regular basis at below publisher prices. If you're missing out on important technical literature -if today's high cost of reading curbs the growth of your library-

here's the solution to your problem.

The Architects' Book Club was organized for you, to provide an economical reading program that cannot fail to be of value. Administered by the McGraw-Hill Book Company, all books are chosen by qualified editors and consultants. Their understanding of the standards and values of the literature in your field guarantees the appropriateness of the selections

How the Club operates: Every month you receive free of charge The Architects' Book Club Bulletin. This announces and describes the Club's featured book of the month as well as alternate selections available at special members' prices. If you want to examine the Club's feature of the month, you do nothing. If you prefer one of the alternate selections—or if you want no book at all—you notify the Club by returning the card enclosed with each Bulletin.

As a Club Member, you agree only to the purchase of four books (including your first selection) over a two-year period. Considering the many books published annually, there will surely be at least four you would want to own anyway. By joining the club, you save both money and the trouble of searching for the best books.



MAIL ATTACHED POSTPAID CARD

(If card removed, send coupon below)

ARCHITECTS' BOOK CLUB P.O. Box 582, Hightstown, New Jersey 08520

P.O. Box 582, Hightstown, New Jersey 08520


Please enroll me as a member and send me the two books indicated below. I am to receive the bonus book at the special introductory \$1.00 price and my first selection at the discounted member price, both to be shipped on approval. I may return them in 10 days and request to have my membership cancelled without obligation. If I keep the books, I agree to take three other club books of my own choosing during the next two years, at the low club prices, guaranteed to be a minimum of 15% (often more) under publishers' prices. (Postage and 25¢ handling charge is added.)

Write Code No. of Book You Want for \$1.00 here

Write Code No. of Your 1st Book Club Selection here

	7		
NAME			
ADDRESS			
CITY		The state of	
STATE		ZIP	A36141


imagine a roof deck insulation this effective!



AWC is sloped to drains providing positive water run-off! AWC systems can be installed on concrete, metal or pre-stressed decks - for roof or plaza!

Quality installation only by trained, licensed applicators!

Hot applied even in freezing weather!



ROOF DECK INSULATION

Get all the technical facts in this new 1975 AWC 16 page brochure.





For more data, circle 101 on inquiry card

OFFICE NOTES

New associates, promotions

Bruce Hartwigsen, AIA and **Hussein Shahine, AIA**, have been admitted as general partners to the firm of Rogers, Butler & Burgun, Architects, New York City.

Henry L. Ribbing has joined the architectural staff of R. W. Booker & Associates, Inc., St. Louis, Mo., as a project architect.

Robert E. Owens has been named vice president and director of interior design for the Leo A. Daly Co., Omaha-based engineering, architecture and planning firm.

Jim Orzechowski has been admitted to the partnership of Smith Carter Partners—a Winnipeg-based integrated architectural, engineering, planning and design practice.

The firm of Don Wudtke and Associates, Inc., San Francisco, Cal. has announced that Richard E. Watson, AIA has been named secretary-treasurer of the firm and a member of the board of directors, John D. Kluttz has been named vice president, and Robert J. Stadelman has been named an associate.

Edmund C. Sonnenschein, Jr. has left the Perkins & Will Partnership, Washington, D.C. to join John Carl Warnecke & Associates as vice president and project director.

Frank J. Malone has joined the firm of Kenneth Balk and Associates, Inc., St. Louis Mo., as director of construction management.

Hans Clinton Jensen has been appointed an associate in the Houston-based firm of Pierce, Goodwin & Flanagan.

Richard C. Rowland has joined Vaughn Hickman Perspective, an Indianapolis architectural rendering firm, as division director.

Arthur Erickson Architects announced the appointment of **Russell A. Vandiver**, **Jr.** as project director for the British Columbia Medical Centre at 2412 Laurel Street, Vancouver, British Columbia.

Jerry A. McLellan, P.E. has joined the Kalamazoo office of Carl Walker & Associates, Inc., consulting engineers.

Dalton • Dalton • Little • Newport have appointed Hon. Robert E. Isaacs, AIA (formerly Assistant Postmaster General of the U.S.) as vice president.

Ray Widmer, formerly of McIntire & Quiros-Pacific has been named a principal in the firm of Hale, Haaland and Associates Inc., a Thousand Oaks, Cal.-based firm.

J. Jesus Robles has been named an associate at Wheeler & Gray, a Los Angeles civil and structural engineering firm.

Richard W. S. Lee, architect, has recently joined the staff of James Gilbertson Associates, Lake Havasu City, Ariz.

Carole Harris has been appointed director of interior design for Nathan Johnson & Associates, Inc., Detroit, Mich.

Alexander/Rickli Architects—a joint venture, are pleased to announce that **Warren K. Kieding** has been promoted to an associate in the firm.

F. William Heilman, Jr. has been elected executive vice president of STV, Inc., consulting engineers, Pottstown, Pa.

James L. Hewlett, AIA has been named president of Architectural Designers, Inc., Architecture Interiors & Planning, P.O. Box 34355, Dallas, Texas.

ARCHITECTURE FRANK LLOYD WRIGHT

WRIGHT'S
HISTORIC
ESSAYS
FOR THE FIRST TIME
IN ONE VOLUME

Essays for Architectural Record 1908-1952

With a symposium on architecture EDITED BY FREDERICK GUTHEIM

Now for the first time ever, the seventeen historic essays Frank Lloyd Wright wrote for Architectural Record are collected in one definitive volume. In the Cause of Architecture, Wright's major statement of his architectural philosophy, is an essential key to understanding this creative giant.

Reproduced in their entirety and in their original format as they appeared in the pages of the Record, these essays give penetrating insights into the mind of an architectural genius at the time he was creating his most significant works.

This handsome, 256-page volume is illustrated with hundreds of photos, drawings, plans and perspectives of F.LL.W.'s greatest buildings as well as a fascinating photo-essay of never-before-published pictures of Wright taken shortly before his death.

Edited by noted Wright authority Frederick Gutheim, the book also includes a symposium of eight essays by Wright's associates that take a new look at the life and work of America's greatest architect.

In the Cause of Architecture will be of lasting interest to architects, students, and all those interested in Wright—a basic reference for school, home and office libraries. Beautifully designed, it will be a treasured gift for years to come.

Architectural Record 1221 Avenue of the New York, New York	Americas, 41st Fl.
Please send me In the Cause of Arch Lloyd Wright @ \$17	itecture: Frank
Name	
Address	
City	
State	Zip
Payment must ac	company order

New Comdek by Granco.

Eight Reasons to Spec Our Composite Deck.

- 1. New deep embossed indentations bond concrete for full composite action. Structurally tested and proved one of the strongest composite action deck designs available.
 - 2. Fewer sidelaps and faster erection with full 36" wide panels. Lengths to 45' mean fewer sheets to handle.
- 3. Easy, precise bay fit and line-up with new adjustable sidelap design that also eliminates lap leakage.




- 4. Faster welding with prepunched slots on a 12"
- 5. Light gages are double thick at sidelap to improve fastening strength.
- 6. Optional ceiling hanger holes in each rib (12" o.c.) fit any ceiling grid pattern.
- 7. Handling holes provide easier handling and faster erection.
- 8. Comdek has approved UL Fire Ratings up to 3 hours.

And for greater economy, Comdek is available in both 2" and 3" depths. For complete information, see Sweet's, section 5.5, Metal Decking, composite. Or mail this coupon request for a free copy of the new Comdek brochure. Write now. Granco, P. O. Box 40526, Houston, Texas 77040.

Title Company Address Phone City State Zip	Company Address Phone City State Zip	
Address Phone City State Zip	Address Phone City State Zip	
City State Zip	City State Zip	
		-
		+
		Lagra
		-
		1

For more data, circle 117 on inquiry card

GRANCO®
Building products that perform





Last year a lot of building owners, architects and engineers were in the dark about fire protection. Until they came to Viking.

They came to Viking from every part of the world. They all knew something about fire protection. Enough to know they didn't know everything.

The rules change fast. Viking knows this. We're on top of it. We know the "ins and outs" of building codes and rules, because Viking has been consulting and designing sprinkler systems for as many decades as we've been manufacturing them.

We've saved some tall money in the skyscraping office buildings, too. And in needle-shaped restaurants and big boxy airplane hangars. In hospitals filled with people and factories packed with explosives.

We've done them all. Right down to a design which can keep a lot of money from going down the drain. And all this experience means we can help you get your next job done right, too. And show you how to save money in the process by recommending a knowledgeable contractor near you.

So when you're ready to specify fire protection, don't stay in the dark. Give us a call. Anytime. Wherever you are.


We'll shed some light on your fire protection needs.

THE VIKING CORPORATION HASTINGS, MICH., U.S.A. 49058

Call the Viking Sales Department for immediate information. (616) 945-9501 Ask for Gary Begg.



Write for this helpful 32-page book "Viking Sprinkler System Guide". It's packed with information every building owner, architect and contractor should have.



Lifetime Stainless Steel that Won't Chip, Pit or Rust

Bobrick's New Distinctively Styled Bathroom Accessories

... thirteen models of 300 series stainless steel. Will retain original beauty for a building's lifetime.

Satin or Bright Polished Finishes to harmonize with modern decor in new hospitals, hotels and institutions.

For additional information write Bobrick Architectural Service Dept., 101 Park Ave., New York 10017. Bobrick products are sold internationally.

bobrick SINCE 1906

For more data, circle 106 on inquiry card


Trade

NEW IDEAS...

AT


C.I.C.

- formed batten
- equipment screen



...FROM A NEW PERSPECTIVE

100 CONNECTICUT DRIVE, BURLINGTON, NEW JERSEY 08016 (609) 387-3033 (215) KI 5-0820



Sizes and types for every need. Exclusive mini-max! design permits greater storage in less area. Request details.

Open front for team rooms. Includes security box.



Why Athletic Departments are specifying

Superion



gym lockers more than any other*

- Fresh air ventilation—sanitation Built-in safety design features
- All welded heavy duty steelgreatest strength, durability
- Completely factory assembled-no special bases needed-quickest, easiest installation
- Expert locker room layout design service-for maximum efficiency and convenience
- Superior lockers enjoy the greatest percentage of school bid acceptance of any other locker on the market today.

REQUEST CATALOG



IST INDUSTRIES INC. 16400 south lathrop avenue, harvey, illinois 60426 area code (312) 339-9400




Specially-treated porcelain-on-steel writing boards and dry-marker pens create a COMPLETELY DUST-LESS SYSTEM. Write clean . . . erase clean. Floor-toceiling length panels double as a wall covering and projection screen. Choose from 50 beautiful decorator colors. Perfect for all type business offices: sales, advertising, production, and conference rooms. No dirty words. No dirty walls with AllianceWall Rite-On, Wipe-Off System. Write:



Manufacturing plants in Alliance, Ohio; Okmulgee, Oklahoma; Genk, Belgium and Odense, Denmark

For more data, circle 109 on inquiry card



The Way To Roll Away Door-way **Security Troubles**

Write for details, KINNEAR A DIVISION OF Hars

1860 Fields Ave., Columbus, Ohio 43216

Factories:
Columbus, Ohio 43216 • San Francisco, Calif. 94124
Centralia, Wash. 98531 • Toronto, Ont., Canada Offices and representatives in all principal cities

For more data, circle 110 on inquiry card



Please send me the

Contract Carpet Information

Tech information: fiber characteristics, test information for accoustic and flammability ratings, FHA requirements, installation techniques, cleaning and maintenance procedures.

Manufacturing flexibilities: inventoried lines with specification information; specifier lines with color, yarn, face weight, modular and backing options.

Pocket size, 116 page booklet stuffed with facts and charts. Technical, yet understandable. Address to: Don Thompson, Advertising Manager, Dept. R3



state.

For more data, circle 111 on inquiry card

STOP VANDAL ANDTHIEV

15-YEAR FACTORY WARRANTY OLORBOND® II FENCE SYSTEM Vinyl Bonded to Pre-galvanized Steel

America's strongest, most durable chain link fence (100,000 PSI steel wire) is a real vandal stopper & sound investment. The only chainlink fence with a 15-year factory warranty against rust & corrosion. Never needs maintenance because all components

framework, fabric & fittings—are vinyl bonded to pre-galvanized steel. Widest selection: 9 meshes, 4 gauges, 12 heights, 6 colors. Colorbond Maximum Security Fence (photos) has 36" diamond mesh that cannot be climbed. American made to U.S. Gov't specs. Send for free catalog today.






1 JOHNSON DRIVE **RARITAN, N.J. 08869** (201) 526-0255

World's Largest Migr. of Vinyl Bonded Galv. Steel Fences

Dock Levelers are a big investment

Better ask about the reti



The Rite-Hite Cyclamatic automatically returns to a safe cross traffic position when a below dock level truck pulls away. Lift trucks can then travel across the leveler in absolute safety. This is an exclusive feature of the Cyclamatic. Other dock levelers remain below dock level. Unless someone remembers to return them manually to dock level after each use, they represent a serious hazard to personnel, equipment and cargo.

Here's what OSHA regulations say about dock area and aisle obstructions: Subpart N Materials Handling and Storage 1910.176 Handling materials—general. (a) Use of mechanical equipment. Where mechanical handling equipment is used, sufficient safe clearances shall be allowed for aisles, at loading docks, through doorways and wherever turns or passage must be made. Aisles and passageways shall be kept clear and in good repair, with no obstruction across or in aisles that could create a hazard. Permanent aisles and passageways shall be appropriately marked.

traffic position

Make your big investment where the returns are guaranteed. Contact your Rite-Hite representative or write Rite-Hite Corporation.

CORPORATION

P.O. Box 305, Cudahy, Wisconsin 53110

Nowfor building professionals – a quick, easy-to-use "early warning" system that can help you...

One out of four building professionals will probably face a lawsuit this year. Much of this litigation could be avoided with some awareness of "preventive law." McGraw-Hill now brings you such knowledge in a new, bimonthly service called LEGAL BRIEFS FOR ARCHITECTS, ENGINEERS AND CONTRACTORS.

Written in non-legal language, this upto-the-minute service taps current sources of information in Washington, the state capitals, and in trade, professional and regulatory agencies. This news, together with reviews of pertinent cases and significant decisions, gives you the understanding and decisions, gives you trouble... to fore-see potential problems... and to otherwise make the law a positive force working on your behalf.

LEGAL BRIEFS FOR ARCHITECTS, ENGI-NEERS AND CONTRACTORS is not intended to substitute for your attorney, but rather to provide valid insights into the workings of the law in specific situations that often parallel your own experience.

avoid legal pitfalls

prevent expensive settlements All this help is presented in a convenient, swift-reading newsletter format. A few minutes spent with each issue can repay you in many ways . . .

- in preventing possible costly lawsuits or litigation
- in eliminating the time wasted on legal problems that could have been easily sidestepped
- in foreseeing legal and regulatory trends that could pose serious problems in your work
- in avoiding needless consequences to your professional reputation should you become the subject of a dispute.

To find out more about this important service and how it can help you in your day-to-day encounters with legal and regulatory problems, mail the coupon below. Complete information will be sent to you without obligation.

CHARTER SUBSCRIPTION: If you wish to reserve a No-Risk subscription at the Charter rate of \$60 per year, please check here . If, after receiving the first two issues, you decide not to continue with the service, you may cancel the subscription with no cost or further obligation. A subscription to LEGAL BRIEFS FOR ARCHITECTS, ENGINEERS AND CONTRACTORS is fully tax deductible.

keep you alert to current trends.



Legal Briefs for Architects, Engineers and Contractors 1221 Avenue of the Americas, New York, N.Y. 10020


To: LEGAL BRIEFS FOR ARCHITECTS, ENGINEERS AND CONTRACTORS

1221 Avenue of the Americas, 41st Fl. New York, N.Y. 10020

Yes, please send me information on the new, twice-monthly service for building professionals—LEGAL BRIEFS FOR ARCHITECTS, ENGINEERS AND CONTRACTORS. I understand that there is no obligation.

Title		
	Tarrest mark	
Company		
Address		

YOU CALLUS APPROVED EQUAL



OUR REAL NAME IS

SAUBHUB

And we produce quality U.L. listed BULLET RESISTANT GLASS. Our BULLET RESISTANT GLASS comes with mitered or sawed edges for butt glazing when specified and always with clean, clear vision.

and always with clean, clear vision.
Safelite's other specialty glass includes
RIOT GLASS for maximum security and
SOUND CONTROL GLASS for noise
abatement and comfort. Besides clear glass,

we utilize a wide range of acceptable architectural colors, each at a specific light transmission, a constant U-value and shading co-efficient.

So — specify us by name Safelite Industries and we will deliver on time.

Write us for complete brochure or call for information.

Safelite is Service



Safelite Industries

P.O. Box 1879 / Wichita, Kansas 67201 1-800-835-2092

For more data, circle 114 on inquiry card

®

-EXC

R STAIR TREADS H

EXCLUSIVE METAL REINFORCED NOSE

lince the nose of stair treads receive the ardest wear and the most strain under heavy raffic, doesn't it make good sense to reinforce his area for added resistance to wear and lamage? That's why FLEXCO Rubber reads have a grid of high tensile strength netal molded into the nose at the point of reatest stress. And this added protection loesn't cost a cent extra!

LEXCO Rubber Treads are made of tough righ grade rubber in 1/4" and 1/8" gauges! Diamond design safety treads, smooth treads and mooth design with Carborundum Safety Strips are nade in a full range of sizes up to 72" long. Eight nodern color styles.

You should know more about the FLEXCO line of rubber and

vinyl stair treads, cove base, stair nosings, rubber tile and conductive vinyl tile. Write us for samples and descriptive catalog.

SEE OUR CATALOG IN SWEET'S

FIEXO TM DIVISION OF TEXTILE RUBBER CO., INC. P. O. Box 553 TUSCUMBIA, ALABAMA 35674 (205) 383-7474

For more data, circle 116 on inquiry card

a touch of class.




Manufactured by Closet Maid Corporation | Ocala, Florida 32670 (904) 732-8734 | P.O. Box 304 | 720 S. W. 17th St. | Suite 154 See us at Booth 2517 - Apartment Builder | Developer Show - Miami

For more data, circle 115 on inquiry card



Six telephones in five-foot diamete



CAROUSE

Telephone cent

The Carousel Acousti-Bo blends modern and f tional design to create cellent telephoning cc tions. Noise passes thro tiny perforations in the s less steel walls and is sorbed by a thick acous blanket. No crosstalk!

Each capsule is ind ually illuminated and ha own writing shelf.

Send today for comp information on the Carc and other acoustical phone booths.



ACOUSTICS DEVELOPMENT CORPORATION and its BURGESS-DAY DIVISION 1810 Holste Rd., Northbrook, III. 6 Telephone 312/272-8880 P.O. Box 397

For more data, circle 135 on inquiry card

6" AND 8" ANTI-AGITATION SYSTEMS



Consider this: for the first time, blood samples can be transported pneumatically with no significant red cell damage. How? AMSCO's 6" and 8" Anti-Agitation Transport Systems. Features include "anti-slosh" component design, impact-free reverse-pressure delivery. Proven safe for

blood specimen transport . . . ideal for all items handled by AMSCO's Message and Messenger Systems.



For more data, circle 102 on inquiry card

WASH THAT DIRT RIGHT OUT OF YOUR AIR

Control Air Quality By Washing The Air Before It Leaves Your Plant.



The new ECI Air Washer removes pollutants as small as 0.5 microns from exhaust air before it leaves the plant. . . and it operates at 98% effectiveness.

The Air Washer uses a patented design based on impingement combined with a water spray to trap all air borne particles into a removal bag for easy disposal.

There are no moving parts. . .practically no maintenance. Air Washer offers vibrationless, trouble free, operation and it is easy to install anywhere.

For information on the new ECI Air Washer, see Sweets file 11.25EA, or contact ECI Air-Flyte Corp.



ECI Air-Flyte Corp.


Subsidiary of Eastern Cyclone Industries, Inc.
15 Daniel Road • Fairfield, New Jersey 07006
Regional Sales Offices:
CHICAGO • LOS ANCELES • ATLANTA • DALLAS

For more data, circle 103 on inquiry card

For more data, circle 104 on inquiry card

KALWALL® SYSTEMS





Kalwall is a complete, translucent, insulating wall — or roof — system!

Kalwall lets you save heating and air conditioning energy—and use the sun's energy to even greater advantage to save on artificial lighting, and even pick up solar heat in the cold months! (Ask about our NEW Sunwall!)

You can design your buildings with a choice of key ENERGY SAVING factors:

- It can have a variety of "U" Factors ranging between .06 and .40!*
- It can have a light transmitting value ranging between 3% and 75%!
- It can have Shading Coefficients from .85 to less than

And Kalwall can be engineered for every building situation, every location, and every exposure!

PLUS - Kalwall buildings win design awards every year!

*As much as 86% energy savings over single glass!



Put these Energy Saving Systems to work in your buildings! Phone or write Mr. Bruce Keller, Vice President! A copy of the 1975 catalog is available too.

KALWALL

1111 Candia Road, Manchester, N. H. 03103 Phone 603-627-3861

Patente

If It's Worth Protecting, It Deserves A Raynor Door

There are good reasons why Raynor doors are appearing on more and more homes and apartments throughout the country. It's largely due to the many extras that only Raynor

offers. There's a wide choice of materials, from wood to steel to fiberglass. And a choice of styles to blend with any architectural decor.

Increasingly, builders are looking to Raynor for the new and better idea - like the low-priced Rebel door that features rigid extruded aluminum rails so panels stay straight and true longer. There are extra quality touches, too. Springs are custom wound and all hardware is custom

engineered to perfectly suit the characteristics of each door. It's extra work to do it that way, but Raynor goes to the trouble so you won't

> have trouble later. Whatever protective purpose you have in mind, it deserves a Raynor door.

> > Raynor The Brand You Can Depend



The Brand You Can Depend On


RAYNOR MANUFACTURING COMPANY, Dept. AR-3, Dixon, Illinois 61021



SEE OUR CATALOG IN SWEET'S

For more data, circle 121 on inquiry card

4" MESSAGE SYSTEM



The key to hospita

Consider this: good internal communication is the key to coordinated productivity in today's busy hospital. And AMSCO's 4" Pneumatic Message System is the key to good internal communication. Delivers rolled

X-rays and small stat. items as well as paperwork, reports, requisitions and the like. Never stops for coffee breaks or waits for elevators, either.

to order today!



Money back guarantee

For more data, circle 119 on inquiry card

The 1975 CRSI Handbook. 816 pages of reinforced concrete design solutions. The 1975 CRSI Handbook is bigger and better than ever. Packed with time and money saving ideas. Updated to meet 1973 and 1974 ACI Building Code revisions. Includes simplified new section on splices; new pile cap and drilled pier tables; short-cut designs for slender columns; and much more. Also includes Two-Way Slab Design (formerly sold separately). All in durable leather-look binding. Use the coupon 2nd Edition, 1975 \$20.00 postpaid

	FORCING STEEL INSTITUTE h LaSalle Street, Chicago, Illinois 60	9601
Send copies of	of the 1975 CRSI Handbook at \$20.00 per	сору.
I enclose \$	total. (Check or money order only. NO C	O.D. ORDERS ACCEPTED.)
Name		
Company or Firm		
Address		
City	State	Zip
100		

For more data, circle 120 on inquiry card

New-Carpeted

PARTITIONS PRICED COMPARABLE TO VINYL PANELS



Exclusively yours with Air-Wall partitions: the luxurious decor, outstanding sound retardation and long-life of carpeted panels, all at an attractive price comparable to vinyl surfaces New "First Dimension" Series won't scratch, become marred or unravel even when bumped by chairs, carts or tables Carpeting on both surfaces provides a full height tack board surface; nail or tack marks will not show
Colorfast and easy to keep clean with all conventional methods.

Ask your R-W Salesman to show you color swatches and tell you about the economical pricing

FREE BULLETIN




Richards-Wilcox

116 Third Street, Aurora, III. 60507 Phone: 312/897-6951

One of the White Consolidated Industries

For more data, circle 118 on inquiry card



6" AND 8" MESSENGER SYSTEMS



Consider this: today's busy hospital depends open getting things where they're needed . . . right now. AMSCO's 6" and 8" Messenger Systems, with almost four times the carrier capacity of a 4" system, do just that. They provide safe, gentle and fast transport of everything from small instrument kits to 1500 cc IV

admixture bottles. Plus, paperwork, X-rays, unit dose medications, medical records, dietary items, books, C.P.D. and General Stores items and much more.



ERIE · PENNSY

For more data, circle 130 on inquiry card



For more data, circle 125 on inquiry card



It takes guts to stand up to the gang.



When your plan or contract calls for water saving and water limiting shower valves, the system you decide on had better have guts. Because the chances are it's going into a gang shower at a school gym, public swimming pool or prison. And

Showeroff Automatic Shower Limiter 4-420

it's going to take abuse. Not just once in a while. But day in and day out, month after month.

Here's the unit that's got the guts to take it.
Symmons Shower-off. It's vandal-proof.
There's no way it can be ripped


from the wall. It's kid proof. Symmons design and construction sees to that. It conserves energy. It saves water, fuel, and operating costs. Press the button and it will deliver a regulated cycle of water and shut itself off. If the button's pushed a dozen times during the shower, Showeroff will still just deliver its cycle and stop. And working in combination with a Symmons Temptrol central water controller, it will deliver just the temperature you select, too.

Get in touch with the Symmons rep near you. Or call us direct at (617) 848-2250. Or write us: Symmons Industries, Inc., 31 Brooks Drive, Braintree, Mass. 02184. We've got the guts to handle the roughest customers.

Symmons
We've got the guts to be better.

In Canada, Symmons Canada Ltd., 155 Norfinch Drive, Downsview, Ontario M3N1Y2.

Yes, New Kelley AIR-GII are better.



Here's Four Good Reasons

- 1. GREATER SAFETY
- 2. LONGER LIFE
- 3. GREATER SIMPLICITY
- 4. LOWER COST

Kelley Air-Glide Door Operators can be easily and quickly installed on swinging or sliding doors weighing up to 1500 lbs. They're instantly reversing with 2 independent safety systems. One is a unique pressure sensitive switch standard on all units. The second is door edge mounted.

Speed is fully adjustable and is under complete control throughout the entire operating range. They're self-lubricating and pull cord switch control is frost penetrating.

Two years use and extensive testing assures proven reliability. Users list available upon request.


Get the complete story from your Kelley Air-Glide representative or contact:

Kelley Company, Inc. 6768 North Teutonia Ave. Milwaukee, Wisconsin 53209 Telephone: (414) 352-1000 • Telex: 26-661




55-645

For more data, circle 128 on inquiry card



Skokie, Illinois 60076

For more data, circle 129 on inquiry card



For more data, circle 86 on inquiry card

RECORD IMPRESSIONS

A convenient service offering reprints, reports and back issues

RECENT LISTINGS

- @ RECORD HOUSES 1973 2.00 per copy
- @ FLEXIBLE SPACE IN RELIGIOUS BUILDINGS 16 pgs. 4-color 1.00 per copy
- ® CONVENTION HOTELS 16 pgs. 4-color 1.00 per copy
- @ HIGH-RISE OFFICE BUILDINGS 16 pgs. 4-color 1.00 per copy
- @ AIRPORTS (1973) 18 pgs. B&W 1.00 per copy
- (5) PUBLIC ADMINISTRATION BUILDINGS 18 pgs. B&W 1.00 per copy
- @ RELIGIOUS BUILDINGS 16 pgs. B&W 1.00 per copy
- ® CAMPUS ARCHITECTURE 22 pgs. 4-color 1.00 per copy
- @ RECORD INTERIORS of 1975 18 pgs. 4-color 1.00 per copy
- ® RECORD HOUSES 1974 3.25 per copy

INTERIORS

- 3 RECORD INTERIORS of 1971 20 pgs. 4-color 1.00 per copy
- ② SIX INTERIORS—AUGUST 1971 12 pgs. 4-color .50 per copy
- ® RECORD INTERIORS of 1972 16 pgs. 4-color 1.00 per copy
- @ RECORD INTERIORS of 1973 16 pgs. 4-color 1.00 per copy

SPECIAL REPORTS

- ⑤ CREATING CONSOLIDATED CLINICAL TECHNIQUES SPACES FOR AN EXPANDING ROLE IN HEALTH CARE 8 pgs. 4-color .50 per copy
- III PLANNING DISCIPLINES FOR AUDIO-VISUAL FACILITIES 16 pgs. 4-color 1.00 per copy
- ROUND TABLE ON ENERGY CONSERVATION THROUGH HIGHER QUALITY BUILDING 8 pgs. B&W .50 per copy
- NEW METHODS FOR EVALUATING LIGHTING SYSTEMS 6 pgs. 2-color .50 per copy
- ® SOLVING TODAY'S CURTAIN WALL PROBLEMS 8 pgs. B&W .50 per copy
- THE YOUNG ARCHITECTS 56 pgs. 4-color 1.00 per copy
- ® ROLE OF THE ARCHITECT IN DEVELOPMENT HOUSING 16 pgs. 2-color 1.00 per copy

BACK ISSUES

- ® RECORD HOUSES 1968-2.00 per copy
- @ RECORD HOUSES 1970—2.00 per copy
- ® RECORD HOUSES 1972-2.00 per copy

PREPAID ORDERS ONLY

Record Impres	cions	23	
	CONTRACTOR OF THE PARTY OF THE	25)	_ (3)
ARCHITECTU		(26)	_ @
	of the Americas	27	
	w York 10020	®	
Att. Joseph R.	vvunk	(3)	
No. of copie	es	(33)	
3	(ii)	34)	_ (9)
•	(12)	35)	
⑤	(13)	36	_ 61
6	15)	37)	
8	19	38)	
9	20	39	_ @
10	@)	40	
Enclosed is m	y check Money	order 🗆 for \$	
NAME		pl	ease include local sales tax
FIRM			
ADDRESS			
CITY/STATE_			ZIP
valid through 5/3	1/75		3-75

PRACTICAL REFERENCE

 AIR CONDITIONING: A NEW INTERPRETATION Updated reports from 1967, 1969, 1970
 64 pgs. 2-color softbound 4.95 per copy

BUILDING TYPE STUDIES

- @ MUSEUMS (JUNE 1969) 16 pgs. 4-color .50 per copy
- 6 DESIGN FOR MERCHANDISING 16 pgs. 1.00 per copy
- ® AIRPORTS (1970) 16 pgs. B&W 1.00 per copy
- ① CORRECTIONAL ARCHITECTURE 16 pgs. 2-color .50 per copy
- (B) CAMPUS DESIGN FOR SUCF—AN ANALYSIS OF EXCELLENCE 24 pgs. 2-color 1.00 per copy
- BUILDING FOR A BROAD SPECTRUM OF HEALTH CARE 16 pgs. B&W 1.00 per copy
- @ LOW-INCOME HOUSING 16 pgs. 4-color 1.00 per copy
- DESIGN FOR A VARIETY OF CAMPUS LIFESTYLES 18 pgs. 4-color .50 per copy
- @ SHOPPING MALLS IN SUBURBIA 16 pgs. 4-color 1.00 per
- ® SUBURBAN OFFICE BUILDINGS 16 pgs. 4-color 1.00 per
- INDUSTRIAL BUILDINGS 16 pgs. 4-color 1.00 per copy
- ® HOSPITAL PLANNING RESEARCH 18 pgs. 4-color 1.00 pe
- HOUSING: ONE GOVERNMENT AGENCY REACHES FOR GOOD ARCHITECTURE 16 pgs. 4-color 1.00 per copy
- ® RESORT HOTELS 16 pgs. 4-color 1.00 per copy
- (3) MUSEUMS (JULY 1972) 16 pgs. 4-color 1.00 per copy
- @ CORPORATE OFFICES 16 pgs. 4-color 1.00 per copy
- (6) STORES AND SHOPS 18 pgs. 4-color 1.00 per copy

What every architect and his taff must know fire safet



1975 fire code

- nearly 10,000 pages of authoritative firesafety information on 225 standards, codes and manuals-a "must" for every office.
- types of properties, all types of structuresinstitutional, commercial, industrial.
- latest revised and updated information on all existing fire codes and standards. The only complete source on Fire Safety Standards.

ORDER YOURS TODAY — ONLY \$75.00 FOR THE 15 VOLUME SET.

In 1975, you can't afford to be without it!



National Fire Protection Association

470 Atlantic Avenue Boston, Massachusetts 02210 PA (617) 482-8755, ext. 258

NATIONAL FIRE PROTECTION ASSOCIATION DEPT. D05

470 Atlantic Ave., Boston, MA. 02210

Yes, please send me _____15-volume set(s) of the new, 1975 National Fire Codes (NO. FC-1-15) @ \$75 per set, F.O.B. Boston, MA.

I enclose check for \$_____ __. Bill me

Company:

Street:

State Zip

For more data, circle 132 on inquiry card



TRANS-LOGIC™ pneumatic tube systems deliver I-V bags, plasma bags, specimens, records, drugs or other normally hand-carried items with no delays. Solid State logic control routes all carriers via the most direct route. No central exchangers. 4" and 6" dia. carriers.

Trans-Logic, the breakthrough system.



Powers Regulator Co. Transitube Division Skokie, Illinois 60076

For more data, circle 133 on inquiry card

These Polaris chairs are absolutely guaranteed not to replace teachers.

They just make teaching easier. Massey firmly believes that there is no substitute for teachers. But we do believe that students learn more quickly when they are comfortable. And so we designed these polaris chairs with tablet arms for lecture halls and auditoriums. Comfortable. Handsome. And durable.

Massey chairs. For comfortable students and happier teachers.



For more data, circle 134 on inquiry card



MA SWEETS

BUYLINE:

a new toll-free inquiry service moves local sales representatives as close as your telephone.

Sweet's has taken another step to make your product information searches faster, easier and

more effective with a new service called BUYLINE. It helps take the mystery out of locating sales representatives. Here's how

When you're using Sweet's Catalog Files, and you want more information on the products within them,

> just pick up your telephone and dial our tollfree BUYLINE number. It's conveniently printed on the outside cover and spine of Sweet's volumes as well as on the inside cover and index pages. (No time wasted looking it up.)

Within minutes the BUY-

LINE operator will supply you with the name, location and telephone number of the nearest sales representative for any 1975 Sweet's client-manufacturer . . . information not readily available from any other source.

Now you'll know where to obtain quickly and easily such information as pricing, customizing and delivery dates without wasting a lot of your time and effort.

BUYLINE is an indispensable tool to you (and other

building product selectors) because it gives you computerized access to the most current listings of manufacturers' local sales representatives. That's because manufacturers can update their listings anytime and as often as they want just by




contacting Sweet's. (By contrast, printed listings of

sales reps in advertising, direct mail and literature are often out of date shortly after publication.)

Maybe that's why we only half jokingly call it MA SWEET'S. It's just another step

in our effort to take better care of you. BUYLINE helps you, BUYLINE helps manufacturers. Why not mention it to manufacturers' sales representatives who call on you? They can get full details from their nearest Sweet's office. You'll both benefit.





per fixture than conventional systems, and do it with up to 18% less input wattage!

Guth's "Dual" Area Light is a totally new concept that combines two separate optical systems and two H.I.D. lamps in a single housing. One is specifically designed to "throw" light, the other to "spread" light. They're available separately, too.

Less power per fixture and fewer fixtures add up to double savings. So, for more efficient lighting with fewer poles and less clutter, write or call:

GUTH LIGHTING




P. O. Box 7079 • St. Louis, Mo. 63177 • (314) 533-3200

For more data, circle 122 on inquiry card



For more data, circle 136 on inquiry card





New EnerCon heating and air conditioning The system that puts mone

Introducing two new air-conditioning systems for schools.

Right now, as construction and energy costs keep soaring with no end in sight, AAF has two new ways to keep a tighter fist around your operating budget. The EnerCon Classroom Air Conditioner and the Reverse-Cycle UNIvent. Two new systems that dras-



It costs less annually to heat and cool with EnerCon than with any other system. Approx. energy cost per sq. ft. per year: EnerCon—17¢ 4-Pipe Unit Ventilator—23¢ Central VAV—24¢ Roof Top—39¢ Dual Duct—42¢

tically cut heating/cooling power costs in schools. Both recycle energy. Both save money. Both are designed for easy installation in either modernization or new building projects.

Save up to 25% in energy costs.

With EnerCon. The system designed to save energy, by not wasting it.

EnerCon is a new concept in school heating and cooling. It captures and reuses energy other systems throw away.

A simple water loop makes it possible. The water loop—interconnecting each unit—recirculates energy throughout the system. Or, stores it until needed. You spend less—up to 25% less—in system operating costs.


The Reverse-Cycle UNIvent System.

Where desired, the ASHRAE II ventilation cycle can be provided with AAF's new Reverse-Cycle UNIvent. With a wall louver similar to standard unit ventilators, it has 100% outside-air capability. With ASHRAE Cycle II, you have fresh air constantly, and during moderate temperatures, you can cool without operating the refrigeration circuit. So you save even more over conventional systems. You get all the operating economies of reverse-cycle air conditioning with all the benefits of a unit-ventilator system.

And the Reverse-Cycle UNIvent is a perfect solution to modernization, too. Existing "heat-only" unit ventilators are easily replaced by Reverse-Cycle UNIvents. A larger wall opening is *not* necessary, and frequently it is possible to reuse the existing hot water piping for the water loop.

The EnerCon Classroom Air Conditioner system.

This Reverse-Cycle unit also cuts power costs to the bone. EnerCon Classroom Air Conditioners can be used as an individual system or in conjunction with Reverse-Cycle UNIvents. Either way, they're the answer for offices, corridors and administrative areas where 100% fresh air isn't essential—the EnerCon



ack into your budget.

Classroom Air Conditioner brings in up to 25% outside air.

These units also adapt to existing unit ventilator louvers if you are modernizing. And, EnerCon Classroom Air Conditioners are compatible in design and construction with all AAF cabinets and classroom accessories, including the effective, energy conserving Draft/Stop return air arrangement.

EnerCon pinpoints your heating/cooling needs.

The average school frequently calls for both cooling and heating at the same time, even during the middle of winter. For instance, heat gain from lights, equipment and people means that core areas need to be cooled whenever they are occupied. So, core areas must usually be cooled even while perimeter areas are being heated.

And during moderate weather conditions, the shifting of the sun from one side of a school to the other can make the difference as to whether you neat or cool the perimeter. Conventional systems exhaust the heat from the areas being cooled, EnerCon reuses and utilizes this energy. You get cooling or heating where you want it, quickly and efficiently, at less cost.

And, you get a lot of heating practically free of charge.

Schools frequently have excess heat available during the day when classrooms are occupied, even when it is chilly outdoors. That excess heat is transferred to the water loop raising its temperature to the maximum limit before any heat is rejected from the building. The EnerCon system can then heat the building during the night by transferring heat stored in the water loop.


EnerCon cuts costs all around.

Energy costs. Installation costs. Operating costs. They're all cut to the minimum. In fact, the annual owning cost of an EnerCon system, whether it's EnerCon Classroom Air Conditioners or Reverse-Cycle UNIvents, is especially attractive when compared to other heating/cooling systems on the market today. It's designed for today's school.


For more information, write: AAF, Dept. 131, Box 1100, Louisville, Kentucky 40201.

Better Air is our Business.





Presenting the 1974 winners of the Owens-Corning Energy Conservation Awards.



Desert Research Institute, University of Nevada Systems, Boulder City, Nevada

*T.M. Reg. O.-C.F.



Corning initiated its Energy Conservation Awards Program in 1971.

This year, both our Award Winners-plus two designs receiving honorable mention-rely heavily on the sun for their energy needs.

Look these designs over. They may suggest a way your company can conserve energy and cut fuel costs.

Desert Research Institute. University of Nevada Systems, **Boulder City, Nevada**

A 4,000 sq. ft. solar collector provides energy for 98% of the heating, 30 tons of cooling, and 96% of the hot water demand in this 8,800 sq. ft. structure. Estimated energy savings: 63,000 KWH annually.

Concrete walls and ceilings act as an insulation envelope that protects against temperature fluctuations and an uneven draw on the energy collector.

Structure is built into a hillside for perimeter shielding from heat and cold. Plant life on exterior walls gives additional shielding.

Design by Jack Miller & Associates, Las Vegas, Nevada, in association with Arthur D. Little, Inc., Cambridge, Mass.

Saginaw Federal Building, Saginaw, Michigan

An 8,000 sq. ft. flat plate solar energy collector provides energy for heating and cooling.

Fenestration is pushed into the earth, and approximately half the roof is landscaped with lawn, shrubs, trees and seating. This contributes to low heat gain and loss. Design by Smith, Hinchman & Grylls Associates, Inc., Detroit.

Two Honorable Mention Awards

The Owens-Corning Energy Conservation Awards Jury found two other designs worthy of special attention.

Science Museum of Virginia, Richmond, Virginia. Combines a 28,000 sq. ft. solar energy collector with a heat-recovery system for heating and cooling. Expected energy operating cost: \$12,000 vs. \$50,000 for a conventional heating and cooling system. A saving of 75%.

Mechanical design by Hankins & Anderson, Inc., Consulting Engineers, Richmond, Virginia.

Denver Community College of Denver/North Campus, Westminster, Colorado, Combines a 50,000 sq. ft. solar collector with a heatpump system to cut fossil fuel reguirements by nearly 80%. Insulation maintaining an exterior wall Uvalue of .065 is used throughout.

Design by A.B.R. Partnership, Denver, Colorado.

How the Awards Program works.

Owens-Corning accepts entries in any of four building design categories:

Institutional-schools and hospitals, for example.

Commercial—office buildings, shopping centers, retail stores and similar structures.

Industrial-including manufactur-

ing plants, research centers, and warehouses.

Governmental-post offices, administrative buildings and military structures, among others.


Any registered architect or professional engineer in the U.S. is eligible to enter a design. The only requirement is that the design be a commissioned building project. (The use of Fiberglas* insulationalthough an excellent way to conserve energy-is not a requirement.)

Winners are selected by a special Awards Jury composed of leading engineers and architects.

Send for free Energy **Conservation Awards Program** brochure

If you'd like to know more about the winners, or their designs, write for a free brochure giving complete details.

Owens-Corning Fiberglas Corporation, Att. V. G. Meeks, Fiberglas Tower, Toledo, Ohio 43659.



The Owens-Corning Energy Conservation Award: "Triangles," a multi-faceted Steuben Crystal sculpture that captures and reflects light from triangular planes

Owens-Corning is Fiberglas FIBERG





B.P. Centre, Cape Town, South Africa.

START AT THE TOP IF YOU


A unique combination of experience and sophisticated technology gives the Pilkington all-glass facade system an unrivalled design flexibility, allowing architects greater scope for creative expression.

Using specially processed and tempered 'Armourfloat' glass plates suspended from the building structure we can design single assemblies up to 75ft. high with no limitation in length. That's far in excess of all previous glass systems.


During the last 12 years over 50 buildings in 16 countries around the world have incorporated Pilkington 'Armourfloat' suspended glass assemblies.

The design potential for the system is enormous. The new Louisiana Downs grandstand, Bossier City, employs a multiple assembly system 600ft long and 66ft high. One vast assembly 1000ft long and 53ft high forms the complete facade of a new office complex at Ipswich in England.

Inherently more versatile than other systems, Pilkington assemblies can be designed to satisfy virtually any performance criteria. For example the assembly for the Centre Point building in London was designed to withstand wind pressures of 66ps and was tested to over 80psf. A completely novel spring suspension system was designed to cope



University of Akron, Ohio. Glazing Sub-Contractor: Sterling Plate Glass & Paint Company, Cleveland, Ohio. General Contractor Johnson & Partners, Caudill Rowlett Scott, Carl E. Bentz. University Architect: Rudolph Tichy.



WANT TO MAKE IT BIG.

with the very large movements resulting from the unusual structure of the Standard Bank building in Johannesburg. And only last year completely ndependent verification of our technology was given through tests conducted in the United Kingdom, by the Government funded Agrément Board on a series of full scale systems.

So if you want to explore the really big

potential for all glass facade systems, start at the top, find out more about Pilkington 'Armourfloat' Suspended Glass Assemblies.

For an illustrated booklet write now to: Doug Curry, Pilkington Brothers Canada Limited, 101 Richmond Street West, Toronto 1, Ontario. Cables: Pilkho Tor. Tel: (416) 363 7561.


PILKINGTON 'ARMOURFLOAT' SUSPENDED GLASS ASSEMBLIES Making life better through glass. For more data, circle 140 on inquiry card

Now you can get a structural gasket glazing system with the appearance you want without the problems you don't want.

The glazing system is Tremco's WEJ-Grip*. It gives an architecturally attractive, clean line appearance with a narrow sight line, as well as proven trouble-free performance.

By applying our years of experience in window systems, we've eliminated

some typical structural gasketing problems. And we'll be happy to work with you while you're in the design and specification stage. Then, we'll gladly work with your contractor to show him how easy it is to install Tremco WEJ-Grip.



Fast and easy to install.

The WEJ-Grip system has several features that will help your glazing contractors save installation time, labor and expenses.

Take straight-in glazing, for example. Unlike most gasketing systems, the WEJ-Grip system permits lights of glass to be positioned easily and safely. There is little chance of chipping glass edges or cutting gasketing. And there is no need to seam edges, a real asset for high-performance glass.

What's more, WEJ-Grip can be installed in the coldest temperatures. Cold weather installations have been successfully completed even in Alaska. This means buildings can be closed in quickly, year round.

Because WEJ-Grip is glazed from the inside, glazing contractors don't have to use costly scaffolding. And if glass ever has to be replaced, WEJ-Grip will simplify the job.

Proven high performance.

Tremco WEJ-Grip meets all the design criteria of structural gasket systems. It resists gasket rotation or roll-off. Allows for normal movement of panels or glass, including heat absorbing glass. It cushions glass and helps prevent breakage caused by normal building movement, seismic shock or sonic vibrations.

To prevent problems at the critical corner areas, WEJ-Grip offers patented, pre-fabricated reinforced corners that will outperform most injection molded-type corners.

WEJ-Grip is basically a two-piece system consisting of a gasket and locking wedge. They are extruded from ozone-resistant, 100% virgin neoprene.

After being subjected to dynamic and static tests, the tests show that WEJ-Grip meets or exceeds the NAAMM performance requirements for water infiltration and structural performance for design loads of at least 40 P.S.F.

Backed by Tremco service.

We recommend a mock-up of a typical frame opening prior to job installation and will provide sufficient production gasket for the mock-up prior to full production of your job. Just call Tremco for help to develop the mock-up, confirm proper sizes and, when you're ready for installation, he'll be on hand to instruct glaziers.

Whether you're designing for gaskets, wet glazing or a combination of the best in wet and dry, Tremco has a system for you. For over 45 years, our business has been solving these problems and providing top-quality leakproof systems and products, such as our jobproven sealants MONO®, DYmeric® and Lasto-Meric®, liquid polymer Tremproof™ waterproofing and our Tremline™ roof edging system. Tremco, 10701 Shaker Blvd., Cleveland, Ohio 44104.

Tremco (Canada) Ltd., Toronto, Ont. M4H 1G7.



ADVERTISING INDEX

Prefiled catalogs of the manufacturers listed below are available in the 1975 Sweet's Catalog File as follows.


- A Architectural File (green)
 I Industrial Construction File (blue)
- L Light Construction File (yellow)
 D Interior Design File (black)

A		
	Acco, Page Fence Division	172
A	Acoustics Development Corp	208 46
A-L	Alcan Aluminum Corp.	72
A	AllianceWall Corporation	204
	All-Steel Inc., One of the C.I.T. Companies	32
A-I	Aluminum Co. of America	184
	Amarlite Products Div	
A	American Air Filter Co	-221 81
	American Louver Co.	26
A-I		88
A-L	American Sterilizer Co 209, 211, Andersen Corp2nd corp.	
A-L	Arbed-Columeta	
	Architectural Record	
	Books 32-1,64A,64F,200 Arco/Polymers Inc	188
-I-L-D		50
В		
A	Bally Case & Cooler, Inc	95
^	Bethlehem Steel Corp5	
A-D	Bigelow-Sanford Inc.	47
A	Bobrick Corporation, The	203
A-I	Bradley Corporation	182 32-2
	burke kubber	32-2
c		
A-L	Cabot, Inc., Samuel	213
A-D-L		
	Ceco Corp	168
	Clark Door Co., Inc	100
	Colorguard Corp.	204
A-L	Combustion Engineering—C-E	
	Glass Division	18-29
A-I	Commercial Carpet Corporation Composite Systems, A Division of	10
	Star Mfg	189
	Concrete Reinforcing Steel	211
	Institute	219
A-I		82
D		
	Delta Air Lines	181
A-1	Detroit Diesel Allison Div General Motors	2-3
	Diazit Co., Inc.	219
A-D	Dow Badische Co	103
	DuPont De Nemours & Co., Inc.,	0.71
A-1	E.I. Antron	
E		
A-I	ECI Air-Flyte Corp.	209
	Edo Western Corp	229
	Emhart Corp	110
F		
A	Flexco, Div. of Textile Rubber	200
	Co., Inc	208 196
A	Follansbee Steel Corp	71
	Formica Corp.	19
A-I	H.B. Fuller Co.	74

G	
-	
A-I-L	GAF Corp., Building Products Division 59
	Division
	Gateway Bldg. & Erectors, Division
	of Imcco-Gateway Corp 183
Δ	GF Business Equipment Inc 173 to 180 Granco Steel Products Co
	Grefco Inc., Building Products
	Division
	GTE-Sylvania, I/C Lighting76-77
	Guth Lighting—Div. Sola Basic Industries
	mousules 219
Н	
A-I	Hager Hinge Company20-21
A	Haws Drinking Faucet Company 68
	Heatilator Fireplace3rd cover Hillyard Chemical Co90
73-1	Tillyard Chemical Co
1	
A-I-L	Inland-Ryerson Construction
A	Products Co. 18 Interform 181
-	International Architectural
	Foundation
	International Masonry Institute 17
1	
A	Jewett Refrigeration Co., Inc 169
	J.G. Furniture Company, Inc
A-I-L-D	Johns-Manville CorpArchitectural
A	Division54-55 Johns-Manvilee CorpHolophane
	Division
	Jute Carpet Backing Council, Inc. 40
K	
	Kalwall Corp. 209
	Kawneer Co 63
A	KDI Paragon 196
A-I	Kelley Co., Inc. 215 Kemlite Corp. 96
A-I	Kemlite Corp. 96 Kinnear Corp. 204
A-I	Kohler Co.—Electric Plant—
A 1	Standby
A-1	Roppers Company
L	
339	Latco Products
A-I-L	Lennox Industries Inc 166
	Levolor Lorentzen, Inc
A-I-L	Libbey-Owens-Ford Co
A-I	Lyon Metal Products Inc 51
11	
M	
A-D	Marathon Carey—McFall Co. 213 Marvin Windows 12
A-L-D	Marvin Windows
A	Massey Seating Co 217
A	Jas. H. Matthews & Co
	McGraw-Hill Books
	McQuay—Perfex, Inc
	Merchant & Evans Co
	Metalphoto Corp. 9 Monarch Carpet Dynamics 91 to 93
	Monsanto Company, Textiles Div., 67
N	No. 4 No.
	National Electrical Contractors Association
	National Fire Protection Assn 217
	National Terrazzo & Mosaic Assn 97
A-I	
14-1	The story of the second section in the second

	0		
	A-L		64
	A	Otis Elevator Inc	15
	A-I	Overly Mfg	1757
1	-I-L-D	Owens-Corning Floergias Corp. 222-	440
	P		
	A	Paddock Structure Inc.	27
		Page Fence Division of Acco	172
	A	Parker Co., Charles	43
	A-L	Pella Rolscreen Co	2-53
		Philips, Eindhoven	225
		Powers Regulator 215,217	,219
	A-I	PPG Industries Inc.—Coatings &	
		Resins	8-99
	A-L	Glass	-105
		PPG Industries Inc.—General	
		Industrial Finishes	87
	R	Part of the Control	De la constitución de la constit
	A-I	Raynor Mfg. Co	210
		Record Houses	172
	A-D-I		211
		Rite Hite Corporation	205
	A	Rixson-Firemark, Inc	-195
		Roper Eastern Products Corp	170
	HO TON	Russwin, Div. Emhart Corp	110
	5		
	A	Safelite Industries	108
		St. Joe Minerals Corporation	185
A-L		Sears, Roebuck & Co., Contract	
		Appliances	2.
	A.I	Shand Morahan & Co., Inc	200
		Sloan Valve Company4th o	
	A	Smith, Elwin G., Div. Cyclops	10
		Corp. Square D Company	102
		Standard Dry Wall Products, Inc	3
	A-L	THE DIMINE, FROM MITTHER THE PROPERTY OF THE P	89
	A-I	Star Mfg. Co	189
	A		
		Sweet's Division, McGraw-Hill	218
		Symmons Industries, Inc	21-
	T		
	100	Talk-A-Phone Co.	167
		Texas Instruments	30
	A-I	Tremco Mfg, Co226	-22
	U		
	-	11.2. 1.6.1.	
Δ	LLD	United Airlines	58
	- Inchie	Office States Gypsum co	
	V		
	A-I	Viking Corp	202
	A-D	Vogel-Peterson Co.	. 50
	A A-I	Von Duprin Inc	4-0
	w		1
	111111	Walker/Parkersburg Div. of	
		Textron Inc.	8
		Wellco Carpet	20-
	1	Architectural Systems Dept	6-
	A-I	Westinghouse Electric Corp.—	
		Water Coolers	21
		Wiremold Company	

ARCHITECTURAL® ELEMENTS



ASSEMBLE TO FIT

Architectural Elements fit together to bend around a corner, stretch along a straight walkway, tuck into a foyer, or break up a broad expanse with graceful accents. Each piece of molded fiberglass is structured to connect with the other elements to assemble appropriate configurations instantly. Combine seats, planters, tables, ash urns, trash receptacles and benches in shapes and colors of unlimited design. Available in smooth, matte, and aggregate finishes, these architectural elements blend tastefully into such projects as shopping malls, swimming pools, office complexes, arcades, parks, municipal beautification projects, apartment complex landscapes, etc. Ask for our idea-generating brochure describing these attractive coordinated pieces.

Bdo Western

GENERAL OFFICES: 2645 South 300 West, Salt Lake City, Utah 84115 - Telephone: (801) 486-7481

ARCHITECTURAL RECORD

McGraw-Hill, Inc., 1221 Avenue of the Americas, New York
New York 10020
Advertising Sales Mgr.: Louis F. Kutscher (212) 997-2838
Eastern Sales Mgr.: Robert G. Kliesch (215) 568-6161
Western Sales Mgr.: James A. Anderson (312) 751-3770
Advertising Services Mgr.: Joseph R. Wunk (212) 997-2793
Marketing Services Mgr.: Elizabeth Hayman (212) 997-2858
Research Mgr.: Camille Padula (212) 997-2814
Classified Advertising: (212) 997-2557

District Offices:

Atlanta 30309

Edward G. Graves, 100 Colony Square, (404) 892-2868

Boston 02116

Robert L. Tagen, 607 Boylston St., (617) 262-1160

Chicago 60611

James A. Anderson, Robert T. Franden, Edward R. Novak,

645 N. Michigan Ave. (312) 751-3770

Cleveland 44113

Willis W. Ingersoll, 55 Public Square, (216) 781-7000

Denver 80202

Harry B. Doyle, 1700 Broadway (303) 266-3863

Detroit 48202

John W. Maisel, 1400 Fisher Bldg., (313) 873-7410

Los Angeles 90010

Richard R. Butera, 3200 Wilshire Blvd.-South Tower (213) 487-1160

New York 10020

Blair McClenachan, 1221 Avenue of the Americas (212) 997-3584

Philadelphia 19102

Robert G. Kliesch, George T. Broskey, Three Parkway

(215) 568-6161

Pittsburgh 15222

Edward C. Weil, III, 4 Gateway Center, (412) 391-1314

St. Louis 63011

Richard Grater, Manchester Rd., (314) 227-1600

San Francisco 94111

Richard R. Butera, 425 Battery Street (415) 362-4600

Overseas Offices:

Brussels

Galerie Porte de Namur, 22-26, Chausée de Wavre 1050 Brussels, Belgium

Frankfurt/Main

Elsa-Brandstroen Str. 2, Frankfurt/Main, Germany

London

34 Dover Street, London W.1, England

Milan

Via Baracchini No. 1, Milan, Italy

Paris

17, rue Georges Bizet, 75 Paris 16e, France

Tokyo

2-5, 3-chome, Kasumigaseki, Chiyoda-ku, Tokyo, Japan

For more data, circle 142 on inquiry card

CLASSIFIED SECTION

POSITIONS VACANT

VOLUNTEER PEACE CORPS/VISTA
Architects/planners needed for Peace Corps projects in
Latin America, Africa, Asia; VISTA projects in 25 U.S.
cities. Housing projects, design of schools, hospitals,
community centers, rehab, university teaching, regional
planning, etc. Expenses paid, travel, medical, vacation and
living. Information: Lynn Rotenberg,

ACTION, ORC Box A-1. Washington, D.C. 20525.

ARCHITECT—Established expanding national company, with over 1000 stores, is seeking an architect. The qualifying person should be a registered architect with a background in architectural and interior design, and have the ability to head a department where the responsibility would also include business administration in terms of implementing and supervising construction, taking into account both technical know-how and cost control. There is excellent growth potential with this St. Louis based firm, and the benefit program is outstanding. Please contact Bernard Bloom, Edison Brothers Stores Inc., P.O. Box 14020, St. Louis, Missouri 63178.

Architects—Northern Illinois engineering firm desires Architect to head department. Qualification for Illinois Registration required. Send resume. P-6996, Architectural Record.

Chief Architect-Virginia Housing Development Authority, a State-wide housing development and finance agency, is seeking a licensed architect to accept direct responsibility for implementing architectural standards and policies for housing developments, conducting site inspections, reviewing proposed architectural designs, and assisting in cost analysis. Applicants should be experienced and creative. VHDA is an Equal Opportunity Employer. Send resume and salary requirements to Robert P. Sangster, Deputy Executive Director, Virginia Housing Development Authority, 5th and Franklin Streets, Imperial Building, Richmond, Virginia 23219.

Architectural Renderer-Designer, skilled at sketching and presentation to work with design oriented architectural firm. Send letter of interest to McHugh and Associates, 35 Professional Park, Farmington, Conn. 06032.

POSITIONS WANTED

Financial Executive-Heavyweight-listed co. V.P., Controller—CPA (Big 8 exp.)—Attorney—Acquisitions, financial controls, taxes. Exp'd. real estate, construction industries. Combines technical skills with imagination. \$28-32,000 required. For resume: PW-6356, Architectural Record.

M.B.A.: 27, seeking business management position with architectural and/or planning firm. Two years experience in architecture and planning. Location open. Andrew Astmann, 5334 Waterman Ave., St. Louis, Missouri, 63112. (314) 361-7502.

Graduate with B.A. in Arch., age 25, with 21/4 years experience in design, detailed working drawings, client contact, excellent references. For resume and/or interview please contact: Richard H. Janssen, 3418 Coy #1, Ames, Iowa 50010. Phone (515) 292-4861.

BUSINESS OPPORTUNITIES

British Architect—Planner seeks associate arrangement preferably with West Coast firm. Visiting San Francisco during April and would be able to discuss objectives with interested architects and designers or to consider employment against a specific practice or teaching assignment. Reply to arrive before April 10 at Brian Clear, 3 Isham Close, Northampton NN2 7AQ, ENGLAND, Tel: 0604-36155/0604-34734 office.

SPECIAL SERVICES

Nationwide Architectural Arts, Inc.: We have introduced a new-5-day national service for Budget Renderings and Scale Models. This includes-free-shipping via air express with plastic packing; plus lettering on matte (project/company). Budget Renderings are realistic, full-color with one main structure rendered (high rise accepted). Eye level views \$149.95; 199.95; aerial views \$239.95-\$299.95. Budget Scale Models for presentation/photography \$89.95-\$489.95. Airmail drawings/information. Drawings acknowledged by phone (215) 946-0889. Budget services-address: Fulfillment Manager, P.O. Box 145, Fairless Hills, Pa. 19030. Highly complex projects-address: Design Director, P.O. Box 246, Trenton, N.J. 08602. Brochure-address: P.O. Box 615, Rochester, Mich. 48063. Terms: C.O.D. Our guarantee: Project Satisfaction or Money Refunded.

Artistic renderings, architectural and engineering models, commercial and public interiors, meaningful exterior and interior lighting, all subordinated to your design concept, can be ordered from "VITRUVIUS DESIGNS CORP.", Box 1316 Radio City Sta., New York, N. Y. 10019, (212) 586-7382.

Consulting group specializing in fountains and custom water displays, offers comprehensive design and engineering services. Architectural and traditional ornamental fountains, unique water shows, rain and special effects, programmed lighting and water displays. Excellent facilities. Contact: Ptolemy Associates, 3944 East Oakdale Ave., Pasadena, Calif. 91107 (213) 684-0957.

SPECIAL SERVICES

Parking Consulting—Edison Parking is a major national parking company in: (1) ownership and operation of 100 facilities in nine states; (2) consulting to architects for the functional design and economic analysis of parking facilities. The professionals and technicians of Edison's Consulting Division serve on the architect's team for development of a project, combining operating experience with design and economic disciplines. Background booklet and free Parking Design Checklist on request. Edison is a true independent consultant; we are not seeking architectural or engineering design work nor are we affiliated with any "package" building system. Contact Jerome Gottesman, Edison Parking Corp., 69 Academy Street, Newark, N.J. 201/643-3170.

PROFESSIONAL SERVICE

Hibbard Engineers

Complete engineering service - structural, mechanical electrical, civil. For hospitals, university buildings, schools, apartments, government buildings. Project Management - Construction Estimates.

2637 Main Street, Niagara Falls, New York 14305 Tel. (716) 282-1282

OFFICE SPACE

Architectural space available, 4th fl., 924 Broadway, N.Y.C., 4,000 sq. ft., self-service elevator, new lobby. For information call 777-8065

NOW IS THE TIME... TO HIRE A STUDENT THIS SUMMER

First, it's later than you think, with schools closing on different semester schedules, and students torn between lining-up "sure" jobs now or gambling that something in their chosen field will come along later.

Second, and most important, it's in our industry's best interest to encourage and hold its life-blood by providing practical experience in their future profession.

And, since there'll always be more applicants than openings, you'll be able to select the cream of the crop, then

evaluate them with an eye towards hiring, when as coveted graduates, the job market might well be in their favor.

Because we believe this program is of mutual benefit to both employer and employee alike, we again offer our services as a clearing-house.

Just fill out and return the coupon

below, and we'll include your organization in a free listing to be sent to Placement Directors and Department Heads at leading colleges and universities across the nation. They'll post it, and the students will contact you directly.

Free summer help listing

BAAIL	TO: ARCHITECTURAL	DECORD POST	OFFICE DOY	OOO/NEW V	VADY /NIV	10020
MIMIL	IU: ARCHITECTURAL	RECURD PUSI	OFFICE BOX	SOO/ HEN	OHLINI	10020

NAME/TITLE of individual to be contacted

ADDRESS: Mailing address of your personnel office

ORGANIZATION: (Firm, Company, Government Agency or Institution)

TYPE AND NUMBER OF STUDENTS SOUGHT:

Architect

Civil



Mechanical Electrical Other: (Draftsman, Illustrator, Model Builder, etc.

March 1975

A fireplace with a view? Anything is possible with The Anyplace Fireplace

When Mr. and Mrs. Peter Lowenstein commissioned architects Chimacoff/Peterson of Princeton, N.J., to design their dramatic vacation home in Montauk, Long Island, what mattered most was "that it have a great sense of space emphasizing the relationship between indoors and out."

With that in mind, a fireplace "with a view" was a natural. So the architects naturally specified a Heatilator brand fireplace, the one you see here. They wanted a quality product that could be decorated for any room. And they were pleased that Heatilator fireplaces can be built-in anyplace, in any enclosure.

You can specify a Heatilator Anyplace Fireplace right

up against combustible walls, with no costly masonry for support or protection. And now there are more models than ever. Woodburning, gas and electric. Built-in. Wall-hung. Plus a new line of freestanding fireplaces. The Compatibles™, in popular House & Garden colors. The design and decor possibilities are virtually endless!

For expert help in fireplace planning, call your Heatilator Fireplace Man. For his name, call toll-free 800-553-8905*. Or write: Heatilator Fireplace, A Division of Vega Industries, Inc., 1919 W. Saunders St., Mt. Pleasant, Iowa 52641. (Also available in Canada.)

See Catalog in Sweet's Architectural, Light Construction, and Interior Design Files.



New Independent Report proves Sloan Flush Valves use 12½% less water than tank-fed systems

High-rise developers, especially, should read this comparative test report by Stevens Institute. It covers water usage, drain system compatibility and fixture performance.

We knew that Sloan Flush Valves saved water.

However, now an independent report published by the Davidson Laboratory of the Stevens Institute of Technology proves conclusively that Sloan Flush Valves use 12½% less water than tank-fed water closets.

The Stevens Report also proves that Sloan Flush Valves are fully compatible with 4-inch wet vent drainage systems and meet all plumbing codes. No significant difference occurred between Sloan-operated and tank-operated water closets under various conditions of system

stack flow, trap seal retention, or blowback failure.

Ten separate and severe fixture performance tests were also run. Here, too, Sloan Flush Valves equalled or bettered tank performance.

There's no point in talking about water conservation unless we all do something about it. Sloan Flush Valves do something. They save water. 12½% over tanks.

Send for the Stevens Report now. It's free and it contains facts and figures available nowhere else.



