

RCHITECTURAL RECORD


8 AUGUST 1962

BUILDING TYPES STUDY: HOTELS-MOTELS

THE NEW COVENTRY CATHEDRAL

STEEL THAT WEATHERS NATURALLY

FULL CONTENTS ON PAGES 4 & 5



modern concrete features "upside down" living

National Design Award Winner, 1961 Horizon Homes Program, was this home built in South Plainfield, New Jersey. Architects. Kuhn & Drake.

The living rooms, expanded by a balcony and dining porch, are upstairs. Bedrooms are downstairs . . . and the entry is at midlevel. This compact plan leaves room for pleasant outdoor living, even on a small suburban lot.

Ideally suited to the basic cube design is the smart simplicity of the concrete masonry used for the house and screening garden walls. Outdoor features can be easily varied to achieve interesting individuality in a grouping of identical houses.

Modern concrete, today, gives architects new opportunity to win approval from both homeowners and builders for distinctive home design. Plan to enter the Concrete Industries Horizon Homes Program.



Light and airy bedrooms open to the concrete patio and pool. Interior concrete masonry walls are painted to match color schemes of individual rooms.

PORTLAND CEMENT ASSOCIATION


A national organization to improve and extend the uses of concrete

SACRAMENTO, CALIFORNIA



A NEW AND VERSATILE CEILING FOR TODAY'S AIR-CONDITIONED, FLEXIBLE-LAYOUT OFFICES







SACRAMENTO: ARMSTRONG VENTILATING FIRE GUARD CEILINGS DIFFUSE AIR, BLOCK FIRE, **ABSORB SOUND** -WITH LAY-IN UNIT FLEXIBI

These ceilings give this California office building complete flexibility of room layout — and do three other important jobs. Ventilating Fire Guard has eliminated almost all supply ductwork by using the plenum to feed conditioned air to the perforated ceiling, which diffuses it to the room below. And scientific plenum-engineering, based on Armstrong's exclusive calculations for Ventilating Ceilings, solved all problems of proper air distribution before the ceiling went up. The Ventilating Fire Guard Ceiling easily meets local fire code requirements for one-hour fire protection of steel joists. The ceiling provides excellent acoustical control, too. And because these Ventilating Fire Guard Ceilings are of large, movable lay-in units, arrangement of office spaces to suit tenants is highly flexible: lighting fixtures are easily rearranged; partitions go anywhere; the Ventilating and Fire Guard functions are unaffected. Moreover, these Ventilating Fire Guard Ceilings cost about \$8,000 less than the combination of a duct-and-diffuser system and intermediate fire protection of steel joists.

Driver and Hunt Office Building, Sacramento, Calif. ARCHITECTS: Rickey & Brooks, Sacramento, under the direction of Benedict Adams, Architect, Associate. MECHANICAL ENGINEER: Leonard Stecher, Sacramento. GENERAL CONTRACTOR: L. D. Reeder Company, Sacramento.

TECHNICAL INFORMATION: Armstrong Ventilating Ceilings have been thoroughly lab- and job-tested to assure proper performance; are available in five materials (both tile and lay-in units), including Fire Guard, with three different patterns; and are compatible with all conventional supply-air systems. They offer considerable savings by cutting supply ductwork and eliminating conventional diffusers. Ventilating Fire Guard offers up to four-hour-rated fire protection; saves up to 30¢ per sq. ft. by eliminating intermediate fire protection, up to two months' construction time through dry installation; often earns lower insurance rates. Special plenum-engineering data is available, giving all factors and formulae for the correct design of this ventilating system, ensuring that it delivers the required cfm of conditioned air in the manner and quantity designated by the ventilating engineer; contact your Armstrong Acoustical Contractor or Armstrong District Office. For general information, write Armstrong, 4208 Rock St., Lancaster, Pa.



'Or

ACOUSTICAL CEILINGS First in fire-retardant acoustical ceilings

Architectural Engineering

STRONG STEEL THAT WEATHERS WELL 148

Saarinen partner John Dinkeloo tells how a high-strength, low-alloy steel, selected for the unpainted, exposed structure of John Deere Company's new administration building, seals itself against corrosion by forming a richly colored film of oxide

WIRE FABRIC REINFORCES JAIL WALLS 151

Increased security at lower construction cost was achieved by Cuthbert and Cuthbert with welded wire mesh reinforcement of concrete walls in a Michigan jail

AIR CONDITIONING HOTELS AND MOTELS 152

Alfred Greenberg, consulting engineer, gives design and cost considerations in selection of system types, with sketches showing relationship of system to plan

STEEL SHEATHING IS COMPOSITE MEMBER 156

A cover for fireproofing, a form for concrete backing, and a composite construction member, all in one steel curtain wall panel

PRODUCT REPORTS 157

OFFICE LITERATURE 158

READER SERVICE INQUIRY CARD 215



Cover:

The Cathedral Church of Saint Michael, Coventry, England. Architect, Sir Basil Spence. Photograph, *The Builder*

Advertising Index 238

ARCHITECTURAL RECORD August 1962 Vol. 132, No. 2 Published monthly, except May 1962, when semi-monthly, by F. W. Dodge Corporation, a McGraw-Hill Company.

Executive, editorial, circulation and advertising offices: 119 West 40th Street, New York 18, N. Y. Western Editorial Office: 2877 Shasta Road, Berkeley 8, Calif. Office of Publication, 10 Ferry Street, Concord, N. H.; second-class mail postage paid at Concord, N. H.

Subscription rate for individuals in the field served \$5.50 per year in U. S., U. S. Possessions and Canada; single copies \$2.00, except Mid-May 1962 issue \$2.95. Further details on page 6. Postmaster: Please send Form 3579 to Circulation Manager, ARCHITECTURAL RECORD, 119 West 40th Street, New York 18, N. Y.

(Western Edition, including Western Architect and Engineer)

ARCHITECTURAL

Record Reports

BEHIND THE RECORD 9

"Better Federal Architecture?" by Emerson Goble

PRESIDENT NAMES ADVISORY COMMITTEE ON PENNSYLVANIA AVENUE REDEVELOPMENT 10

SPECIAL STUDY URGES ESTABLISHMENT OF NATIONAL INSTITUTE OF BUILDING RESEARCH 10

BUILDINGS IN THE NEWS 14

CURRENT TRENDS IN CONSTRUCTION 18

A monthly analysis prepared for the RECORD by Edward A. Sprague, Economist, F. W. Dodge Corporation

CONSTRUCTION COST INDEXES 20

"DESIGN CHARTER FOR URBAN RENEWAL" 23

R.A.I.C. ANNUAL ASSEMBLY 26

REQUIRED READING 34

CALENDAR AND OFFICE NOTES 220

Architects and Buildings

HARRELL & HAMILTON. The American Center, Beaumont, Texas 115

HAUSNER & MACSAI. Water Tower Inn, Chicago . . 144 HESTER, HENRY H. Architect's House, La Jolla, Calif.

LUCKMAN, CHARLES, ASSOCS. Hotel American, Prudential Center, Boston 129

SAARINEN, EERO, AND ASSOCS. Terminal Building, Athens Airport, Greece 111

SHERWOOD, MILLS AND SMITH. 777 Summer Street Building, Stamford, Conn. 119

SPENCE, SIR BASIL. Cathedral Church of St. Michael, Coventry, England101

TABLER, WILLIAM B. Carlton Beach Hotel, Southampton, Bermuda 132

Authors and Articles

DINKELOO, JOHN. "The Steel Will Weather Naturally"; John Deere Administration Center, Moline, Ill.

GREENBERG, ALFRED. "Air Conditioning Hotels and Motels" 152

ROONEY, WALTER. "A Punch List for Good Hotel Planning" 131

SONNABEND, ROGER P. "Hotel Architecture: A Management View" 127

FINISHES FOR CABINET WORK 161
STEEL PLATE EXTERIOR SERVES AS COVER FOR

FIREPROOFING 156
WIRE FABRIC REINFORCES JAIL WALLS 151

Features

COVENTRY CATHEDRAL 101 Sir Basil Spence's competition-winning design—enhanced by distinguished liturgical art—is now completed

SAARINEN'S ATHENS AIR TERMINAL 111 A building designed, as the entrance gateway to Athens and to Greece, "to belong proudly to the twentieth century" and "simultaneously respect and reflect the glorious tradition of Greek architecture"

REVITALIZING DOWNTOWN BEAUMONT 115 The new American Center takes the lead in rehabilitation of downtown Beaumont which has had no major construction for thirty years

PLAN FOR RENTAL AND OFFICES OF ARCHITECTS 119 Architects of this new office building also designed interiors of the top floor for their own use

A PROBLEM-LOT—A GRATIFYING HOUSE 123 Henry Hester creates a warm, livable house on a tight budget

RECORD

CONTENTS

August 1962

Building Types Study 310: Hotels-Motels

HOTEL ARCHITECTURE: A MANAGEMENT VIEW 127 Roger P. Sonnabend of Hotel Corporation of America tells why and how architecture is becoming increasingly important to successful hotel operation

THREE-IN-ONE HOTEL FOR BOSTON 129 Prudential Center's Hotel America combines the facilities of a luxury residence tower, a commercial metropolitan hotel and a drive-in resort motel

A PUNCH LIST FOR GOOD HOTEL PLANNING 131 Architect Walter Rooney of Curtis and Davis illustrates some key design requirements

DESIGN FOR LUXURY ON THE ROCKS 132 Beach hotel designed by William B. Tabler to capitalize on a splendid site

MOTEL DESIGNED FOR INDUSTRIAL PARK 136 Private club and rental office space are part of this unusual scheme by F. A. Stahl Associates

JETPORT MOTEL 138 A Hilton Inn designed by Skidmore, Owings & Merrill as stopping-place for air travelers

MOTEL FOR REGIONAL SHOPPING CENTER 142 Designed by Victor Gruen Associates to be an integral part of a major regional shopping center

DOWNTOWN MOTOR INN FOR CHICAGO 144 Big-city motel near two major arterial highways; architects are Hausner and Macsai

Coming in the Record

MONUMENTAL DESIGN FOR THE PERFORMING ARTS

One of the great architectural challenges of our time—like the program or not—surely is New York's Lincoln Center for the Performing Arts. On this project six of the nation's most respected architects have been working for three years, and the first of the six buildings to be completed, Max Abramovitz' Philharmonic Hall, will open late next month. To mark this event, the Record will feature in its September issue the first comprehensive presentation of the design for Lincoln Center, from the over-all design concept to the designs of the individual buildings, with special attention, of course, to Philharmonic Hall. The issue will include an article by Dr. Leo Beranek on the intensive acoustical studies which played such an important part in the design of the hall.

NEW DESIGN GUIDE ON PATIENT CARE UNITS

Next month's Building Types Study on Hospitals will lead off with a new design guide in the famous U. S. Public Health Service series: this one a review of current practices and developments in the design of patient care units. Hospital projects to be shown include a major renovation of a very large general hospital.

ARCHITECTURAL RECORD (combined with AMERICAN ARCHITECT and ARCHITECTURE), title ® reg. in U. S. Patent office, © copyright 1962 by F. W. Dodge Corporation, a McGraw-Hill Company. All rights reserved including the right to reproduce the contents of this publication either in whole or in part. Quotations on bulk reprints of articles available on request. Indexed in Reader's Guide to Periodical Literature, Art Index, Industrial Arts Index and Engineering Index.

Every effort will be made to return material submitted for possible publication (if accompanied by stamped, addressed envelope), but the editors and the corporation will not be responsible for loss or damage.

SUBSCRIPTIONS: Available only by paid subscription. Publisher reserves the right to refuse non-qualified subscriptions. Subscriptions to Architectural Record solicited only from architects and engineers. Position, firm connection, and type of firm must be indicated on subscription orders forwarded to Circulation Manager, Architectural Record, 119 West 40th Street, New York 18, N. Y. Subscription prices: U. S., U. S. Possessions and Canada: \$5.50 per year; other Western Hemisphere countries, to those who by title are architects and engineers, \$9.00 per year. Single copy price except Mid-May 1962 issue \$2.00; Mid-May 1962 issue \$2.95. Beyond Western Hemisphere, to those who by title are architects and engineers, \$9.00 per year for 12 monthly issues not including Mid-May 1962 issue. Subscriptions from all others outside U.S., U. S. Possessions and Canada for 12 monthly issues, not including Mid-May issue, \$24.00 per year.

CHANGE OF ADDRESS: Subscribers are requested to furnish promptly both old and new address, sending, if possible, stencil impression from magazine wrapper; new postal zone number, if any, should be included. Allow one month for change.

UNCONDITIONAL GUARANTEE: The publisher, upon written request, agrees to refund the part of the subscription price applying to the remaining unfilled portion of the subscription if service is unsatisfactory.

OTHER F. W. DODGE SERVICES: Dodge Reports—Dodge Construction Statistics—Sweet's Catalog Services—Dodge Mailing Service—Home Planners' Digest—The Modern Hospital—The Nation's Schools—College and University Business—Hospital Purchasing File—Chicago Construction News—Daily Pacific Builder (San Francisco)—The Daily Journal (Denver)—Real Estate Record & Builders Guide—Dow Building Cost Calculator.



Audit Bureau of Circulation

Associated Business Publications



Staff of Architectural Record

Emerson Goble, A.I.A.

SENIOR EDITORS
Jeanne M. Davern, Assistant to the Editor
Robert E. Fischer, Engineering
James S. Hornbeck, A.I.A., Features
William Dudley Hunt, Jr., A.I.A.
Elisabeth Kendall Thompson, A.I.A., West

ASSOCIATE EDITORS
Herbert L. Smith, Jr., A.I.A., Houses
Mildred F. Schmertz, Design
Grace M. Anderson
William B. Foxhall
Anne Keffer, Production

ASSISTANT EDITOR Kathryn Gallant

EDITORIAL ASSISTANT Jan Rahm

DESIGN
Eugene H. Hawley, Director
Alex H. Stillano, Associate
Sigman-Ward, Drafting

EDITORIAL CONSULTANTS
Robert Anshen, F.A.I.A.
Edward Larrabee Barnes, A.I.A.
Walter Gropius, F.A.I.A.
Robert F. Hastings, F.A.I.A.
Paul Rudolph, A.I.A.

INDUSTRY CONSULTANTS
Gordon W. McKinley, Economics
Clyde Shute, Statistical
Clifford G. Dunnells, Jr., Field Research
Daniel J. Howe, Jr., Public Relations
Ernest Mickel, Washington

PUBLISHER Robert F. Marshall

EDITORIAL DIRECTOR Robert M. Cunningham, Jr.

PUBLISHING ADVISER H. Judd Payne

CIRCULATION MANAGER Marshall T. Ginn

Officers of F. W. Dodge Corporation

HONORARY CHAIRMAN OF THE BOARD James McV. Breed

CHAIRMAN OF THE BOARD Paul Abbott

PRESIDENT Irving W. Hadsell

EXECUTIVE VICE PRESIDENTS
Julius T. Little, Robert F. Marshall,
T. Oliver Morgan, O. O. Paulsell

EXECUTIVE VICE PRESIDENT AND TREASURER Howard M. Thompson

VICE PRESIDENTS Robert M. Cunningham, Jr., William H. Hatch, Jr., Gordon W. McKinley, Richard H. Ray

REGIONAL VICE PRESIDENTS
George H. Atherton, Miles W. Beatty,
Carl S. Bennett, Robert G. Bingham,
Alton W. Kitchens, Sam L. Marshall, Jr.,
Arthur D. Prior


CONTROLLER Stuart W. McLaughlin

ASSISTANT VICE PRESIDENTS Walter F. DeSaix, Clifford G. Dunnells, Jr., Gault Eastman, Edwin H. Freed, Clyde Shute

SECRETARY John J. Cooke

ASSISTANT SECRETARIES
William C. Breed, Jr., George W. Morgan

ASSISTANT TREASURER Irving B. Satin



CONSTRUCTION SAVINGS are implicit where precast, prestressed concrete is employed—as in the framing for this auditorium of St. Andrew the Apostle Church in Algiers, La. Work goes fast, erection costs are low. The precaster further reduced costs by using 'Incor' 24-hour portland cement for the arches and roof joists. Incor's fast-curing properties permit speedier production, earlier release of forms. OPERATIONAL SAVINGS go on and on. By specifically choosing precast concrete over the alternate material originally considered, St. Andrew's obtained significantly lower fire and wind insurance rates. ¶ The auditorium is framed by seven precast concrete three-hinged arches, placed on 14-ft. centers. They span 79 ft. 8 in., and provide 24-ft. eaves with 30-ft. ridge height. The arches were precast in four elements and prestressed in place by post-tensioning. Roof framing was completed with precast single "T" joists at 8-ft. centers. ¶ Lone Star Portland Cement was used for all other concrete requirements and Lone Star Masonry Cement for masonry work.

SAINT ANDREW THE APOSTLE CHURCH AUDITORIUM, Algiers, La. GENERAL CONTRACTOR: Perilliat-Rickey Construction Co., Inc. 'Incor' Prestressed Elements: Belden Concrete Products, Inc. Architects: Jules K. Delavergne & Associates and John M. Lachin, Jr. Lone Star Ready-Mix Supplier: Jahncke Service, Inc. (All of New Orleans)

AMERICA'S FIRST HIGH EARLY STRENGTH CEMENT



TCOR

LONE STAR CEMENT CORPORATION, NEW YORK 17, N.Y.



This 1/5 ounce fastener holds 2,000 pounds

Either we're frauds, or that's one helluva powerful fastener

It's easy to be skeptical.

Nevertheless, a Ramset #2428 powder-actuated fastener, set in 4,500 p.s.i. concrete, withstands a sheer load of 2,000 pounds, a tension load of 1,800 pounds.

Humbug, you say?

We'll set up any test you want. Anywhere. And we'll bring along the flimsy little fasteners.

We're pretty confident.

First of all, any powder-actuated fastener—with the <u>proper</u>tip shape—forms a compressive bond with concrete.

Secondly, our Ramset fasteners are austempered. Austempering is a special, two-stage, heat treating process. Increases holding power a full ¼ over conventional heat treating methods.

Thirdly, some of our biggest boosters were once outrageously skeptical.

You can take the easy way out and

send for a report by an independent testing lab. Shows the recommended load for each of our fasteners by hardness of concrete and by depth of penetration

Or you can call our bluff on the tests. You really can't lose. Once we've proved our case on holding power, we'll also show you how our little Ramset fasteners cut costs. Just write us on your letterhead.

Ramset WINCHESTER-WESTERN DIVISION Olin 301-H WINCHESTER AVENUE, New Haven 4, Conn.

Better Federal Architecture?

Having taken some vigorous swings at governmental attitudes about architecture, this hardened observer feels constrained to comment more hopefully about the prospects for a change. In a manner of speaking the change has already come about, for the President has given directive status to a statement of principles about Federal architecture which calls for a swing away from what might be called a policy of studied mediocrity. The statement calls for "designs that embody the finest contemporary American architectural thought." That would be cause for cheering even if the realization never came.

What realization will be achieved depends, of course, on a great many individual decisions, many of which will be matters subject to Congressional control. The statement makes it clear that economy in building will be one of the requirements, but does suggest that government should be willing to pay some additional cost to avoid excessive uniformity. In any case there is no suggestion that free spending is in order, or that the finest contemporary American architectural thought will not be held to functional necessities.

At the moment, however, it is the principles that are important. They have been previously reported in these pages, but they are worth repeating exactly as stated:

"1. The policy shall be to provide requisite and adequate facilities in an architectural style and form which is distinguished and which will reflect the dignity, enterprise, vigor, and stability of the American National Government. Major emphasis should be placed on the choice of designs that embody the finest contemporary American architectural thought. Specific attention should be paid to the possibilities of incorporating into such designs qualities which reflect the regional architectural traditions of that part of the Nation in which buildings are located. Where appropriate, fine art should be incorporated in the designs, with emphasis on the work of living American artists. Designs shall adhere to sound construction practice and utilize materials, methods and equipment of proven dependability. Buildings shall be economical to build, operate and maintain, and should be accessible to the handicapped.

"2. The development of an official style must be avoided. Design must flow from the architectural profession to the Government, and not vice versa. The Government should be willing to pay some additional cost to avoid excessive uniformity in design of Federal buildings. Competitions for the design of Federal buildings may be held where appropriate. The advice of distinguished architects ought to, as a rule, be sought prior to the award of important design contracts.

"3. The choice and development of the building site should be considered the first step of the design process. This choice should be made in cooperation with local agencies. Special attention should be paid to the general ensemble of streets and public places of which Federal buildings will form a part. Where possible, buildings should be located so as to permit a generous development of landscape."

I can comment here on only two quotations from the recommendations—"Competitions for the design of Federal buildings may be held where appropriate" and "The advice of distinguished architects ought to, as a rule, be sought prior to the award of important design contracts."

Competitions need no comments, except maybe Hurrah.

The second quotation refers, of course, to the use of the architectural advisory panel in the State Department's foreign buildings program, which seemed to be one of the most effective devices yet seen for making productive the bringing together of top flight architects and governmental assignments.

-Emerson Goble

PRESIDENT NAMES ADVISORY COMMITTEE ON PENNSYLVANIA AVENUE REDEVELOPMENT

Nathaniel A. Owings of San Francisco, one of the founding partners of the architectural firm of Skidmore, Owings and Merrill, heads a tenmember advisory committee appointed last month by President Kennedy to consult with the National Capital Planning Commission on the proposed redevelopment of Pennsylvania Avenue (July, pages 25 et seq.)

Four other architects were named to the committee. They are: Charles Eames of Venice, Calif.; Paul Thiry of Seattle; Minoru Yamasaki of Detroit; and Ralph Walker of New York.

Other members of the committee are: Frederick Gutheim of Washington, D.C., architectural critic, author and planning consultant; Douglas Haskell of New York, editor of Architectural Forum; Dan Kiley of Charlotte, Vt., landscape architect; Daniel P. Moynihan Jr., special assistant to Secretary of Labor Arthur J. Goldberg; and William Walton, painter and adviser to the President.

The committee met for the first

time on July 16 with Mrs. James H. Rowe, chairman of the National Capital Planning Commission, and other Commission members and staff officials. The meeting, which began in the White House, developed into a tour of Pennsylvania Avenue conducted by Mr. Walton and included a visit to the Capitol and lunch with Senator Allen Bible of Nevada, chairman of the Senate Committee on the District of Columbia. Scheduled conferences with President Kennedy and Vice President Lyndon B. Johnson had to be eliminated when bad flying weather delayed the return to Washington of both the President and the Vice President and forced readjustment of their schedules for the day.

The July 16 meeting was intended to be exploratory, a basis for future working sessions of the committee on ways and means to implement the proposal of the President's Ad Hoc Committee on Federal Office Space for a major redevelopment of Pennsylvania Avenue to make it a beautiful and spirited "grand axis" of the

nation's capital and of the nation.

Next meeting of the committee was set for October 15-16, also in Washington; and to that meeting committee members have been asked to come with conceptual ideas for redevelopment of the Avenue: "everybody was to go home and draw," as one non-architect member of the committee put it.

The idea is not that this committee will design a new Pennsylvania Avenue but that it will produce some basic guidelines for the designers: develop the broad outlines of a program for the redevelopment.

The committee will also advise on selection of architects and their associates for the development of the ultimate design. Even before the advisory committee was appointed, there had been discussion in high Administration circles of a national or international competition to encourage the most creative and appropriate design; and the committee will be free to suggest this approach if it sees fit.

SPECIAL STUDY URGES ESTABLISHMENT OF NATIONAL INSTITUTE OF BUILDING RESEARCH

An ad hoc committee of the Building Research Advisory Board appointed at the request of the National Bureau of Standards to advise on the nation's building research needs has recommended the establishment of a National Institute of Building Research to be organized as a unit of the National Bureau of Standards.


The new unit, to incorporate the present building research activities of the Bureau, would undertake the kind of correlated building research which the report says is not done by existing agencies either government or private. A budget of \$2 million is suggested for the first year, and expansion to \$10 million after five years is envisaged.

The report was transmitted in May

to the National Bureau of Standards but made public only last month. The Bureau presented the report to the Secretary of Commerce, who has asked for a staff review headed by Dr. J. Herbert Hollomon, Assistant Secretary for Science and Technology, to be followed by recommendations for Department action. No deadline has been announced, but it is assumed any action would be timed for 1964 budgeting and fiscal 1964 appropriations.

Richard G. Folsom, president of Rensselaer Polytechnic Institute, Troy, N. Y., was chairman of BRAB's Special Committee on a National Program for Building Research, whose members were: A. Allan Bates, director of New York University's

University Valley Campus, Sterling Forest, N.Y.; Peter B. Gordon, vice president of Wolff and Munier, Inc., engineers and contractors, New York; Harold B. Gores, president of Educational Facilities Laboratories Inc., New York; Harry G. Hanson, associate chief for environmental health, U.S. Public Health Service, Washington, D.C.; Haldon A. Leedy, director of Armour Research Foundation, Chicago; Robert F. Leggett, director of the Division of Building Research, National Research Council of Canada, Ottawa; John S. Parkinson, director of general company research, Johns-Manville Corporation, Manville, N.J.; and William H. Scheick, executive director of the American Institute of Architects.






of many ways to use versatile Carrier Commercial Weathermakers

... available in 25, 30, 40 and 50 ton models—water, air or evaporative cooled!


Carrier 41E Weathermakers* are designed for air conditioning large stores, offices and plants. Because they require less floor space per ton of capacity than any other comparable units and because of the flexibility of fan arrangement, they are adaptable for a great number of applications—regardless of a building's age, shape or condition. These Weathermakers may be installed indoors, in-the-space or outdoors.

Each of these heavy-duty models will provide all of the air conditioning functions—cooling, heating, dehumidifying, ventilating, filtering and circulating. Installed as single units or in multiples, they offer the advantages of low installation cost and low operating cost. For information, call your Carrier dealer, listed in the Yellow Pages. Or write Carrier Air Conditioning Company, Syracuse 1, New York.


*Reg. U. S. Pat. Off.




1. Weathermakers can be combined in many ways to fit various situations. Here, large units with short runs of ductwork handle a big manufacturing area, while another unit may handle the factory office space.



2. Where water is scarce or costly, there are Weathermakers that use no water at all. The air-cooled condensers can be located outside—on a roof or on the ground—in a horizontal or vertical position.



3. Another property of the 41E is durability. Galvaneal steel with baked enamel finish provides the ultimate in durability. A weatherproofing kit is available where an outdoor location is desired.



4. A 41E Weathermaker can provide heat in winter, too, by simply adding a special heating coil. Steam or hot water can be used from any source, or a small self-contained boiler can stand alongside the unit.





Elegance on a Budget

The unique beauty of Ludowici special shapes shale flooring tile is now practical for your most budget minded client. Because of greatly increased demand, price reductions have been made on all special shape styles. No difference in quality or texture.

You can now afford the world's most beautiful flooring tile.

Provence, Valencia and Renaissance patterns available in brushed or smooth, in red or fire flashed colors.

For complete information and the name of your nearest distributor write:


FLOORING TILE DIVISION—Dept. R.

LUDOWICI-CELADON CO. ● 75 East Wacker Drive, Chicago 1, Illinois Manufacturers of quarry tile, the nation's largest producer of roofing tile and NAILON Facing Brick


INTERIOR:

Glenn Craft, A.I.A. John C. Murphy, A.I.D. Watson & Boaler

VALENCIA FLOOR TILE by Ludowici-Celadon Co.



For more data, circle 7 on Inquiry Card







Two College Dormitories

Women's Dormitory at Tulane University (Sophie Newcomb College), New Orleans, La., is now under construction. The \$1,000,000 reinforced concrete building was designed by Burk Le Breton and Lamantia, Architects, Inc. It will have eight levels—seven containing 134 double rooms, three apartment suites and a "common" room on each floor. The ground level accommodates lounge and recreation areas

Brandeis University Dormitory, Waltham, Mass., will provide housing for 320 freshmen men and women in separate wings, sharing common dining room and social spaces. The \$2,065,000 building, to be ready for occupancy by September 1963, was designed by The Architects Collaborative. Partner-in-charge, Benjamin Thompson; job captain, Richard White. Materials are brick-bearing walls with brick and concrete slabs and for interior finishes, exposed brick walls





Princeton's Woodrow Wilson School

Minoru Yamasaki designed this building to house the expanded Woodrow Wilson School of Public and International Affairs at Princeton University. Main elements of the 210-ftlong building's exterior façade are 70 functional 27-ft-long columns of quartz-aggregate prestressed concrete. The second story, of rigid structural sandwich-type construction in which certain bearing walls permit the entire structure to be supported by the columns below, has a perimeter façade of precast concrete. The first floor contains a 250-capacity bowl-type auditorium and library; the second, faculty offices. Below ground are four additional bowl rooms, each seating 60. A central lobby passing through the building extends from floor to roof


Washington Plaza Apartments Under Construction in Pittsburgh

To occupy less than one-quarter of a site approximately 10 acres in Pittsburgh's Lower Hill urban redevelopment project, three 23-story towers of reinforced concrete with aluminum and glass exteriors comprise Washington Plaza Apartments. Architects are I. M. Pei & Associates, New York, and Deeter & Ritchey, Pittsburgh. The buildings, the first of which is now under construction and the entire development scheduled for 1966 completion, are being erected by the Zeckendorf Property Corporation, urban redevelopment affiliate of Webb & Knapp, Inc. The project will cost approximately \$20 million. In addition to the towers which will contain a total of about 925 apartments, the development will include three-level underground garage for an approximate 800 cars

Four-Purpose Building in New York

Construction will start next spring on a \$1,800,000 structure which will house a private school, medical center, 12-story apartment house and garage to be built by the progressive City and Country School on an 18,000-sq-ft site. Architects are Stephen Shilowitz and his father Charles Shilowitz who have offices in New York and Japan. They are being assisted by their associate in Tokyo, Koichi Nagasawa. To help cover the cost of developing this unconventional multi-purpose building, the Ford Foundation's Educational Facilities Laboratories made a \$15,000 grant to the school. The lowest level-two and one-half stories below the street-will contain a parking garage and school gymnasium. Above the garage will be a two-level medical center, the lower level below ground, the upper rising a half-story above the street. Roof of the medical center will form a plaza above which the threestory school will be built on exposed posts. Apartment units will occupy a 12-story tower above the school whose roof will be a terrace garden for residents. All four units will have separate entrances







New Theater in Central Park

Delacorte Theater in Central Park, New York, a coordinated effort by the New York Shakespeare Festival, stage designer Eldon Elder and the Department of Parks, was opened in mid-June. The stage, constructed of wood on a concrete base with storage space beneath, has a frontage, in a modified octagon form, of 48 ft and a depth of 45 ft at the center. Wings, each 25 by 16 ft, extend from each side toward the center of the stage. An upper or balcony level, if desired, is transported in and out through wings on wagons. A steel grandstand with wood flooring contains 2,200 seats. Two aluminum light towers connected by a bridge provide illumination for the grandstand and exits. At lower left is the metal building housing dressing rooms. Cost was \$375,000—\$225,000 appropriated by the City, and \$150,000 a gift from the George and Margarita Delacorte Foundation. General contractor was the Bristol Construction Company

NASA's "Shoot-for-Moon" Base

The \$90 million Manned Spacecraft Center, located on a 1,600-acre site for the National Aeronautic and Space Administration near Houston, Tex., will accommodate environmental test facilities for astronauts, test laboratories for the moon capsule, and the world's first simulated lunar landing and departure range for the Apollo moon-shot. Master planned and designed by Charles Luckman Associates, Los Angeles, the project will use Texas architects: Books and Barr; MacKie & Kamrath; Wirtz, Calhoun, Tungate & Jackson; and Harvin C. Moore. Prime management contractor is Brown and Root, Inc. Astronauts will be trained for the mooncraft program in the 12-story, 200,000-sq-ft Flight Project Center



Hertzka & Knowles and Skidmore, Owings and Merrill, associated architects.

250,000 sq. ft. of super-tough Goodyear vinyl flooring cuts maintenance cost for Crown Zellerbach

To cover more than a quarter million sq. ft. in San Francisco's new Crown Zellerbach building, the architect chose Goodyear Vinyl Floor. Today, after three years of heavy foot traffic, the choice looks better than ever.

Goodyear Vinyl can actually pay for itself in maintenance savings! Because it is so tough and wear-resistant, it doesn't require wax. Machine cleaning and regular polishing with a commercial buffer are all it takes to maintain high-luster beauty.

You'll find all these qualities in new economy-priced DeLuxe True Vinyl Flooring by Goodyear. It's homogeneous. The solid vinyl quality—and the pattern—go all the way through.

Available in new multiple marbleized colors. In $\frac{1}{6}$ " gauge for commercial and heavy traffic use and in $\frac{1}{16}$ " for light traffic areas. For specifications, see your nearest Goodyear Floors Distributor, or write: Goodyear, Flooring Dept. S-8110 Akron 16, Ohio.



FLOORING PRODUCTS





Now fluorescents wear jackets to give better light in the cold

Formerly, fluorescent lamps were fair weather friends. Until General Electric engineers outfitted them with glass jackets, people couldn't use unenclosed fluorescent lamps in cool places.

Ordinary fluorescents drop in light output as much as 90% when exposed in the cold, but this new All-Weather fluorescent by General Electric maintains its light even down to 10° below zero. Its

weather-free fluorescent light can benefit parking lots, service canopies, signs, docks, cold storage — anywhere temperature used to cause problems.


General Electric takes lamp leadership seriously. You can often get help in using light more profitably in many different ways by calling your Large Lamp distributor. Or, for help with temperature problems, write General Electric, Nela Park, Cleveland 12, Ohio.

Progress Is Our Most Important Product





For more data, circle 9 on Inquiry Card

Current Trends in Construction



Total contracts include residential, nonresidential, heavy engineering contracts





CONTRACTS BOOM!

WHILE THE ECONOMY as a whole has shown less verve than expected earlier, it's hard to fault the pace of construction contracts thus far this year. In fact, performance has been nothing short of phenomenal, with all major sectors of new construction contributing to a widespread advance over the comparable months of 1961. Through May 1962, total awards amounted to a record \$17.2 billion, up 17 per cent from last year and 13 per cent above the previous five-month high back in 1959.

ON A SEASONALLY ADJUSTED BASIS, this year's contract activity has assumed a pinnacle formation. The Dodge Index (1957-1959=100) rose very sharply from January's 115 to an all-time peak of 131 in March, then slipped back to 117 in May. However, the March Index figure was affected by a bunching of some very large projects. If these had been spread out more over the surrounding months, we would have seen a smoother uptrend. As it was, May's 117 reading still represented a nine per cent gain over the annual average for last year. And the actual dollar figure for total contracts in May climbed over the \$4 billion mark for the first time in history.


THE UPWARD TREND in 1962 contracts stemmed from both private and public construction. But the former contributed more "oomph" to that trend. Specifically, contracts for all privately-owned projects in the January through May period jumped 18 per cent over last year and accounted for 67 per cent of total contract valuation. This is explained mainly by the very strong showing of residential building, commercial building, and industrial plant construction, all predominantly privately-owned, while contracts for school buildings and public buildings were barely above a year ago. Buoying the public sector, however, was a fairly sharp increase in contracts for public works.

OTHER HIGHLIGHTS of the 1962 contract performance to date were as follows:

- The rampage of apartment building, evident throughout 1961, has accelerated this year. Contracts for multi-family housing soared 68 per cent over last year, which represented the biggest dollar increase and the sharpest percentage increase of any individual construction category.
- Making up for weak years from 1958 through 1960, hospital building also advanced smartly this spring (by 36 per cent) on top of a good gain for 1961 as a whole.
- The subject of the month's Building Types Study, hotel and motel building, staged a boom of its own. Contracts for the first five months were valued at almost \$300 million, up 40 per cent from last year.
- The only major construction type to slip badly was "other utility construction" (mainly pipelines, gas plants, and railroad construction) which fell 40 per cent from a year ago.

IT IS PARTICULARLY ENCOURAGING to see this widespread advance in construction contracts when some other business barometers are not faring so well. Whatever is in store for the general economy during the second half, actual construction activity should be a strong point.

EDWARD A. SPRAGUE, Economist F. W. Dodge Corporation A McGraw-Hill Company



Tests prove this easier way to tie composite walls IS BETTER TOO - MUCH BETTER!

Impartial tests, we mean, conducted at a university-affiliated research laboratory. Test techniques were adaptions of standard masonry construction. Conclusions: In comparison with header-tied walls, the Dur-o-wal tie not only makes for easier construction and lower cost-but also provides increased compressive strength, marked improvement in resistance to moisture penetration, comparable transverse strength, comparable mortar bond. Write to nearest address below for new comprehensive Dur-o-wal data file and research reports.

DUR-O-WAL

The Original Masonry Wall Reinforcement with the Truss Design

DUR-O-WAL MANUFACTURING PLANTS

- Cedar Rapids, Iowa, P.O. Box 150 → Baltimore, Md., 4500 E. Lombard St. → Birmingham, Ala., P.O. Box 5446 • Toledo, Ohio, 1678 Norwood Ave. • Pueblo, Colo., 29th and Court St.
- Syracuse, N.Y., P.O. Box 628
- Phoenix, Ariz., P.O. Box 49 Aurora, III., 260 S. Highland Ave. . Seattle, Wash., 3310 Wallingford Ave.

Minneapolis, Minn., 2653 37th Ave. So.
 Hamilton, Ont., Canada, 789 Woodward Ave.

Strength with flexibility-the two basic factors for a repair-free composite wall are assured by Dur-o-wal. Around corners, that is, as well as in the straight stretches. Positive, continuous reinforcement of corners is easy when formed on the job even easier with prefabricated Dur-o-wal corners such as shown in this picture.

Construction Cost Indexes

Presented by Clyde Shute, Director of Statistical Policy, Construction News Div., F. W. Dodge Corp., from data compiled by E. H. Boeckh & Assoc. Inc.

Labor and Materials: U.S. average 1926-1929=100

NEW YORK

ATLANTA

	î		APTS., HOTELS,	COMMERCIAL AND		1		APTS., HOTELS COMMERCIAL AND		
	RESIDENTIAL		OFFICE BLDGS.	FACTORY BLDGS.		RESIDENTIAL		OFFICE BLDGS.	FACTORY	
			Brick	Brick	Brick			Brick	Brick	Brick
			and	and	and			and	and	and
PERIOD	Brick	Frame	Concrete	Concrete	Steel	Brick	Fram•	Concrete	Concrete	Steel
1935	93.8	91.3	104.7	108.5	105.5	72.3	67.9	84.0	87.1	85.1
1939	123.5	122.4	130.7	133.4	130.1	86.3	83.1	95.1	97.4	94.7
1949	243.7	240.8	242.8	246.6	240.0	189.3	189.9	180.6	180.8	177.5
1950	256.2	254.5	249.5	251.5	248.0	194.3	196.2	185.4	183.7	185.0
1951	273.2	271.3	263.7	274.9	271.8	212.8	214.6	204.2	202.8	205.0
1952	278.2	274.8	271.9	265.2	262.2	218.8	221.0	212.8	210.1	214.3
1953	281.3	277.2	281.0	286.0	282.0	223.0	224.6	221.3	221.8	223.0
1954	285.0	278.2	293.0	300.6	295.4	219.6	219.1	233.5	225.2	225.4
1955	293.1	286.0	300.0	308.3	302.4	225.3	225.1	229.0	231.5	231.8
1956	310.8	302.2	320.1	328.6	324.5	237.2	235.7	241.7	244.4	246.4
1957	318.5	308.3	333.1	345.2	339.8	241.2	239.0	248.7	252.1	254.7
1958	328.0	315.1	348.6	365.4	357.3	243.9	239.8	255.7	261.9	262.0
1959	342.7	329.0	367.7	386.8	374.1	252.2	247.7	266.1	272.7	273.1
1960	351.6	337.2	377.7	395.8	380.6	259.2	253.3	274.7	282.5	278.8
1961	362.5	343.0	398.2	422.4	397.0	256.7	249.7	275.8	284.5	275.8
March 1962	367.1	344.6	410.2	436.9	409.2	259.9	252.9	279.7	288.9	278.0
April 1962	369.0	346.8	411.0	437.5	410.0	261.3	254.7	280.0	289.1	278.4
May 1962	369.0	346.8	411.0	437.5	410.0	261.3	254.7	280.0	289.1	278.4
	% increase over 1939					% increase over 1939				
May 1962	198.8	183.3	214.5	228.0	215.1	202.8	206.5	194.4	196.8	194.0

ST. LOUIS

SAN FRANCISCO

	•	-								
1935	95.1	90.1	104.1	108.3	105.4	89.5	84.5	96.4	103.7	99.7
1939	110.2	107.0	118.7	119.8	119.0	105.6	99.3	117.4	121.9	116.5
1949	221.4	220.7	212.8	215.7	213.6	213.0	207.1	214.0	219.8	216.1
1950	232.8	230.7	221.9	225.3	222.8	227.0	223.1	222.4	224.5	222.6
1951	252.0	248.3	238.5	240.9	239.0	245.2	240.4	239.6	243.1	243.1
1952	259.1	253.2	249.7	255.0	249.6	250.2	245.0	245.6	248.7	249.6
1953	263.4	256.4	259.0	267.0	259.2	255.2	257.2	256.6	261.0	259.7
1954	266.6	260.2	263.7	273.3	266.2	257.4	249.2	264.1	272.5	267.2
1955	273.3	266.5	272.2	281.3	276.5	268.0	259.0	275.0	284.4	279.6
1956	288.7	280.3	287.9	299.2	293.3	279.0	270.0	288.9	298.6	295.8
1957	292.0	283.4	295.2	307.1	302.9	286.3	274.4	302.9	315.2	310.7
1958	297.0	278.9	304.9	318.4	313.8	289.8	274.9	311.5	326.7	320.8
1959	305.4	296.4	315.0	329.8	323.9	299.2	284.4	322.7	338.1	330.1
1960	311.4	301.0	322.2	337.2	329.2	305.5	288.9	335.3	352.2	342.3
1961	315.1	302.0	329.0	346.8	332.2	308.7	290.2	345.1	362.9	350.2
March 1962	319.6	305.1	337.2	356.5	338.3	310.8	291.4	350.4	368.2	354.0
April 1962	320.8	306.3	338.7	357.7	339.5	313.2	294.2	352.0	369.4	355.4
May 1962	323.6	308.9	342.4	361.9	343.3	313.7	294.4	352.7	370.7	356.1
		9/	increase over	% increase over 1939						
May 1962	193.6	188.7	188.4	202.1	188.5	197.1	196.5	200.4	204.1	205.7

Cost comparisons, as percentage differences, for any particular type of construction, are possible between localities, or periods of time within the same city, by dividing the difference between the two index numbers by one of them; i.e.:

index for city A=110 index for city B=95 (both indexes must be for the same type of construction).

Then: costs in A are approximately 16 per cent higher than in B.


$$\frac{110 - 95}{95} = 0.158$$

Conversely: costs in B are approximately 14 per cent lower than in A.

$$\frac{110 - 95}{110} = 0.136$$

Cost comparisons cannot be made between different types of construction because the index numbers for each type relate to a different U. S. average for 1926-29.

Material prices and wage rates used in the current indexes make no allowance for payments in excess of published list prices, thus indexes reflect minimum costs and not necessarily actual costs.



BORDEN ARCHITECTURAL DECOR PANELS

Now Borden brings a new building component to the architect—durable light-weight aluminum panels which can be custom-styled in an infinite variety of forms and designs. For example, the extruded type shown here can be had with design punchings of squares, circles, ovals or combinations of curves and straight lines.

The new Architectural Decor Panels by Borden are an extremely flexible medium, allowing the architect a rare freedom of expression in designing facades to blend with the nature of the building, its setting, and the preferences of his client. The dramatic effects achieved with

this new material are being discovered daily; additionally, these panels are unexcelled for sturdiness, economy, ease of handling and installation, and ventilation.

Not limited to facades, the Borden Architectural Decor Panels are used as interior partitions, grilles, window guards, stair rails, doors, entryways, sunshades, and are especially adaptable in the refacing of existing buildings.


Write today for our folder on Borden Architectural Decor Panels.

another fine product line of

BC DE METAL PRODUCTS CO.

MAIN OFFICE: 822 GREEN LANE, ELIZABETH, NEW JERSEY • Elizabeth 2-6410
PLANTS AT: LEEDS, ALABAMA; UNION, NEW JERSEY; CONROE, TEXAS

For more data, circle 11 on Inquiry Card



Moisture constantly seeks a point of access into every type of construction. It will never find weak spots if you have the right flashing in all the right places.

WASCO flashing, properly installed, is permanent insurance against water damage. Yet the cost of this complete WASCO protection is

generally less than 1/20 of 1% of total construction investment. ■ Only WASCO makes every kind of thru-wall and spandrel flashing you need to keep water out — from parapet to



foundation. You can specify 14 types of flashings including copper-fabric, copper-asphalt, copper-lead, fabric, plastic and aluminum. For exceptional flashing problems, you are invited to consult WASCO'S Engineering staff. For full product details, see Sweet's Architectural File 8g/Wa.

BUILDING PRODUCTS DIVISION

CYANAMIA

5 BAY STATE ROAD, CAMBRIDGE 38, MASS.



"Six-fifty for dinner, but the darn thing revolves!"

DESIGN CHARTER FOR URBAN RENEWAL: SLAYTON URGES NEW EMPHASIS ON DESIGN AND OUTLINES IDEAS FOR ACHIEVING IT

The administrator as client has the responsibility for encouraging or discouraging good urban design and the decisions he makes will shape our cities for decades to come, Commissioner William L. Slayton told ast month's annual Conference on Urban Renewal of the National Association of Housing and Redevelopment Officials. The conference was neld at the School of Architecture and Allied Arts of the University of Oregon, Eugene, Ore.

In a speech which amounted to a charter for design in the urban renewal program, Mr. Slayton discussed five aspects of the administrator's role in encouraging good urban design. They were: (1) design guidance in plan preparation; (2) design emphasis in renewal plans; (3) design-oriented disposition; (4) design guidance in redeveloper selection and review of plans; and (5) experimental design approach.

Designing the Program

Mr. Slayton believes that too little

attention has been paid to urban design in preparing of renewal plans:

"We have all too frequently approached the plan from a zoning ordinance concept and created two-dimensional rather than three-dimensional concepts. We have been so concerned with designating particular land uses, being sure that we had the proper width and alignment of streets, and with showing the proper percentage of open space, etc., that we have failed to look at the renewal plan as a three-dimensional design."


Even at the point of the earliest public decisions relating to a project, Mr. Slayton emphasized, design guidance should be sought: "The designer can see new potentials, new possibilities, and may well be able to propose some new developmental concepts that can enrich the initial basic determinants of the city. Here is the opportunity for early client-designer relationship in establishing a program. As client you should feel it is essential to obtain this kind of design guidance at the outset rather

than presenting the urban designer with a *fait accompli*—a plan already prepared—within which framework the urban designer must create."


Designing the Plan

In the redevelopment plan itself, more emphasis on design is urgently needed, Mr. Slayton declared. "Most of our renewal plans have been created on the false foundation of the zoning approach. . . . Urban renewal starts with a clean slate—with the removal of the restrictive elements of present city structure—and we tend to re-introduce through zoning and other standard restrictions a set of limitations intended for and presuming rebuilding to the same basic standard. The result is a reproduction of the kind of urban development to which we have all become much too accustomed, and the creation of the "sameness" that is now criticized so vigorously.

"I have long hoped that we could jettison the zoning-type controls that continued on page 26



look what's happening in Hartford!



America's first gas utility central cooling and heating plant—with Carrier gas air conditioning. For Hartford's new Constitution Plaza. This 12-acre complex includes three office buildings, a broadcast center, a retail shopping area, a 315-room hotel, an 1800-car underground garage. Chilled water for air conditioning will be supplied by steam-powered Carrier Refrigeration equipment with a cooling capacity of 6500 tons, with future expansion planned to meet growing needs of other downtown Hartford businesses. For more exciting new developments in gas cooling call your Gas Company. Or write Carrier Air Conditioning Company, Syracuse 1, New York. For heating & cooling... Gas is good business

AMERICAN GAS ASSOCIATION

Design Charter for Urban Renewal

continued from page 23

were so exciting in the Twenties and which, if not modified, produce sterility for urban renewal. I would like to substitute what I call design objectives. I must admit that I cannot be too specific in defining the controls or approaches that such design objectives would establish. Naturally, they would differ from area to area and from designer to designer. I would hope, however, that these design objectives would establish a certain character such as the relationship between buildings, the organization of the area and the character of the structures. These would somehow be set forth in the renewal plan. For instance, a design objective might be a street with a particular façade or a common cornice line. Or another design objective could be the sprinkling of a neighborhood with neighborhood convenience shops. The plan need not designate specific uses but could indicate the amount and character of commercial uses to be intermixed with the residential area."

Disposition and Design Quality

Although URA policy permits various disposition methods, Mr. Slayton said he feels "we should emphasize

disposition arrangements that look to the quality of the design rather than to the highest reuse value." Mr. Slayton saw evidence of increasing interest in design as the criterion in the selection of redevelopers, both in negotiated procedures and in the recent series of design competitions, a device "handled most successfully, I believe, in recent Southwest Washington dispositions."

For proper design guidance in redeveloper selection and plan review, Mr. Slayton emphasized that it is important for the city to have a designer as consultant, or on its staff, to assist it in the preparation of design criteria for disposition documents, to assist the redevelopment agency in reviewing plans submitted and in dealing with the redeveloper's architect.

Plea for Experiment

Mr. Slayton's most urgent criticism of the design of urban areas is "the unwillingness to experiment."

"Those who would insist that we build only that which has been market-tested," he said, "would put us into the position of continuing the present environment and not offering the urban inhabitant any alternative to what he now has. Our great opportunity in urban renewal is to produce a different kind of urban living, a new kind of urban pattern new kinds of urban associations, new ways of living."

-And a Call for Beauty

Finally, Mr. Slayton urged administrators not to overlook "what is a essential element of urban designnamely, beauty."

"Design itself should be beautiful, Mr. Slayton said, "but we should no ignore the amenities, the art, the street furniture, all of the individual elements of the design, and we should make sure that they are beautiful as well as functional. We should loo for graceful light standards, or perhaps a new form of fire hydrant, for a pleasingly designed iron fence, for a texture in our walks, or those touches that can bring richness an pleasure to the urban scene.

"What we build," Mr. Slayton corcluded, "will last for a long, lon time. We should be sure not only the we build it well, but that we creat in the process both beauty and function—beauty to raise one's spir and function to provide a delightfurban environment."

R.A.I.C. STUDIES ARCHITECT'S EDUCATION

Architectural education was the theme of the 55th Annual Royal Architectural Institute of Canada Assembly, held in Vancouver, May 30 to June 2.

In the keynote address, Sir William Holford, R.I.B.A. president, said today's architectural practice having reached the stage of full professional responsibility meant the need for a more professional attitude to architectural education.

On the subject of expanded services from the architect, both by training and practice, he said, "We are inclining more and more to the view that we should make two parallel moves in the same direction . . . expose all design professions during their training to the techniques and aims and disciplines of work of the associated arts and social sciences, not so much as specialisms but as methods of thought and approach . . ." and ". . . to shape a form of training for the general architectur-

al student at postgraduate level which will equip him to work collaboratively in the field of town design, but will leave his major training discipline as architectural design."

Dean G. Holmes Perkins, F.A.I.A., School of Fine Arts, University of Pennsylvania, addressing seminar members, said, "The change in architectural education which we anticipate lies not in any change in the basic creative orientation of the profession but in the expanded areas of service where he will be expected to exercise design leadership. . . . All contributing to the design of the urban environment should be educated by a single faculty embracing all the needed skills. Under such a designoriented faculty the planner, the architect, the landscape architect, the artist, and those structural and mechanical engineers concerned with buildings can receive a sounder and more mutually rewarding education."

New Officers and Fellows

Members of the Executive Committee are: John L. Davies, president; Dr. F. Bruce Brown, vice-president; R. C. Betts, hon. secretary C. A. E. Fowler, hon. treasurer Harland Steele, past president James Searle; F. J. Nobbs; G. E. Wilson; James Strutt; Gerar Venne; and Gordon Arnott.

New R.A.I.C. Fellows are: M. F Allen; P. T. M. Barott; C. D. Camp bell; L. V. Gallaher; Professor W Gerson, University of B.C.; F. M Polson; and J. W. Strutt. Sir Wil liam Holford and Professor H. Ing ham Ashworth, president, Roya Australian Institute of Architects were awarded honorary fellowships Prof. G. Holmes Perkins and Tora Saito, Tokyo architect, director o This Is Japan, were granted hono corresponding membership rarv Earl Morgan, Ontario Association o Architects president, is dean of th College of Fellows.

ARCHITECTURAL RECORD

$We stern \ Section^{\circ}$

including Western Architect and Engineer

WESTERN SECTION EDITOR: Elisabeth Kendall Thompson, A.I.A.

2877 Shasta Road, Berkeley 8, California

For Shell-Conscious Architects and Engineers

World conferences on specialized subjects of as much interest to architects as to engineers—and vice versa—don't happen every day. But one such will take place in San Francisco at the end of September.

This is the World Conference on Shell Structures, a gathering together of all persons and groups interested in the design, construction and theory of shells. Presented by the University of California's University Extension, the Building Research Advisory Board of the National Academy of Sciences-National Research Council, and the International Association for Shell Structures, the conference has already attracted the attention of architects and engineers in 53 countries, and pre-registration indicates an unprecedented degree of interest even before announcement of the full program.

The conference might well be dedicated—for more than one reason—to the memory of the late Eduardo Torroja, Spanish engineer who was a pioneer in designing and using shell structures and one of the world's great engineers. One of the last errands he undertook was to lay the groundwork for this conference. And one of the last things he did was to lend his support, after assaying possible locations for the conference, to the invitation of a group of engineers (and architects) to hold it in San Francisco.

To Torroja, this conference had special meaning—as it should to all in the field of building who are concerned with the effect as well as the process of using their professional abilities. Architects who heard Torroja speak at the California Council, A.I.A., convention in 1960 will remember his comment on the increasing use of shell structures and his concern for the effect of these plastic forms on the cities where men live. Will they be strange, esoteric, unwilling parts of the environment for living, he asked, or will they be responsive to that environment, in outward form, in interior spaces, in technological convenience?

This is the problem of the designer, whether architect or engineer. In the realm of shells, neither can do without the other. It was this that Torroja recognized; it was this that he sought to bring into focus. And it is this that has underlain all the thinking and planning and programming of this World Conference on Shell Structures.

It would have pleased Torroja to know that the program begins with discussion of the architectural concerns of shells—the problems and the philosophy of their use, and that this interest in the form of shells is a continuing thread through the many facets developed in the succeeding sessions.


Here is that rare thing, a chance for architects and engineers to consider *objectively* a subject of great mutual interest and concern, without the subjective problems they encounter when professionally involved on a job.

California architects have another opportunity: to attend both the Shell Conference and the annual C.C.A.I.A. convention at Monterey. The programs will be completely different in content, but in over-all effect, they will be unusually complementary. Like architecture and engineering, they are mutually important.


E.K.T.

32-1





Truck entrance at Jerrold Avenue



Trucks deliver direct to apron height dock at stalls




Uniform design for stalls

S.F. PRODUCE MARKET MOVE HASTENED BY REDEVELOPMENT START

For 35 years San Franciscans have dreamed of a clean new produce market to replace the rundown, unsanitary—but highly picturesque—market in the downtown area. But until the Golden Gateway redevelopment project gained momentum there was little real hope of relocating the market. With Gateway construction scheduled to start the end of August, time has finally run out for the old market, especially for the three blocks of the project's first phase which merchants have vacated for temporary quarters in nearby blocks. Meantime, two proposals for new markets are in the news: one is the city's proposal for a site at Islais Creek in the southeastern part of the city which it bought two years ago and to which all the merchants agreed to move; the other is the "rebel" proposal of several large firms for a site outside city limits, in South San Francisco. The city's original scheme, shown here, for Islais provided for all the merchants. A new, smaller version, retaining the original character, is now under consideration. Architects and engineers for proposed design; Welton Becket & Associates; urban design consultant, Lawrence Lackey; structural and civil engineers, Chin and Hensolt; mechanical engineering, Eagleson Engineers; soils and foundations, Dames and Moore

FRENCH ARTIST WINS GATEWAY ART CONTEST

A bronze and granite "water garden" is the winning submission in the international competition for a major work of art to be placed in Sidney Walton Park, the block-sized park in San Francisco's Golden Gateway redevelopment project. The sculptor for the fountain is François Stahly, well-known in his native France and other parts of Europe, in the Pacific Northwest where a fountain of his design adorns the Seattle Fair, and in Fontana, Calif., where the civic fountain he designed was recently completed. Chosen over four other semifinalists' entries (by Robert Howard, San Francisco; Jeremy Anderson, Mill Valley; Theodore Roszak and Seymour Lipton, New York City), Stahly's fountain was conceived, he says, as something "to be viewed from above—as from the platform in the park, or the apartment buildings—and in perspective, especially along the important north-south orientation." A phase time-switch will provide changing effects: in the high phase, the sculptured bronze elements will be completely veiled and will seem to "soar through the jets of water, and the labyrinth of stones will be submerged; in the low phrase, "water will trickle down the sculptured shapes, creating an impression of movement, and the stones will be progressively revealed as water drains from them." The \$50,000 fountain is part of Gateway developers Perini-San Francisco Associates' program for beautifying the project, slated to start construction late this month.



Moulin Studios





Stahly's fountain will be placed in open area at foot of north stairway (left, in model photo) leading, via intermediate platform, from elevated plazas to park




THE A.I.A. HOSPITALITY AND INFORMA-TION CENTER at the Seattle World's Fair is a project of the Seattle chapter, A.I.A.; designed, staffed and financed by the chapter. The pavilion's purpose—to tell the public about architecture and architects, with emphasis on regional aspects, through tours and information about the Fair and free leaflets on A.I.A. standards and program, and to offer visiting architects hospitality and a chance to meet local architects-benefits all architects throughout the country. Proposed in March of this year, the pavilion was an actuality by May 25 when it was opened. On June 3, Architects' Day at the Fair, it was focal point for visiting presidents of architectural organizations of the U.S., Britain, Australia and Canada. The yellow and white canvas roofs of the pole structure, located in a court on the north side of the Coliseum, inevitably attract attention. Victor Steinbrueck was architect, and worked with a chapter building committee of which A. O. Bumgardner was chairman, and Aaron Freed, Ibsen Nelson and David McKinley were members. S. Ivarsson was structural engineer. John Sellen Construction Company was the contractor.


TWO SMALL PAVILIONS ARE SEATTLE FAIR HITS





THE ALL-WOOD STATE OF OREGON IN-FORMATION CENTER at the Seattle World's Fair is one of the fair's unexpected pleasures. Designed for the Oregon State Highway Association by Armin Richter & Associates (with Robert Bosworth, designer; Eugene Bennett, sculptor; and Marcel Le Piniec, landscape designer, of Medford; and George Schenk, landscape designer, of Seattle), the pavilion is a peaceful retreat from the Fair's hurly-burly, providing not only respite from noise and crowds but a place to rest weary feet and to enjoy an unusually soft "sell" on Oregon's attractions—especially the natural scenic beauty of its forests and seacoasts. Exterior siding is rough-sawn redwood; interior paneling is redwood.



WESTERN SECTION











CHANNEL-SHAPED PANELS ACT STRUCTURALLY AND DECORATIVELY

The handsome modeling on the four identical façades of this medical building in the Hillcrest district of San Diego is achieved through the use of channel-shaped precast concrete panels which alternate with story-height window openings glazed at the wall line and screened with anodized aluminum grilles at the outer edge of the channel legs. The channels. welded to perimeter beams at each floor, are also an integral part of the building's structural system, carrying lateral loads to the prestressed floor beams which transmit them to the centrally-located service core where they are picked up by columns. All interior rental space is column-free. The flexibility which this allows is facilitated by the "quadrant" layout of services giving each quadrant of each floor its own service hookup. Entrance to the building is by bridge over a moat. Offstreet parking is provided at the rear of the building. Deems-Martin Associates, Ward W. Deems, architect: Blaylock and Deardorff, structural engineers; Randolph, Johnson & Miller, mechanical and electrical engineers; Wimmer and Yamada, landscape architects





EXPANDING FACILITIES: Three new buildings are under construction at Stanford Industrial Park, Palo Alto, Calif., to increase the administration and research facilities at Vidya, Inc., and Palo Alto Itek, two divisions of the Itek Corporation. Scheduled for completion this summer, the buildings will cost over \$1 million. Architects: Janssen-Dazeking & Keller





BOWLING CENTER: This 24-lane bowling center at Newhall, Calif., north of Los Angeles, is the second unit in a million-dollar project that will eventually include a number of stores and a service station. Bar, lounge, coffee shop and banquet room are adjuncts of the bowling center. Architect: David Jacobson Jr.; general contractor: Ernest W. Hahn, Inc.



BRANCH LIBRARY: Clerestories to admit natural light in the main reading room and outdoor reading terraces are features of the new \$125,800 branch library for West Hollywood Park, Calif. Exterior walls are brick; wood slat screens on either side of the entrance shield reading room from street. Architect: Edward H. Fickett



STANDS FOR HONOLULU'S LEI SELLERS: Long a sight on Kalakaua Avenue in Honolulu, lei sellers and bead vendors displayed their wares on card tables on the sidewalk or open doors of jalopies until the City Council ordered them to relocate on other than city property. Bead vendors were less fortunate than lei sellers. A committee of business men in the vicinity arranged for design and construction of these thatch-roofed stands, wired for electricity and with space for a refrigerator, at four off-street locations on the avenue where the lei sellers are now happily settled at a \$1 annual rental. Architects: Wimberly and Cook



office tower and financial center: Irvine Tower, designed as a center of business, professional and financial activity in the coastal area south of Los Angeles, will be a focal point in the 550-acre Newport Center development on the Irvine Ranch property. The building's first two stories will be open on all sides, forming a covered plaza. Wide steps leading up to the plaza, a paved promenade between the tower and the Avenida, and reflection pools and orange groves will form a handsome setting for the building. Architects: William L. Pereira and Associates




Noise Like This

is hardly a whisper thanks to Quiet-Zone Pabcowall

Listen — — What's going on in the next room? It's almost impossible to tell when the space is divided by Quiet-Zone Pabcowall. ● Quiet-Zone 51, fire-rated for two hours, reduces sound transmission by as much as 51 decibels. Ideal for medical consultation rooms, corridor walls, music practice rooms, conference rooms and other areas requiring strict privacy. ● Quiet-Zone 47 reduces sound transmission by as much as 47 decibels. It's designed for use in apartments, offices and the like. Fire-rated for one hour. ● Quiet-Zone has all the practical features of regular Pabcowall; it's strong, economical and easily erected. Pabcowall requires no studs — stocking and handling are easier and less costly. ● For further technical information, write Department B Pabco Gypsum Division, Fibreboard Paper Products Corp., 475 Brannan St., San Francisco, Calif.



For more data, circle 200 on Inquiry Card



Up Fast! Spandrels Of New Panelized Ceramic Veneer

A new, faster type of spandrel construction, by Gladding, McBean & Co., was employed by architects J. N. MacCammon & Theodore H. Damm, A.I.A., for Seattle's recently completed Municipal Office Building. By using the new technique, both construction time and weight were substantially reduced, while obtaining the advantages of GMcB Ceramic Veneer facing: freedom from staining and efflorescence, minimum maintenance, wide choice of colors and many available textures.


Lightweight Panels, CV-Faced Spandrel panels were formed off the job. Gray-blue triple spot GMcB Ceramic Veneer, with a pronounced vertically ribbed design, was laid face down in special molds, then backed with reinforced concrete in which were

cast angle irons and stud bolts for attaching panels to bearing surfaces.

Panels were designed to provide adequate strength while minimizing weight. (The depressed areas seen in the picture were filled with expanded polystyrene.) This in turn permitted a reduction in the size of bearing wall members. Also seen

in the picture are the angle irons (near panel center) to which stud bolts in the sill's upper side were fastened.

Quickly Bolted In Place Installation required merely hoisting a panel into position and bolting it in place. The angle irons previously mentioned secured panel centers to sill tops. With other angle



irons—here pictured—stud bolts near the bottom of the panels were secured to stud bolts in sill bottoms. Installation thus was fast, firm, and effective.


Facing Finished Faster Over 28,000 sq. ft. of facing was installed in record time with a minimum crew. Mr. R. B. Miles, superintendent for general contractors Patti-MacDonald-Mybur, Inc., reports that "this 'panel construction' was an important factor in enabling us to close in the building much faster than normally is possible."




For engineering and other data regarding this new construction method, see your GMcB Architectural Products representative. Or write Architectural Products Division; Gladding, McBean & Co., Los Angeles 39, Calif.









WESTERN CONSTRUCTION TRENDS

(For analysis of construction trends nationwide, see page 18).

Construction in the West by the near midyear mark has roughly paralleled the national experience (reported on page 18). The one major difference has been a decline in Western heavy engineering contracts in contrast to a fairly sharp gain in this sector for the country as a whole.

Total contracts awarded during the first five months of 1962 in the 11 Western states amounted to \$3,-920,054,000, up 10 per cent from the like 1961 period. This was a particularly good performance because it occurred on top of substantial gains in early 1961 over 1960.


As in the national summary, the building classifications contributed heavily to the over-all increase in the West this year. Residential building contracts jumped 23 per cent over year-earlier levels to a record \$1,987,-818,000, while nonresidential building contracts were valued at \$1,081,-918,000, up nine per cent. Heavy engineering contracts, at \$850,318,000, dropped 12 per cent, mainly because of some very large pipeline projects contracted for in early 1961.


Some highlights of individual category performances in the West for the January through May period were as follows:


contracts building Apartment soared over the half billion dollar mark, 63 per cent above a year ago. The specific figure of \$505,346,000 made this category the second largest individual construction type in the West. Multi-family housing is still far below single-family housing in dollar volume of contracts, but the former accounted for a remarkable 39 per cent of all new dwelling units contracted for in the first five months.

- Although its gains have not been nearly as spectacular as apartment building, single-family housing is staging a comeback this year with a 12 per cent increase in dollar commitments to \$1,340,712,000.
- Manufacturing building also reversed a weak start last year. Contracts for new plant construction amounted to \$149,239,000, up 20 per cent from 1961.
- The sharpest percentage gain of any major building type was registered by hospital construction, up 122 per cent to \$101,002,000. Some large projects in California and Colorado helped boost hospital contracts to this high level.

EDWARD A. SPRAGUE, EconomistF. W. Dodge Corporation A McGraw-Hill Company







ARCHITECTURAL RECORD August 1962

Estimator's Guide: SEATTLE AND THE NORTHWEST

The Estimator's Guide alternates monthly among four Western areas. The prices below are compiled from average quotations received by LeRoy Construction Services for commercial work of approximately \$100,000-\$250,000 total value. Except as otherwise noted, prices are for work installed including all labor, material, taxes, overhead and subcontractors' profit. Material prices include local delivery except as noted, but no state or local taxes.

EXCAVATION	8 x 8 x 16"	V2" thick
MACHINE WORK IN COMMON GROUND	12 x 8 x 16"	ALUMINUM INSULATION 35# Kraft paper with alum. foil
Large basement	AGGREGATE	1 side only 24.00
Small pits	Idealite	2 sides 30.00 GYPSUM WALLBOARD
HAND WORK IN COMMON GROUND		3/8" thick 57.00
Large pits & trenches	BRICKWORK & MASONRY	1/2" thick
Hard clay or shale, 2 times above rates	COMMON BRICKWORK, REINFORCED	HARDBOARDS-WOOD FIBER
Shoring, bracing & disposal of water not included	8" walls	1/8" thick, sheathing
SEWIED DIDE MATERIALS	SELECT COMMON, REINFORCED	1/4" thick, sheathing100.00
SEWER PIPE MATERIALS	8" walls	1/6" thick, tempered
VITRIFIED Standard 4"LF .31	CONCRETE BLOCK, REINFORCED	1/4" thick, tempered
Standard 6"LF .58	6" walls	Ve" flat sheets
Standard 8" LF .81 Standard 12" LF 1.76	12" wallsSF 1.80	3/16" flat sheets
Standard 24"LF 6.95	BRICK VENEER 4" Select Common	1/4" flat sheets
CLAY DRAIN PIPE Standard 6"LF .34	4" RomanSF 1.70	DOLICH CARRELITY
Standard 8"LF .59	4" NormanSF 1.50	ROUGH CARPENTRY
Rate for 100 LF FOB Warehouse	BUILDING PAPERS & FELTS	FRAMING Floors
COLLEGE A LABORET	BUILDING PAPER	WallsBM .3035
CONCRETE & AGGREGATES	1 ply per 1,000-ft roll	Ceilings BM .2833 Roofs BM .2732
GRAVEL, all sizesTON 3.75	2 ply per 1,000-ft roll	Furring & blockingBM .3252
TOP SAND	Sisalkraft, reinforced, 500-ft roll9.50	Bolted framing, Add 50% SHEATHING
CRUSHED ROCK	SHEATHING PAPERS Asphalt sheathing, 15-lb roll	1 x 8" straight
1/4" to 3/4"	30-lb roll3.80	1 x 8" diagonal
ROOFING GRAVELTON 4.10	Dampcourse, 216-ft roll	5%" plywood CCSF .2631
SAND (#1 & 2)TON 5.00 CEMENT	Deadening felt, 3/4-lb, 50-ft roll	SIDING 1 x 8" bevel
Common, all brands (paper sacks)	Deadening felt, 1-lb, 50-ft roll	1 x 8" bevel BM .4048 1 x 4" V-rustic BM .4552
Small quantitiesper sack 1.40 Large quantitiesper bll 4.45	30-lb 216 SF2.45	
Atlas Whiteper sack 3.70	ROOFING PAPERS Standard Grade, smooth surface	MILLWORK
Concrete Mix 6 sacks in 5-yd loadsper yd 15.50	108-ft roll, Light, 45-lb2.20	All Prices FOB Mill
CURING COMPOUND	Medium, 55-lb2.50 Heavy, 65-lb2.90	DF CLEAR, AIR DRIED MBM S4S
Clear, 5-gal drumsper gal 1.45	Mineral surfaced3.50	DF CLEAR, KILN DRIED
STEEL MATERIALS	HIMDER	S4S
STEEL MATERIALS	LUMBER	Residential entrance
CHEETC	BAHALAS	
SHEETS Hot rolledLB .11	DOUGLAS FIR Construction 2x4—2x10MBM 94.00-102.00	Interior room entrance
Hot rolled LB .11 Cold rolled LB .12	Construction 2x4—2x10MBM 94.00-102.00 Standard 2x4—2x10MBM 90.00- 96.00	Interior room entrance
Hot rolled	Construction 2x4-2x10MBM 94.00-102.00	Interior room entrance
Hot rolled	Construction 2x4—2x10 MBM 94.00-102.00 Standard 2x4—2x10 MBM 90.00- 96.00 Utility 2x4—2x10 MBM 75.00- 82.00 Economy 2x4—2x10 MBM 57.00- 68.00 Clear, air dried MBM 198.00-231.00	Interior room entrance
Hot rolled	Construction 2x4-2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10 MBM 94.00-102.00 Standard 2x4—2x10 MBM 90.00- 96.00 Utility 2x4—2x10 MBM 75.00- 82.00 Economy 2x4—2x10 MBM 57.00- 68.00 Clear, air dried MBM 198.00-231.00 Clear, kiln dried MBM 231.00-264.00 REDWOOD	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10 MBM 94.00-102.00	Interior room entrance
Hot rolled	Construction 2x4—2x10 MBM 94.00-102.00	Interior room entrance
Hot rolled LB	Construction 2x4—2x10 MBM 94.00-102.00	Interior room entrance
Hot rolled	Construction 2x4—2x10 MBM 94.00-102.00	Interior room entrance
Hot rolled	Construction 2x4—2x10 MBM 94.00-102.00	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance
Hot rolled	Construction 2x4—2x10	Interior room entrance

DAMPPROOFING & WATERPROOFING	LATH & PLASTER MATERIALS	GLASS & GLAZING
MEMBRANE SO 10.00	METAL LATH Diamond 3.4# copper-bearingSY .57	SSB Clear
1 layer 50# felt	Ribbed 3.4# copper-bearingSY .62	CrystalSF .95
Hot coat wallsSQ 9.00	ROCK LATH 3/8" thick	1/4" Plate
Tricosal added to concreteCY 1.00 Anti-Hydro added to concreteCY 1.50	METAL	1/8" Heat absorbingSF 1.25
	3½" standard channelLF .047 1½" standard channelLF .065	1/4" Tempered plate
ROOFING	31/4" steel studsLF .112	1/4" Wire plate, clearSF 2.80
STANDARD TAR & GRAVEL Per Sq 4 ply	4" steel studsLF .122 Stud shoesEA .03	1/4" Wire plate, roughSF 1.40
5 plv17.00-20.00	PLASTER	DANIE MATERIALS
White Gravel Finish—Add	Browning, hardwall	PAINT MATERIALS
CEDAR SHINGLES	StuccoSack 2.60	All prices FOB Warehouse Thinners 5-100 gal
CEDAR SHAKES 28.00-32.00 REDWOOD SHAKES 29.00-35.00		Turpentine 5-100 gal
CONCRETE TILES35.00-45.00	LATH & PLASTER WORK	Linseed oil, raw
CLAY TILES	CHANNEL FURRING Suspended ceilingsSY 2.80-3.10	Primer-sealer
SHEET METAL	WallsSY 2.90-3.30	Enamel undercoaters
ROOF FLASHINGS	METAL STUD PARTITIONS 31/4" studs	White lead in oilLB .36
18 ga galv steel	4" studsSY 3.20-3.60	Red lead in oil LB .36 Litherage LB .32
26 ag galv steelSF .4080	Over 10-0 high, addSY .2535 3.4# METAL LATH & PLASTER	
18 ga aluminumSF 1.00-1.50	CeilingsSY 4.25-5.00	PAINTING
22 ga aluminum	Walls	EXTERIOR
24 oz copperSF 1.90-2.40	ROCK LATH & PLASTER	Stucco wash, 1 coat
20 oz copper	Ceilings SY 3.25-4.00 Walls SY 3.35-4.10	Lead & Oil, 2 coatsSY .96
26 ga galv steel	WIRE MESH & 1/8" STUCCO	3 coatsSY 1.35
4" OG gutter	WallsSY 4.80-5.50 STUCCO ON CONCRETE	Primer-sealerSY .42
22 ga galv louversSF 2.50-3.50	WallsSY 3.50-4.00	Wall paint, 1 coat
20 oz copper louversSF 3.00-4.50	METAL ACCESSORIESLF .2555	Enamel, 1 coatSY .62
CHIMNEYS, PATENT	TILE MATERIALS	2 coats
FOB Warehouse	FOB Warehouse	Sash & trimEA 15.00
6"LF 1.45 8"LF 2.05	CERAMIC TILE	Base & moldsLF .15 Old work, add 15-30%
10"LF 2.85	41/4" x 41/4" glazed	Old Work, ddd 13-30 70
12"LF 3.50 Rates for 10-50 LF	Random, unglazedSF .72	VENETIAN BLINDS
	6" x 2" cap	RESIDENT!ALSF .45 & up
HARDWOOD FLOORING MATERIALS	1/4" round beadLF .18	COMMERCIAL
OAK 5/16" × 2" STRIP Clear	QUARRY TILE 6 x 6 x ½" redSF .51	тактом 1.25 ф бр
Select	6 x 6 x 3/4" redSF .53	PLUMBING
#1 Common	9 x 9 x 3/4" red	LAVATORIESEA 150.00-200.00
Select & Btr		TOILETS EA 200.00-300.00 BATH TUBS EA 250.00-350.00
#1 Common	TILE & TERRAZZO WORK	STALL SHOWERSEA 125.00-175.00
Select	CERAMIC TILE, STOCK COLORS	SINKS EA 150.00-200.00 LAUNDRY TRAYS EA 100.00-150.00
#1 Common	Floors	WATER HEATERSEA 100.00-300.00
#1 Grade	Coved baseLF 1.00-1.25 QUARRY TILE	Prices based on average residential
#2 Grade	6" x 6" x 1/2" floorsSF 1.70-2.10	and commercial work. Special fixtures and excessive piping not included.
NAILS-1" FLOOR BRADSKEG 18.00	9" x 9" x 34" floorsSF 1.85-2.25	
HARDWOOD FLOORS	Terrazzo floorsSF 2.15-2.65	HEATING
SELECT OAK	Cond. Terrazzo floors	Furnaces—Gas Fired—Av Job
Filled, sanded, stained and varnished:	Precast landing slabsSF 3.00-4.10	FLOOR FURNACE 25,000 Btu110.00-125.00
5/16" x 21/4" strip	14/11/10 014/0	35,000 Btu117.00-135.00
25/32" x 21/4" T&G	WINDOWS	45,000 Btu
2nd grade & better, filled, sanded, stained &	STEEL SASH Under 10 SFSF 2.50 & up	DUAL WALL FURNACE
varnished 25/32" x 2½" T&GSF .8595 Wax finish, add SF .10	Under 15 SFSF 2.00 & up	25,000 Btu
	Under 20 SF	50,000 Btu
RESILIENT FLOORING MATERIALS	ALUMINUM SASH	GRAVITY FURNACE
Linoleum, Standard GageSY 2.80-3.00 BattleshipSY 2.95-3.40	Under 10 SF	75,000 Btu
1/8" Asphalt tile, dark	Under 20 SFSF 1.75 & up	95,000 Btu
light	Under 30 SFSF 1.25 & up Above rates are for standard sections	Forced air furnace, add
.080 Vinyl asb. tileSF .2230	and stock sizes FOB Warehouse	HEAT REGISTERS
1/8" Vinyl asb. tile	GLASS-CUT TO SIZE	Outlet 7.50- 15.00
4" Base, blackLF .1516	FOB Warehouse	ELECTRIC WIRING
coloredLF .2630 Rubber treadsLF 1.60-2.30	SSB clear, av 4 SFSF .17	Per Outlet
Lino. paste	DSB clear, av 7 SF	KNOB & TUBEEA 10.00
RESILIENT FLOORING	1/4" Polished plate, av 50 SFSF .90	ARMOR EA 17.00 CONDUIT EA 21.00
1/8" Asphalt tile, dark	1/8" Obscure, av 7 SF	110-V CIRCUITEA 26.00
lightSF .3035	½" Rough, av 7 SFSF .45	220-V CIRCUITEA 98.00
1/8" Rubber tile	1/4" Wire plate, clear, av 40 SF	ELEVATORS & ESCALATORS
1/8" Vinyl asbestos tile	1/8" Heat absorbing, av 7 SF	Prices vary according to capacity, speed
1/8" Vinyl tileSF .90-1.10	1/2" Tempered plate, av 40 SFSF 6.40	and type.
Lino, standard gage	GLASS BLOCKS 6"	Consult elevator companies. Slow speed apartment house elevator
Rubber base 4" black LF	8"1.15	including doors and trim about \$4,000
Rubber stair treadsLF 2.25-2.75	12"3.10	per floor.

Western Cost Construction Indexes

Presented by Clyde Shute, Director of Statistical Policy, Construction News Div., F. W. Dodge Corp., from data compiled by E. H. Boeckh & Assoc. Inc.

Labor and Materials: U.S. average 1926-1929=100 **DENVER**

LOS ANGELES

			APTS., HOTELS	PTS., HOTELS COMMERCIAL AND				APTS., HOTELS	COMMERC	IAL AND
	Ì		OFFICE BLDGS.	FACTORY	FACTORY BLDGS.			OFFICE BLDGS.	FACTORY BLDGS	
			Brick	Brick	Brick		*	Brick	Brick	Brick
	RESID	ENTIAL	and	and	and	RESIDI	ENTIAL	and	and	and
PERIOD	Brick	Frame	Concrete	Concrete	Steel	Brick	Frame	Concrete	Concrete	Steel
1948	217.8	218.1	202.7	207.0	206.7	215.9	216.5	205.8	210.0	209.8
1949	215.8	212.9	211.0	215.3	214.6	207.0	203.2	209.9	212.4	210.2
1950	230.0	228.2	218.8	221.3	221.2	224.1	222.8	217.4	219.0	217.5
1951	249.7	246.6	236.5	237.2	238.9	241.0	239.5	235.1	236.9	236.6
1952	253.6	249.4	243.4	245.1	245.6	243.8	241.7	239.8	242.6	241.5
1953	259.6	254.0	255.0	260.9	258.1	250.5	246.5	252.3	258.2	255.3
1954	258.9	252.0	259.1	266.2	263.4	251.0	245.3	257.7	265.7	261.8
1955	266.6	260.9	266.3	273.2	271.7	262.1	256.6	269.3	278.0	273.9
1956	274.9	269.3	275.8	282.3	285.1	272.6	266.7	282.9	292.9	289.3
1957	281.3	272.2	285.4	293.1	296.4	275.4	267.9	292.8	303.3	303.7
1958	282.2	272.0	288.1	295.9	298.8	277.9	286.6	302.6	314.5	316.4
1959	288.7	278.9	295.2	302.9	304.8	288.7	279.1	314.9	326.9	327.6
1960	292.2	282.7	301.3	309.0	310.0	299.8	287.7	329.1	342.7	339.6
1961	294.4	285.0	307.7	316.1	311.9	303.4	288.5	339.4	355.1	347.6
March 1962	294.8	284.2	311.3	320.7	314.0	305.7	289.9	343.7	358.9	352.4
April 1962	298.0	286.3	316.0	326.9	318.4	309.0	294.3	345.8	360.1	354.3
May 1962	298.5	286.6	317.0	327.6	319.5	310.2	294.9	347.4	362.7	355.2
		%	Increase over 19	39		% Increase over 1939				
May 1962	166.5	155.7	173.0	178.1	173.1	219.1	215.1	219.6	245.7	234.5

SAN FRANCISCO

SEATTLE

218.9	216.6	208.3	214.7	211.1	216.3	211.4	211.5	216.6	216.9
213.0	207.1	214.0	219.8	216.1	214.2	203.9	220.7	228.5	225.3
227.0	223.1	222.4	224.5	222.6	224.1	213.6	227.1	234.5	230.3
245.2	240.4	239.6	243.1	243.1	245.1	232.7	247.7	255.8	251.0
250.2	245.0	245.6	248.7	249.6	254.3	239.8	258.8	267.7	263.8
255.2	257.2	256.6	261.0	259.7	254.8	239.0	262.7	273.6	269.5
257.4	249.2	264.1	272.5	267.2	253.3	236.1	266.6	279.1	274.0
268.0	259.0	275.0	284.4	279.6	260.6	243.3	273.7	287.3	282.4
279.0	270.0	288.9	298.6	295.8	273.5	254.0	288.5	303.4	299.0
286.3	274.4	302.9	315.2	310.7	275.6	254.0	298.2	313.1	311.2
289.8	274.9	311.5	326.7	320.8	279.9	256.4	306.0	324.0	320.8
299.2	284.4	322.7	338.1	330.1	291.5	267.8	318.8	336.9	331.8
305.5	288.9	335.3	352.2	342.3	298.9	272.4	330.5	351.2	342.9
308.7	290.2	345.1	362.9	350.2	296.5	268.2	335.3	357.6	345.6
310.8	291.4	350.4	368.2	354.0	303.5	275.2	344.3	366.7	352.6
313.2	294.2	352.0	369.4	355.4	305.5	277.6	345.2	367.4	353.5
313.7	294.4	352.7	370.7	356.1	306.1	278.2	346.0	368.0	354.1
	%	Increase over 19	39		% Increase over 1939				
197.1	196.5	200.4	204.1	205.7	193.2	187.7	190.3	193.7	198.3
	213.0 227.0 245.2 250.2 255.2 257.4 268.0 279.0 286.3 289.8 299.2 305.5 308.7 310.8 313.2 313.7	213.0 207.1 227.0 223.1 245.2 240.4 250.2 245.0 255.2 257.2 257.4 249.2 268.0 259.0 279.0 270.0 286.3 274.4 289.8 274.9 299.2 284.4 305.5 288.9 308.7 290.2 310.8 291.4 313.2 294.2 313.7 294.4	213.0 207.1 214.0 227.0 223.1 222.4 245.2 240.4 239.6 250.2 245.0 245.6 255.2 257.2 256.6 257.4 249.2 264.1 268.0 259.0 275.0 279.0 270.0 288.9 286.3 274.4 302.9 289.8 274.9 311.5 299.2 284.4 322.7 305.5 288.9 335.3 308.7 290.2 345.1 310.8 291.4 350.4 313.2 294.2 352.0 313.7 294.4 352.7 % Increase over 19	213.0 207.1 214.0 219.8 227.0 223.1 222.4 224.5 245.2 240.4 239.6 243.1 250.2 245.0 245.6 248.7 255.2 257.2 256.6 261.0 257.4 249.2 264.1 272.5 268.0 259.0 275.0 284.4 279.0 270.0 288.9 298.6 286.3 274.4 302.9 315.2 289.8 274.9 311.5 326.7 299.2 284.4 322.7 338.1 305.5 288.9 335.3 352.2 308.7 290.2 345.1 362.9 310.8 291.4 350.4 368.2 313.7 294.4 352.7 370.7 % Increase over 1939	213.0 207.1 214.0 219.8 216.1 227.0 223.1 222.4 224.5 222.6 245.2 240.4 239.6 243.1 243.1 250.2 245.0 245.6 248.7 249.6 255.2 257.2 256.6 261.0 259.7 257.4 249.2 264.1 272.5 267.2 268.0 259.0 275.0 284.4 279.6 279.0 270.0 288.9 298.6 295.8 286.3 274.4 302.9 315.2 310.7 289.8 274.9 311.5 326.7 320.8 299.2 284.4 322.7 338.1 330.1 305.5 288.9 335.3 352.2 342.3 308.7 290.2 345.1 362.9 350.2 310.8 291.4 350.4 368.2 354.0 313.7 294.4 352.7 370.7 356.1 % Increase ov	213.0 207.1 214.0 219.8 216.1 214.2 227.0 223.1 222.4 224.5 222.6 224.1 245.2 240.4 239.6 243.1 243.1 245.1 250.2 245.0 245.6 248.7 249.6 254.3 255.2 257.2 256.6 261.0 259.7 254.8 257.4 249.2 264.1 272.5 267.2 253.3 268.0 259.0 275.0 284.4 279.6 260.6 279.0 270.0 288.9 298.6 295.8 273.5 286.3 274.4 302.9 315.2 310.7 275.6 289.8 274.9 311.5 326.7 320.8 279.9 299.2 284.4 322.7 338.1 330.1 291.5 305.5 288.9 335.3 352.2 342.3 298.9 308.7 290.2 345.1 362.9 350.2 296.5	213.0 207.1 214.0 219.8 216.1 214.2 203.9 227.0 223.1 222.4 224.5 222.6 224.1 213.6 245.2 240.4 239.6 243.1 243.1 245.1 232.7 250.2 245.0 245.6 248.7 249.6 254.3 239.8 255.2 257.2 256.6 261.0 259.7 254.8 239.0 257.4 249.2 264.1 272.5 267.2 253.3 236.1 268.0 259.0 275.0 284.4 279.6 260.6 243.3 279.0 270.0 288.9 298.6 295.8 273.5 254.0 286.3 274.4 302.9 315.2 310.7 275.6 254.0 289.8 274.9 311.5 326.7 320.8 279.9 256.4 299.2 284.4 322.7 338.1 330.1 291.5 267.8 305.5 288.9 335.3 352.2 342.3 298.9 272.4 308.7 29	213.0 207.1 214.0 219.8 216.1 214.2 203.9 220.7 227.0 223.1 222.4 224.5 222.6 224.1 213.6 227.1 245.2 240.4 239.6 243.1 243.1 245.1 232.7 247.7 250.2 245.0 245.6 248.7 249.6 254.3 239.8 258.8 255.2 257.2 256.6 261.0 259.7 254.8 239.0 262.7 257.4 249.2 264.1 272.5 267.2 253.3 236.1 266.6 268.0 259.0 275.0 284.4 279.6 260.6 243.3 273.7 279.0 270.0 288.9 298.6 295.8 273.5 254.0 288.5 286.3 274.4 302.9 315.2 310.7 275.6 254.0 298.2 289.8 274.9 311.5 326.7 320.8 279.9 256.4 306.0 299.2 284.4 322.7 338.1 330.1 291.5 267.8 <t< td=""><td>213.0 207.1 214.0 219.8 216.1 214.2 203.9 220.7 228.5 227.0 223.1 222.4 224.5 222.6 224.1 213.6 227.1 234.5 245.2 240.4 239.6 243.1 243.1 245.1 232.7 247.7 255.8 250.2 245.0 245.6 248.7 249.6 254.3 239.8 258.8 267.7 255.2 257.2 256.6 261.0 259.7 254.8 239.0 262.7 273.6 257.4 249.2 264.1 272.5 267.2 253.3 236.1 266.6 279.1 268.0 259.0 275.0 284.4 279.6 260.6 243.3 273.7 287.3 279.0 270.0 288.9 298.6 295.8 273.5 254.0 288.5 303.4 286.3 274.4 302.9 315.2 310.7 275.6 254.0 298.2 313.1 289.8 274.9 311.5 326.7 320.8 279.9 256.4 306.0 324.0 299.2 284.4 322.7 338.1 330.1 291.5 267.8 318.8 336.9 305.5 288.9 335.3 352.2 342.3 298.9 272.4 330.5 351.2 308.7 290.2 345.1 362.9 350.2 296.5 268.2 335.3 357.6 310.8 291.4 350.4 368.2 354.0 303.5 275.2 344.3 366.7 313.2 294.2 352.0 369.4 355.4 305.5 277.6 345.2 367.4 313.7 294.4 352.7 370.7 356.1 306.1 278.2 346.0 368.0 368.0 367.4 373.7 294.4 352.7 370.7 356.1 306.1 278.2 346.0 368.0 368.0 367.4 373.7 294.4 352.7 370.7 356.1 306.1 278.2 346.0 368.0 368.0 367.4 373.7 294.4 352.7 370.7 356.1 306.1 278.2 346.0 368.0</td></t<>	213.0 207.1 214.0 219.8 216.1 214.2 203.9 220.7 228.5 227.0 223.1 222.4 224.5 222.6 224.1 213.6 227.1 234.5 245.2 240.4 239.6 243.1 243.1 245.1 232.7 247.7 255.8 250.2 245.0 245.6 248.7 249.6 254.3 239.8 258.8 267.7 255.2 257.2 256.6 261.0 259.7 254.8 239.0 262.7 273.6 257.4 249.2 264.1 272.5 267.2 253.3 236.1 266.6 279.1 268.0 259.0 275.0 284.4 279.6 260.6 243.3 273.7 287.3 279.0 270.0 288.9 298.6 295.8 273.5 254.0 288.5 303.4 286.3 274.4 302.9 315.2 310.7 275.6 254.0 298.2 313.1 289.8 274.9 311.5 326.7 320.8 279.9 256.4 306.0 324.0 299.2 284.4 322.7 338.1 330.1 291.5 267.8 318.8 336.9 305.5 288.9 335.3 352.2 342.3 298.9 272.4 330.5 351.2 308.7 290.2 345.1 362.9 350.2 296.5 268.2 335.3 357.6 310.8 291.4 350.4 368.2 354.0 303.5 275.2 344.3 366.7 313.2 294.2 352.0 369.4 355.4 305.5 277.6 345.2 367.4 313.7 294.4 352.7 370.7 356.1 306.1 278.2 346.0 368.0 368.0 367.4 373.7 294.4 352.7 370.7 356.1 306.1 278.2 346.0 368.0 368.0 367.4 373.7 294.4 352.7 370.7 356.1 306.1 278.2 346.0 368.0 368.0 367.4 373.7 294.4 352.7 370.7 356.1 306.1 278.2 346.0 368.0

Cost comparisons, as percentage differences, for any particular type of construction, are possible between localities, or periods of time within the same city, by dividing the difference between the two index numbers by one of them; i.e.:

index for city A = 110index for city B = 95(both indexes must be for the same type of construction).

Then: costs in A are approximately 16 per cent higher than in B.

$$\frac{110 - 95}{95} = 0.158$$

Conversely: costs in B are approximately 14 per cent lower than in A.

$$\frac{110 - 95}{110} = 0.136$$

Cost comparisons cannot be made between different types of construction because the index numbers for each type relate to a different U.S. average for 1926-29.

Material prices and wage rates used in the current indexes make no allowance for payments in excess of published list prices, thus indexes reflect minimum costs and not necessarily actual costs.


WESTERN SECTION



TERNE ROOFING IS UNCONDITIONALLY FIREPROOF


ever fire is a major hazard, architects are increasingly aware that Follansbee Terne roofing is unconditionally fireproof
Follansbee is the world's pioneer producer of seamless terne roofing

Western Buildings in the News



ASTRONAUTICS RESEARCH AND DEVELOPMENT CENTER: When these buildings, no under construction at Rancho Conejo, Ventura County, Calif. are complete Northrop Corporation's Radioplane Division, which makes a variety of equi ment used in U.S. space projects, will move to them from Van Nuys. A land scaped mall, a large decorative pool with water jets, and covered walkway between buildings will provide a pleasant atmosphere for work. A four-stote central building will house administrative offices; other buildings include manufacturing, engineering, and a high-bay testing building. Architects and engineers: Albert C. Martin & Associates; Allen L. McGill, project architect Robert Reed, project designer. Landscape architect: Phil Shipley. General contractor: Simpson Construction Company

SPACE MODULES FOR SPACE ENGINEERS: Astropower, Inc., a subsidiary of Dougle Aircraft Company, plans to build a new engineering and research cent in the Irvine Industrial Park near Upper Newport, half a mile from the University of California's future Irvine campus. Although the center may ultimately cover 50 acres with 19 buildings, the first unit will consist of two buildings, one for research, the other for administration. Later buildings we be developed in 20-ft square units ("space modules") which can be grouped in a variety of patterns around a taller building to house administrative offices. Architects: William L. Pereira & Associates





• Square D's new design provides every feature you want in a packaged unit substation. Feature for feature, these <u>really</u> compact substations are the best you can buy.

Increased capacity • Available in 3-phase capacities from 75 to 500 KVA self-cooled, and now with new forced-air cooling and temperature controls up to 667 KVA capacity. Forced-air cooling system economically adds 33 1/3% increase in KVA and an alarm provides continuous transformer over-temperature protection. Primaries up to 4800V; secondaries up to 600V.

Quiet-operating • Ideal for areas where transformer hum is disturbing. Guaranteed maximums of 50 db for 300 KVA, and 53 db for 400 and 500 KVA for self-cooled transformers—8 and 7 db, respectively, below latest NEMA standards.

Extra safety • High voltage compartment door interlocked—switch must be open when door is open. Safety-glass window in door lets you inspect switch, fuses and compartment without opening door. Steel barriers isolate high voltage, low voltage and transformer sections.

Easy installation • Substation delivered completely assembled and wired. No need to remove fuses or other equipment to install power wiring. Greatly reduced weight helps handling. 10-inch gutters in low voltage section give ample wiring space. Strong continuous base makes moving on rollers easy, eliminates substation floor to simplify bottom conduit entrance.

Easy to use • Rotary tap changers assure correct contact pressures, prevent loose connections or stripped terminal threads. Expanded metal grille in top allows easiest transformer inspection—just lift the protective hood. Grille can be removed for normal transformer cleaning. Efficient ventilation system gives cool operation, long transformer life. Requires only 19 sq. ft. floor space. No rear or end aisles necessary—all components front-accessible.

Wide versatility • Power-Zone unit substations can contain a high-voltage air interrupter switch, fused or unfused, or oil-filled cutouts. Low-voltage molded case breakers—metering equipment—QMB fusible switches, circuit breakers, motor starters—all can be supplied. Special components or metering available in extra sections on both high and low voltage ends.

Get the complete story • Write Square D Company, 4335 Valley Boulevard; Los Angeles 32, California



SQUARE TI COMPANY

wherever electricity is distributed and controlled

For more data, circle 203 on Inquiry Card



FIFTH EDITION—Just Published BOECKH'S MANUAL OF APPRAISALS

If advance cost planning is a part of your architectural problem, then this book and its supplement service "Building Costs" should be part of your "Kit of Tools." Here is a service program that has been helping architects and builders develop costs of proposed projects for more than a quarter of a century.


YOU CAN FIGURE BUILDING COSTS

Quickly and Accurately

For laymen or experts, the most comprehensive and quick method yet published, over 100,000 individual unit costs, more than 300 buildings with hundreds of variations, all easily convertible to local conditions through "Building Costs!"

BUILDING COSTS

A comprehensive monthly supplementary service giving you up to the minute news and analysis of market conditions, plus the latest cost indexes for the major metropolitan areas of America and Canada to convert the estimating Manual to local cost conditions.




SEND TODAY FOR BROCHURE TO

E. H. BOECKH & ASSOCIATES Consulting Valuation Engineers 1406 M Street, N. W. Washington 5. D. C.

Please send me	full o	descriptive	literature	on y	our/	estimating	and	cost	planning	services.

FIRM NAME_____



The West's largest controller of electricity



RE — in the West — is one of the foremost builders of electrical distribution equipment. ZINSCO engineering, fabrication facilities, supervisory personnel are all here, ht at hand to assure faster, more reliable service and more personal attention. Performance is proven. Zinsco systems serve hundreds of noted Western buildings; more

are being specified every day. Take advantage of this skilled, experienced local

ZINSCO ELECTRICAL PRODUCTS


729 Turner St., Los Angeles 12, Calif. Manufacturers of Switchgear, Switchboards, Transformers, Bus Ducts, Circuit Breakers, Motor Control Centers.

VETERANS HOSPITAL, PALO ALTO, is served by a Zinsco electrical distribution system. Switchgear, transformers, motor control centers - the complete high voltage installation is ZINSCO.

> Welton Becket & Associates; Architects & Engineers.

> > C. D. Draucker & Farrow; Electrical Contractor.





For more data, circle 204 on Inquiry Card

flexicore of the comes west

...made by BASALT

Now you can take advantage of Flexicore Precast, Prestressed, Long Span Floor and Roof Systems that have won so much applause east of the Rockies since 1938. Basalt Rock Company, Inc., pioneer producers of precast, prestressed concrete, now fabricates these advanced designs using lightweight expanded shale aggregate.

Look what FLEXICORE can do for you!

- Factory-formed slabs installed rapidly, creating a smooth flat ceiling surface ready for paint.
- Quick roof and floor erection lets other trades get to work on a fast-paced schedule.
- Hollow cores give wiring and plumbing flexibility and ready made ducts for a variety of heating and air conditioning systems.
- Standard, or Hi-Stress elements preformed to your specifications provide a shallow system for given span and load conditions.
- Covered, or painted, Flexicore provides permanent interior or exterior beauty for all construction—plus effective sound insulation.





STANDARD slabs provide a structural concrete floor or roof at moderate cost for permanent, quality buildings. HI-STRESS slabs are fully prestressed with high-tensile wire, permitting longer clean spans and greater load carrying capacity.

Basalt brings new ideas to the West—and backs them up with service and knowledge. Basalt quality control, on-schedule delivery and construction experience now stand behind Flexicore. Write for detailed literature, and see the Flexicore Catalog in Sweet's Architectural File.

MEMBER PRESTRESSED CONCRETE INSTITUTE




00000000


For more data, circle 205 on Inquiry Card



WALL PANELS . EXPOSED AGGREGATE WALL PANELS . DOUBLE TEES . SINGLE TEES . PURLINS . FLAT FLOOR AND ROOF SLABS . BEAMS . GIRDERS . COLUMNS . BRIDGE GIRDERS



Brick and tile floors are no better than their joints. New Miracle U-POXY is unequaled for application in all installations where corrosives are encountered. Forms a dense, tight joint of phenomenal strength and resistance to food acids, oils, greases, fats and chemicals. Eliminates high maintenance costs and expensive shut downs on new or existing floors. You can rest your reputation on U-POXY Grout and Setting Compound.



PARIS PRIZE TO CALPOLY PROFESSOR

Thomas A. Briner, a member of the faculty of the department of architectural engineering at California State Polytechnic College, has won the 49th Paris Prize, and will spend next year studying at the Ecole des Beaux Arts. The prize is a \$5,000 fellowship for study at the famous Paris school.

Briner's design for a 1,000-room hotel on Blackstone Island in New York City's East River won the award over 42 other entries. In the first stage of the competition the design problem was the site plan for a park in which the hotel would be placed.

A native of Ohio, Briner graduated in architecture in 1958 from Carnegie Tech. After a tour of military service, he studied at M.I.T. and received a master's degree in 1961. He joined the staff at CalPoly last fall.

APARTMENT BUILDINGS APPROVED IN DIAMOND HEAD AREA

Honolulu's City Council voted late in June to allow construction of apartment buildings in the Diamond Head area despite strong opposition from the residents of the city who had voiced concern for the effect these buildings would have on the much-treasured view of the landmark and had demanded a comprehensive general plan for the area.

At the time of the Council decision, there existed no regulation governing height limits for new construction, although Councilmen acted in the belief that present zoning ordinances would restrict heights to three stories.

L.A. TO PRESERVE HISTORIC BUILDINGS

A 12-man committee has been formed by the Los Angeles City Council to study the city's historic buildings and suggest ways and means of preserving them. Among the appointees is William Woollett, architect, who is the Southern California chapter's A.I.A. Preservation Officer and was instrumental in the drafting of an ordinance to set up a Cultural Heritage Board. The recently appointed committee is the result of the proposed ordinance.

The committee will catalogue buildings, sites, monuments and other features of historic and cultural significance to the city.

F. H. A. Loan Insura : e Surveys

The F.H.A. has received approval to use independently prepared quantity surveys for loan insurance applications on multi-family projects. All quantities will be priced by the F.H.A.

Fees for preparing these quantity surveys are to be paid by the sponsors but are an allowable cost in figuring total replacement cost.

LeRoy Construction Services is a qualified firm approved by the F.H.A. for this service

LeRoy Construction Services


Quality Surveyors & Estimators

768 BRANNAN STREET
SAN FRANCISCO 3 UN 1-2483

WRIGHT AIR CONDITIONING

gives you

FLEXIBILITY



WRIGHT Air Conditioning lets you design with minimum consideration for air conditioning installation. Wright's complete line and wide choice of models allows equipment selection best suited to solve the knottiest installation problems.

Wright equipment is especially designed to meet the extreme demands of Western and Southwestern climates to assure complete client satisfaction and rated performance under the most adverse conditions. All units are ARI rated and guaranteed. There's a Wright size and model to meet every air conditioning need. SUMMER AIR CONDITIONING and ALL-ELECTRIC HEAT PUMPS in 2, 2½, 3, 4, 5, 7½, and 10 Ton packages; 2, 3, 4, 5, 7½ and 10 Ton Split Systems with horizontal or vertical air handlers. GAS-FIRED FURNACE/COOLING COMBINATION PACKAGES, 2 and 3 Ton sizes with refrigerated air conditioning and gas-fired furnace in one compact package. For complete information contact your Wright distributor, or write to:

WRIGHT

MANUFACTURING / DIVISION OF MIDLAND-ROSS CORPORATION

2902 West Thomas Road / P. O. Box 11247 / Phoenix 17, Arizona

Manufacturers of Quality Air Coolers and Refrigerated Air Conditioning • "Creating New Climates for Better Living"

Calendar of Western Events

- SEPTEMBER 5-7: "Education in Engineering Design," national conference presented by Department of Engineering, U.C.L.A., on campus of the University, Los Angeles
- SEPTEMBER 27-29: Western Mountain Region, A.I.A., annual conference, Sun Valley, Idaho
- SEPTEMBER 28-29: American Con-

- crete Institute, fall meeting, Little Theater, Seattle World's Fair
- SEPTEMBER 30-October 4: World Conference on Shell Structures, Sheraton-Palace, San Francisco
- OCTOBER 3-7: California Council, A.I.A., annual convention, Mark Thomas Inn and Casa Munras, Monterey, Calif.
- OCTOBER 4-6: Third annual conference, Photo-Vision '62, co-sponsored American Society of Magazine Photographers, Department of Journalism, U.C.L.A., and Department of Arts and Humanities, University Extension, University of California, at Hotel Miramar, Santa Barbara, Calif.
- OCTOBER 5-7: Structural Engineers Association of California, annual convention, Hotel del Coronado, Coronado, Calif.
- OCTOBER 6: Japan Architects' Tour leaves from San Francisco and Los Angeles
- OCTOBER 11-14: Northwest Region, A.I.A., tenth annual conference, Surftides Resort, Ocean Lake, Oregon

Professional News

Firm Changes

The partnership of *Blunk-Hoskins*, architects, has been dissolved. *Robert M. Blunk* continues his practice at 1290 Bayshore Highway, Burlingame, Calif., and *Gilman G. Hoskins* has joined the firm of Wilsey, Hamm & Blair, engineers and planners, Millbrae, Calif.

Architects Willis R. Hanes Jr. and Robert W. Essig have formed a partnership with offices at 10738 South Paramount Blvd., Downey, Calif.

Kenneth E. Bates has joined the Seattle engineering, architectural, and planning firm of Harstad Associates as senior architect and a partner of the firm. Ronald Thompson, planning consultant, has been named principal planner for the firm.

Jack C. Hupfer Jr. and Donald Hutchison, architects, and Sidney Flook, structural engineer, have formed the firm of Hupfer, Hutchison & Flook with offices at 2785 N. Speer Blvd., and 1327 Speer Blvd., Denver.

The architectural firm of Wimberly, Whisenand, Allison & Tong succeeds the former firm of Wimberly & Cook, Honolulu. Associated with George J. Wimberly are George V. Whisenand, Gerald L. Allison and Gregory M. B. Tong.



NEW CANOPY FIRE HOSE CABINET

The New Canopy Fire Hose Cabinet, developed by Standard Fire Hose Co., will permit a fire hose cabinet with a $2\frac{1}{2}$ gallon extinguisher to be recessed in a $4\frac{9}{8}$ inch wall. Contents of the fire hose cabinet are completely enclosed with only a $\frac{5}{8}$ inch trim protruding. A smooth, transparent, convex bubble of hi-impact, shatter-proof plastic permits viewing and inspection of the extinguisher from a 90 degree angle, thereby making it visible some distance down a corridor. See our catalog in SWEETS—AIA File No. 29 f/St.



... Another first in fire protection equipment by

STANDARD

FIRE HOSE COMPANY, 9th and Colorado, Santa Monica, California Specifications and catalogs available upon request. Phone UPton 0-7571, Area Code 213

For more data, circle 209 on inquiry card

there's something to be said for—



In suits it's often the fit that makes the big difference—just so in built-up roofing the Asphalt specified should fit the combination of slope and climate.

Asphalt and gravel built-up roofs may be specified for any climate and for any roof slope from "dead-level" to 3" per foot. Maximum service life may be expected if the Asphalt used is of the lowest possible Softening Point (i.e., the softest), consistent with roof deck slope and climate. Simply stated, this means that the Asphalt should be soft enough so that any tiny cracks which may develop

through thermal expansion and contraction in the deck, or through building settlement, will tend to flow together, or "heal," during warm weather; but should not be so soft that it will flow down the roof during a hot spell.

Since considerable local variation in climate is typical of many Western areas, selection of Asphalt Softening Point may often be done on the basis of local experience. Where such experience records are meager, the following table will serve as a guide for your selection and specification of roofing Asphalt type:

	DECK	NORMAL ¹	HOT ²
	SLOPE	CLIMATE	CLIMATE
No.	0"-½"	dead-level	dead-level
	½"-1"	flat	flat
	1"-1½"	flat	steep
	1½"-2"	flat	steep
	2"-2½"	steep	special steep
	2½"-3"	steep	special steep

- ${\bf 1}$ Not more than an occasional day with air temperature over 95°F.
- 2 Extended periods with day-time air temperatures over 95°F, with clear sky, bright sun.

Note: Typical Softening Points are:

J Production B . Commercial
dead-level140°F
flat170°F
steep190°F
special steep210°F

Assure your next building of trouble-free, low-cost protection by specifying the proper Asphalt roofing materials. Want more information? Fill out and send coupon.




THE ASPHALT INSTITUTE

810 University Avenue, Berkeley 10, California Gentlemen: Please send me without obligation more information on Asphalt roofing.

NAME	
TITLE	

FIRM_____ADDRESS_____

For more data, circle 210 on Inquiry Card



IN BIRD ROTOR POP-UPS

rain Bird Rotor Pop-Ups do a thorough scientific watering job, then quietly disappear—as if by magic—into the ground so they offer no obstruction to the beauty or usability of the turf area. They are unsurpassed for use with automatically or manually controlled underground systems in athletic fields, parks, golf courses, cemeteries, estates and other large turf areas.

Adjustable for local conditions. Also, used successfully on hill slopes. Rubber covered for athletic fields and playgrounds.


SPRINKLERS FOR EVERY IRRIGATION NEED. Rain Bird also makes sprinklers for use on farms, ranches, home lawns and gardens. Sprinkler coverage pattern charts and literature free on request.

Specify RAIN BIRD, your assurance of quality and dependability.



NATIONAL RAIN BIRD SALES & ENGINEERING CORP. 627 N. San Gabriel Ave., Azusa, Calif. · Phone EDgewood 4-2931

For more data, circle 211 on Inquiry Card



he Cares

Your local STROMBERG-CARLSON® Communication Products Distributor can handle any situation involving sound or communication systems. He's listed below. You'll find he cares.

Niles Radio Corporation 400 North 4th Street Tucson, Arizona

Kelton Audio Equipment 808 North First Street Phoenix, Arizona

Custom Electronics Company 959 — 32nd Street Oakland, California

Hannon Engineering, Inc. 5500 West Washington Blvd. Los Angeles 16, California

H & S Electronics 600 South Williams Road Palm Springs, California

Industrial Sound & Telephone 5675 Freeport Blvd. Sacramento 22, California

Johnson's Radio 630 South Main Street Salinas, California

Lier Sound Company 452 "E" Street San Bernardino, California

Master Sound Systems 25 West Anapamu Santa Barbara, California

San Diego Sound Company 8094 Engineer Road San Diego 11, California

Pacific Recording Company, Ltd. 609 Keawe Street Honolulu 13, Hawaii

Rugar Electronics 519 Twain Avenue Las Vegas, Nevada Tingey Company 847 Divisadero Street Fresno, California

C & S Television & Sound 814—16th Street Greeley, Colorado

Lectro-Com 3009 Grand View Colorado Springs, Colorado

Northern School Supply 422 Second Street South Great Falls, Montana

Audio Communications Company 1607 West Third Amarillo, Texas

Carter Supply Company 259 — 31st Street Ogden, Utah

Northwest Electronics, Inc. East 730 First Avenue Spokane 3, Washington

Joachim Radio Supply, Inc. 1913 Broadway Scottsbluff, Nebraska

Communications, Inc. 1021 East Missouri Street El Paso, Texas

The Manchester Company 2915 N. E. Alberta Portland 11, Oregon

W. D. Lasater Company 427 Westlake North Seattle 9, Washington

See page 59 for more important information about STROMBERG-CARLSON Communication Products.



GENERAL DYNAMICS ELECTRONICS

ELECTRONICS ROCHESTER


For more data, circle 212 on Inquiry Card

For more data, circle 213 on Inquiry Card

steel sub-floor roof deck and wall panel

for the new Los Angeles International Airport

The new multi-million dollar jet age terminal at Los Angeles is one of the world's most modern air centers. Using the most up-to-date architectural and engineering concepts, all materials for the project were chosen on the basis of practicality, durability and functional beauty. Mahon M4B and M4BF roof deck, M10B long-span deck and Quad Rib sections are used extensively throughout the 265 acre complex. ■ Theme Building of the Los Angeles International Airport is shown below. Design of the project was a joint venture of the architectural firms of Charles Luckman and Associates, Coordinating Architects; Welton Becket and Associates and Paul R. Williams and Associates. General Contractor was Robert E. McKee, General Contractor, Inc., Los Angeles, California.



For more data, circle 214 on Inquiry Card

architectural PORCELAIN ENAMEL



Ask the Council for Recommended Standards and Specifications: they're valuable data. Architects look to porcelain enamel for colorful, permanent, versatile, quickly installed and *beautiful* curtain walls, veneer, spandrels, facia—and much more! It's great to work with.

Write today!



C


ARCHITECTURAL DIVISION

WESTERN PORCELAIN ENAMEL COUNCIL P.O. BOX 5186 • EAST PASADENA STATION • PASADENA 8, CALIFORNIA 3770 PIEDMONT AVENUE • OAKLAND 11, CALIFORNIA

For more data, circle 215 on Inquiry Card








Today links the vision of yesterday with the promise of tomorrow ■ The foremost engineers, designers, architects and draftsmen will tell you just how closely Castell #9030 Leads are involved with America's daily creative effort ■ 200 years devoted to a tireless quest for technical perfection are behind Castell ■ It starts with micro-milling, which produces a tight-textured lead that locks out light, locks in black ■ 19 uniform degrees, 7B to 10H ■ Draws perfectly on all surfaces, including Cronar*, Mylar*, and Kodagraph* based films ■ Pick up the green tube with the gold cap ■ Fits all standard holders—ideal with Locktite Tel-A-Grade #9800SG ■ Got one? Then get one!

*Reg. TM's of DuPont and Eastman

A.W.FABER-CASTELL Pencil Company, Inc., Newark 3, N. J.

Starting its third century of service,

For more data, circle 216 on Inquiry Card



DISNEYLAND HOTEL

. . . working drawings to partial occupancy in 12 months!

LIFT - SLAB CONSTRUCTION, POST - TENSIONED BY THE PRESCON SYSTEM SAVES 6 - 8 WEEKS The stressing hardware can be seen at the ends of the slabs which are being lifted into position by the Vagtborg Lift-Slab Corp.

One requirement called for the practically impossible—partial occupancy in June, 1962, and working drawings could begin in July, 1961! The first two floors were ready for guests late in June, 1962. The remaining nine floors required two additional months.

Weber and Nicholson, Architect, and Albert A. Erkel & Associates, Engineer, concluded that only lift-slab construction could accomplish the requirements and meet the deadline. The lightweight post-tensioned flat plate floor system allowed flexible spacing of columns for room and floor planning. Floor to floor height reduction resulted in many material and labor savings; this structural design

concept produced savings in shear wall and foundations as a by-product.

Statistics include: Approximately 100,000 square feet; 11 stories with a height of 125 feet; maximum column spacing, 31' x 31'; slab thickness, 9"; 150 units plus penthouse apartment and cocktail lounge on top floor, and eight conference rooms on the ground floor.

The Prescon System of post-tensioning prestressed concrete offers advantages to owners, architects, engineers, and contractors. Write us for information on uses in lift-slab, poured-in-place, precast structures, or your specific application.



THE PRESCON CORPORATION


P. O. Box 4186 • Corpus Christi, Texas

Albany • Atlanta • Memphis • Dallas • Denver • Los Angeles

St. Louis • San Francisco • Seattle

MEMBER OF PRESTRESSED CONCRETE INSTITUTE

For more data, circle 217 on Inquiry Card



CUTAWAY VIEW

U.S. Patent Nos. 2,932,728 and 2,933,279

FLUORESCENT LUMINAIRES

- "Luminous ceiling" comfort at a fraction the cost.
- Uniform light levels up to 250 footcandles to fit need.
- Semi-indirect light output. No glare or shadows.
- For 430 MA, 800 MA or 1500 MA Power Groove, SHO or VHO lamps.
- Easy to clean and relamp. Pleasing appearance.




Write for Detailed Information

SMOOT-HOLMAN

COMPANY INGLEWOOD | CALIFORNIA

For more data, circle 218 on Inquiry Card



For more data, circle 212 on Inquiry Card



SEALED GLASS UNITS REQUIRE PRECISION AND KNOW-HOW

Our experience includes music studios, airport towers, observation clinics, and similar critical installations. We eliminate guess work and experiment for you.

Always Check Seal-Glaz Specialties First

- √ Experienced in high altitude and environmental test chamber requirements
- / Experienced in air conditioning problems
- √ Experienced in sound proofing applications

We welcome special inquiries for unusual problems involving sealed glass units for architecture, industry or scientific applications.

SEAL GLAZ CORP.

SPruce 5-6751 TErminal 5-5860 4201/2 E. Carson

Torrance, Calif.

"Sealed Glass Units Are Our Specialty"

For more data, circle 219 on Inquiry Card

WESTERN SECTION

Index To Advertising

Manufacturers' Pre-Filed Catalogs of the firms listed below are available in the 1962 Sweet's Catalog Files as follows:

a Architectural File (green)

ic Industrial Construction (blue) lc Light Construction File (yellow)

Page numbers of manufacturers' advertising elsewhere in this issue shown in italics


	Basalt Rock Company, Inc 32	-18-19
	Boeckh & Associates, E. H	
	Faber-Castell Pencil Co., Inc., A. W	
	Fibreboard Paper Products Corp	
Α	Follansbee Steel Corporation	
	Forest Fiber Products 32-24, 32-26,	
	General Dynamics/Electronics-Rochester	0
		24, 59
	Gladding, McBean & Co	
	LeRoy Construction Services	32-20
A-IC	Mahon Company, R. C.	32-25
	National Rain Bird Sales & Engineering	
	Corp	32-24
	Prescon Corporation	32 - 27
	Seal Glaz Corporation	32-28
	Smoot-Holman Company	32-28
	Square D Company	32 - 15
\mathbf{A}	Standard Firehose Company	32-22
A-LC	Upco Company	32-20
	Western Porcelain Enamel Council	32-26
	Wright Mfg./Div. of Midland-Ross Corp.	32-21
	Zinsco Electrical Products	

Western advertising offices: LOS ANGELES, Wettstein, Nowell

& Johnson, Inc., 2801 West Sixth Street; PORTLAND, Wettstein, Nowell & Johnson, Inc., 921 S. W. Washington St.; SAN FRANCISCO, Wettstein, Nowell & Johnson, Inc., 417 Market St.

OZALID NEWSLETTER

NEW IDEAS TO HELP YOU WITH ENGINEERING REPRODUCTION AND DRAWING



Ozalid® Anhydrous Ammonia System consists of control box mounted on machine and tubing to connect equipment with anhydrous ammonia cylinder, which may be remotely located. Developer handling becomes simply, "valve on, valve off."

New anhydrous ammonia gas system provides ultimate convenience, cuts developer costs up to 50%, gives from 2 to 6 months developing from a single cylinder!

A simplified, completely safe Ozalid Anhydrous Ammonia Kit brings the convenience of pressurized ammonia gas development to your drydeveloping diazo whiteprinter. Depending on machine use intensity and model, the unit saves enough on ammonia costs to pay for its initial expense in as short a time as a year.

A low price tag is only the first of several reasons you should consider using Ozalid Anhydrous Ammonia in your diazo installation. Contents of a single cylinder give up to six months of developing, reducing developer handling to a minimum.

Heater rods, sealing sleeves, and other vital parts in the developer section have longer life because corrosive action is lessened. Machine warm-up time is shorter. Improved employee morale results in increased production. What's more, chances are you'll see an improvement in print quality.

The Ozalid Anhydrous Ammonia Kit is specifically engineered to meter anhydrous ammonia in the simplest, most efficient method for use with diazo machines. Units have been proved in the field, and are already giving a high degree of customer satisfaction.

Conversion Kits fit all Ozalid dry diazo machines and can be easily installed on practically all others regardless of make. Price of the kit is \$235.00. For information ask your Ozalid man, or write Ozalid, Johnson City, N. Y., Dept. 234.

New fast reprinting, erasable sepia intermediate

Here's a highly transparent intermediate with a specially prepared paper base that makes reprints faster, yet is easily erasable. Ozalid 402 IZE is its name, has a dark sepia image (but you can rub it out with an ordinary abrasive eraser), has an ideal matte surface for pencil and ink additions, picks up fine line detail beautifully, has excellent covering power, yet is surprisingly low priced. Drafting room comments include, "like see-through"..."excited about erasable feature"..."excellent for overlay work." Ask your Ozalid man for samples and demonstration.

Crease and crumple this tracing paper. Then, make a print! Surprise!


New Ozaclear isn't called "clear" for nothing. This tracing paper permits only a hint of fracturing from creases and crumpling ever showing up on a print. Ozaclear is 100% rag. with an excellent surface for pencil and ink. But it's that "no bruising" quality that makes it stand out. Its exclusive Ozalid-perfected transparentizer holds its own against heavy pencil pressure, leaving no trace of ghosting when these lines are erased. Want more details about permanent, non-yellowing, high strength Ozaclear? Ask your Ozalid representative or write Ozalid, Johnson City, N. Y., Dept. 234.

Lennox gives branches up-to-the-minute changes on reproducible masters!

With eight scattered branches and factories, Lennox Industries (Marshalltown, Iowa) uses Ozalid diazo intermediates to get out new product drawings and drawing changes quickly and maintain perfect standardization among plants.

Single duplicate originals are sent to each plant, the plant, in turn, making as many clear, sharp prints as needed. Simple, fast, error-proof!

Ozalid, A Division of General Aniline & Film Corporation. In Canada: The Hughes-Owens Co. Ltd., Montreal



Drawing by Victor Steinbrueck
—from Seattle Cityscape

The Modern Movement

GATEWAY TO THE 20TH CENTURY: Art and Culture in a Changing World. By Jean Cassou, Emil Langui and Nikolaus Pevsner. McGraw-Hill Book Co., Inc., 330 W. 42nd St., New York 36. 362 pp., illus. \$25.

In his introduction to this book, Jean Cassou writes, "The years of the last quarter of the 19th century and the beginning of the 20th . . . were assuredly some of the richest and most fruitful in the whole history of the human spirit." At the end of the book, Nikolaus Pevsner writes. "... what is most disastrous in the visual arts of the 20th century and what is most hopeful was fully in existence by the time of the Age of the World Wars." In between these statements, Mr. Cassou, Mr. Pevsner and Emil Langui describe in detail the richness, disaster and hope of the early Modern Movement. Mr. Cassou fills in the years 1884-1914 broadly and inclusively, moving rapidly (and sometimes confusingly) between architecture, painting, technology, poetry, philosophy and politics. Mr. Langui contributes a relatively brief and admirably comprehensible guide to the many streams of modern art. Mr. Pevsner does the same for the architecture and design of the period -and leaves the reader convinced that, as far as humanity is concerned, the modern fine arts may be "disastrous," but "hope" is the province of the applied arts: "... architects and designers once more accepted social responsibilities ... architecture and design consequently became a service."

The book's bulk, in terms both of content and of poundage-is staggering. It is probably a mistake to combine text and illustrations in a book of this size. It is, unfortunately but almost certainly, a waste to put three such distinguished and able writers to work in such a format and in such competition. The format of this giant-sized volume calls for small type set at an eight-inch width -wide enough to discourage even the most determined reader. The competition is provided by an enormous number of well chosen and well reproduced illustrations of the painting, sculpture, architecture, graphic arts, industrial design and decoration of the period.

Perhaps, on the other hand, these illustrations make the text unnecessary. The careful reader of pictures should be able, by the sheer weight of the evidence shown here, to grasp the patterns and significances of the visual arts in the modern age.

The book is based on material shown at the Council of Europe's exhibition, "The Sources of the 20th Century," held at the Musee d'Art Moderne in Paris in 1961.

An Architect's Seattle

SEATTLE CITYSCAPE. By Victor Steinbrueck. University of Washington Press, Seattle 5, Wash. 192 pp., illus. \$4.75; paperbound, \$3.95.

In honor partly of the Fair, but mostly of his home town, Victor Steinbrueck has completed a collection of drawings of and comments on Seattle. He has recorded the town's buildings, and the surroundings nature has given them, to indicate the shape of Seattle's "cityscape" and the qualities which ought to be preserved as the city "improves" itself. One suspects, however, that Mr. Steinbrueck's efforts are really a labor of love, and that, like all Seattleites (as they call themselves), he wanted to pay tribute to a city known for its architecture and its superb scenery.

British Annual

ARCHITECTS' YEARBOOK 10. Edited by Trevor Dannatt. Elek Books Limited, 14 Great James Street, London, W.C. 1, England. 262 pp., plus 86 pp. technical section, illus. 57s. 6d.

This tenth edition of Trevor Dannatt's Architectural Yearbook resembles, in the variety of its contents, an annual magazine rather than a book.

continued on page 44



Supermarket floor in new Kentile® Architectural Marbles Vinyl Asbestos Tile with Green Feature Strips. Alternating Milano (Green) and Rheims (Beige) colors aid traffic flow. Black Wall Base and Counter Base are Vinyl KenCove®. Décor, courtesy Food Fair Stores, Inc.



Ground-down tile shows how random design goes all the way through.

Here's a vinyl tile floor perfect for heavy traffic!

Reason? The marble design of new Kentile Architectural Marbles Vinyl Asbestos Tile goes through and through each tile. It can't wear off! Greaseproof and easy to clean...8 versatile colors. You get all these extras—at no extra cost!

VINYL KENTILE FLOORS





ADJUSTABLE

Two twirls adjust new CHF Adjustable from coffee table to any table height! Setting a new trend in motels leisurely gracious in-room dining for guests!

Also available as a Detachable store-away.

CHICAGO HARDWARE FOUNDRY


North Chicago, Illinois Showrooms in all principal cities.




ANOTHER NEW DESIGN DEVELOPMENT

For more data, circle 17 on Inquiry Card

For more data, circle 18 on Inquiry Card







THE IMPORTANT COST IS

"IN-PLACE" COST

NO. OF PIECES

How can Sanymetal provide the finest quality and the most advanced engineering at lowest in-place cost?

The answer is in the question...engineering.

Engineering that provides fewer, far fewer parts for easier, faster assembly.

Integral hinge brackets eliminate drilling; snap-inplace concealed latch eliminates on-site assembly, pilaster shoe snaps in place...again no drilling.

This is how progressive engineering provides the finest quality and faster, more economical installation. At the same time, Sanymetal provides longer trouble-free life, easier low-cost maintenance, higher sanitation and uncluttered beauty. Write for full story.



Sanymetal
TO MOUNT DOOR

Set Door in Place Drop in Top Pin Place Stop & Keeper Thru Bolt Pop on Latch Handle


SANYMETAL GRAND TOTAL

SECURE DOWN SHOE


Snaps in Place

TOTAL 1

OTHERS GRAND TOTAL 3







THE SANYMETAL PRODUCTS CO., INC. • 1689 URBANA ROAD • CLEVELAND 12, OHIO

For more data, circle 20 on Inquiry Card




61 Stories Over Manhattan

Part of the first major test of stainless steel in American architecture, this gleaming gargoyle took its place on the New York skyline in 1929.

Architect William Van Alen specified stainless steel for the dome, cornices, entrances, street floor shop windows, and gargoyles of the beautiful new Chrysler Building.

Would stainless steel resist the combined attack of rain, ice, snow, soot, smoke, and grime?

Stainless Steel passes the difficult test of ti



The Chrysler Building's stainless steel dom (seen at left) and eight stainless gargoyle were cleaned for the first time in 1961.

Despite 32 years of exposure to corrosive smoke and moisture, the beauty of the original installation was quickly and easily restored. Gotham Building Cleaning Co. Inc., reports: "No evidence of corrosion or determination of any kind."

The use of stainless steel in architecture began with the Chrysler Building (1929) and has increased steadily through the years. The metal offers stubborn resistance to corrosion abrasion, scratches, and dents. It is easily fabricated and erected, blends with other materials, and is available in many standard types and forms.

Stainless steel is seen on exteriors in curtain wall panels, mullions, spandrels, windows railings, sunshades, doors, and entrances. Inside, plain and textured stainless steels are observed in walls, ceilings, column panels, stairways, elevator cabs, and countless decorative effects.

Republic ENDURO® Stainless Steels are produced in all popular types, in widths to 72 inches, and in finishes ranging from soft matte to mirror-bright. Republic offers expert metallurgical assistance. Call your nearest Republic representative for information or check Sweet's Architectural Catalog File, Section 6c/Re.



REPUBLIC ST

Cleveland 1, Ohio

Shedding 32 years of dirt and grime: Stainless steel dome of New York's Chrysler Building was cleaned for the first time in 1961. Original bright finish was quickly and easily restored.

Architect: William Van Alen, New York. General Contractor: Fred T. Ley & Co., New York. Stainless Steel Sub-Contractor: Ben Leisner, Inc., New York.





HELPFUL INFORMATION: Send the coupon for these booklets, How to Select and Order Stainless; Republic High Strength Reinforcing Bars; and ELECTRUNITE® Steel Tubing for Structural Use. Third booklet details the recently announced increase in the yield strength of Republic Structural Steel Tubing Shapes.

For more data, circle 21 on Inquiry Card

Rockefeller Center: In the lobby of the new Time-Life Building, Republic ENDURO Stainless Steel was used for wall and column panels and in a variety of other applications to assure beauty with durability and ease of maintenance.

Architects: Harrison & Abramovitz and Harris, New York.
General Contractor: George A. Fuller Company, New York.
Stainless Steel Fabricator: General Bronze Corporation,
New York.

Elevator doors fabricated by W. S. Tyler Co., Cleveland, Ohio.

Beautiful Socony-Mobil Building: First skyscraper to be sheathed entirely with stainless steel. Prefabricated stainless curtain wall panels and standardized stainless windows simplified assembly of the building's outer skin.

Architects: Harrison & Abramovitz and John B. Peterkin, New York.

General Contractor: Turner Construction Company, New York.

<u>Stainless Steel Fabricator: Truscon Division, Republic Steel Corporation.</u>

Strong, Modern, Dependable



REPUBLIC STEEL CORPO DEPT. AR-4287-B 1441 REPUBLIC BUILDING	
☐ Adv. 1284—Republic Hi	ooklets: ect and Order Stainless Steel igh Strength Reinforcing Bars E [®] Steel Tubing for Structural Use
 Name	Title
Company	
Address	

Zone_

_State.

Toledo Model TDA27 complete

The Custom-27...by TOLEDO

Here's a real achievement in compact, economical efficiency. The Custom-27 is the industry's most advanced dishwasher, customized and priced for individual needs. Look at these exclusive standard equipment features . . .

- Stainless steel inside and out, including the manifold.
- Complete manifold assembly locks into vertical position for easy cleaning.
- New Quik-Flip device on spray tubes permits one-hand removal and replacement.
- Toledo's exclusive 3-way door, now with 4-way suspension, raises and lowers with pressure of one finger.
- Converts easily and quickly for corner installation.

The Custom-27 is designed for the utmost in adaptability, to suit specific needs and financial conditions. Optional features include boosters and thermostats for electric, gas and steam heat, door safety switches and locks, a timed fill, automatic self-starting switches and many others. In addition, stainless steel front enclosure panels, round stainless steel feet and other accessories are available.

For complete information, write for folder describing Toledo Model TDA27.

so new today, they'll still be new in 1967!

These new dishwashers, by Toledo, give you design features years ahead of the industry, years ahead of their time. Ask your Toledo dealer about them today!

Toledo Kitchen Machines




A DIVISION OF TOLEDO SCALE CORPORATION - 245 HOLLENBECK ST., ROCHESTER, NEW YORK

Soiled tableware enters TCU96 at right, emerges onto clean dish table at left. Disposer is under prescrap compartment at right.

with stainless steel front enclosure panel. (Door lock not


shown.)



Contin-U-matic

The Contin-U-matic is a complete dishwashing system, designed for one-man operation and economical use of space. This new conveyor machine, including all the outstanding features for which Toledo is known, is built to combine with soiled dish and clean dish tables so that a single attendant, standing in front of the machine and between the two tables, can handle the complete operation without moving. The Contin-U-matic as an optional feature, includes a built-in disposer for automatic disposal of grease and table scraps. Because of its "U" shape and its front feed and unload features, the Contin-U-matic requires far less kitchen space than conventional conveyor dishwashers.

For more data, circle 22 on Inquiry Card



The G-E Textolite Mist Solid "rhapsody in hues" includes: Gray, Cocoa, Beige, Yellow, Charcoal, Green, Pumpkin, Aqua, White, and the five-color, ribbon-like Ruban Mist.

This compatible collection of soft, delicate, misty hues enables you to achieve a solid color effect with a less costly pattern. Ribbon-like Ruban Mist, a five-color pattern, is the focal point of the G-E Textolite Mist Solid family. Ruban strikes a note of perfect harmony with many of the Mist Solid colors . . . making it ideal for accent. Specify conventional or the new glare-reducing textured finish. Samples are yours for the asking.

GENERAL ELECTRIC COMPANY COSHOCTON, OHIO DEPT. AR-82

() Please send samples of the G-E Textolite Mist Solid colors.

ZONE ____STATE_

Progress Is Our Most Important Product

GENERAL (ELECTRIC

For more data, circle 23 on Inquiry Card

NOW IN LIGHT CONSTRUCTION

MORE INSIDE SPACE

in the same exterior building dimensions with



An Improved Curtain Wall System
Specifically Designed for

- Offices
- Clinics
- Motels
- Banks
- Apartments
- Schools
- Homes

and light construction of many types!

Glidorama FINEWALL units are only 2¾" deep. With most insulating panels, these units have equal or better insulating properties than conventional walls 8" to 10" thick . . . and they have the added value of providing more useful space within the same exterior dimensions.

DESIGN FLEXIBILITY

Glidorama FINEWALL units are custom-fabricated... factory glazed to your individual specifications. Available with horizontal gliding windows in a variety of styles and arrangements... Can be fabricated and supplied with combinations of glass and insulating panels.

Call on Glidorama's experienced designers and engineers to help you fit customized FINEWALL panels into your next residential or light construction project.

Write today for Bulletin GL51 with specifications.



GLIDORAMA division of Whizzer Industries, Inc.
350 S. Sanford Street • Pontiac, Michigan
Copyright 1962 Whizzer Industries, Inc.



REPRESENTATIVES IN PRINCIPAL CITIES OF THE U.S. AND CANADA

For more data, circle 24 on Inquiry Card

Required Reading

continued from page 34

The quality of the articles is as varous as their contents.

At the top of the list in terms of interest and presentation are the a ticles on Danish and Italian architecture since 1950—the latter, it Geno Pampaloni, including straightforward and informative a count of the lively architectural dilogue currently taking place in Ita—and a report by Theo Crosby of Cumbernauld, Scotland, Britain newest New Town.

On the other hand, the yearboo includes an altogether too brief ar too hasty piece by Jane Drew on the last decade of British architecturand planning, a potentially interesting but drearily presented article cancient Greek town planning, ar an embarrassingly, and unfortunately, gushing tribute to the work of Max Bill.

Building for Business

office Buildings. By Leonard Manuseh and Roger Cunliffe. Reinhold Publishing Corporation, 430 Par Ave., New York 22. 208 pp., illu \$12.75.

This book, written by two Britis architects, is divided into two sections. The first covers, in a series of chapters, most of the factors of correct in office building design, from the people who design, commission and work in them, through site planning and cost control, through lighting, heating and acoustics, to the larger matters of structure and interior finishing.

The second section comprises number of examples of recent office buildings from England, the Nether lands, the United States, Germany Canada and Denmark. Each of th buildings is illustrated by photo graphs and by selected plans, sec tions and details. The texts accompanying the examples minimize es thetic chit-chat (even in the case o Wright's Price Tower) in favor o plain facts about program, site structure, and so on. The authors brief summaries, while considering matters of architectural taste, ar chiefly concerned with the buildings functional success.

continued on page 62





Airtherm cabinet unit heaters—with new "Wall-Guard" design—keep walls neat and clean around seal permanently! For access to unit, front panel can be removed from "Wall-Guard" frame fast and easy—without marring or disturbing walls. Eliminates painting and wall repair around seal. For flush installations "Wall-Guard" frame can be used as a plaster stop.

Airtherm Cabinetaires have been installed in a wide range of installations throughout the United States—schools, churches, hospitals, public buildings, auditoriums, showrooms and offices. Eight handsomely designed models... wide choice of stunning colors (or prime coat for later field painting)... capacities from 375 to 1900 CFM and 25,100 to 160,000 BTU/HR at standard steam ratings.


Airtherm representatives in all principal cities will be happy to furnish you with more information and quote prices.

AIRTHERM MANUFACTURING COMPANY


P. O. Box 7039 • St. Louis 77, Mo.

Heating equipment for steam & hot water; air conditioning equipment for chilled water or direct expansion

CENTRALAIRE UNITS • CABINET UNIT HEATERS • CABINET AIR CONDITIONING UNITS • VERTICAL & HORIZONTAL UNIT HEATERS • CONVECTORS



SOARING ROOF AND PYLONS OF CONCRETI EXPRESS THE SPIRIT OF JET-AGE FLIGHT



Dulles International Airport Terminal. For the Federal Aviation Agency: N. E. Halaby, Administrator; G. W. Hobbs, Director of Bureau of National Capital Airports; R. F. Date, Chief Engineer. Architects and Engineers: Ammann & Whitney, Eero Saarinen & Associates, Burns & McDonnell, and Ellery Husted. Architect for Terminal Building: Eero Saarinen & Associates.

bulles International Airport, new port of entry to the ation's capital, is being built from the ground up for jets. From the 2-mile-long runways to the magnificent termial building, concrete has been given a leading role.


The architect's bold concept for the terminal could only ave been executed in concrete. No other material has ne versatility to accommodate such striking departures com traditional design.


The concrete roof, slung from pylons with cables, makes ne terminal a vast, single room, 150 feet wide by 600

feet long. The upswept design, that gives such drama to the exterior, provides improved acoustics for the interior. The elegance and classic simplicity of the towering pylon colonnades are accentuated by their textured surface that exposes the special white aggregates.

For freedom of expression in structures of GEMENT all types, more and more architects are turning to modern concrete.

A national organization to improve and extend the uses of concrete





This was the world's most advanced design.

Until we made this one.

Bally Walk-in Coolers and Freezers are now made with science's new wonder insulation . . . Rigid Urethane "foamed-in-place"

The tremendous advantages of this new insulation represent a major design advancement . . . one that obsoletes all conventional insulated Walk-Ins, both prefabricated and built-ins. • With 97% closed cells it cannot absorb moisture . . . maintains forever peak efficiency, indoors or outdoors • Has double the insulating value . . . Bally 4" urethane equals 8½" of conventional insulation. Standard models ideal for use as minus 30° freezers • Urethane, poured as a liquid, foams in place and while rigidizing binds tenaciously to the metal for great strength. Eliminates need for structural members. Replaces that space with highly efficient insulation • Lightweight urethane and new construction reduce weight to one-third for tremendous freight savings . . . make erection fast and easy • Foamed door is extremely lightweight, to open and close with little effort. Unique magnetic gasket provides positive continuous seal • Thinner walls increase usable inside space • Fire-retardant.

Your choice of Aluminum or Galvanized as standard finishes. Sections have Bally's patented Speed-Lok for quick and accurate assembly. Easy to add sections to increase size . . . equally easy to disassemble for relocation. Hermetically sealed refrigeration systems eliminate installation problems . . . drastically reduce service costs.

Write for Free Architect's Fact File, complete with new Specification Guide, descriptive literature and technical booklet.



Bally Case and Cooler, Inc. Bally, Pennsylvania



Herman Nelson Unit Ventilators can deliver up to 100% outdoor air ... and save fuel with exclusive wind-proof damper

CUDENTS needn't go outdoors for fresh air—a Herman Nelson Unit Ventilator system provides it in the classroom. Every classroom needs 6 to 9 air changes per hour. Herman Nelson Unit Ventilators meet these needs efficiently and economically with outdoor-air ventilation cooling. The Herman Nelson back draft damper responds instantly to classroom cooling

needs with up to 100% outdoor air — yet never lets gusts of cold air in to run up the fuel bill. These unit ventilators, unlike remote systems, provide economical room-by-room control capable of diffusing "new" air to all corners of a classroom in just 60 seconds. RE-MINDER: See page 4 of this report for 11 facts you should know about school thermal control.

"We air conditioned bo h



MODERN, MULTI-FUNCTION BUILDINGS. Superintendent Richard Van Hoose (right) and Consulting Engineer E. R. Ronald, on the campus of the new Western school. It contains 26 general-purpose classrooms, home economics suite, art room, bookstore, mechanical drawing room, visual aids room, library, TV assembly for 250 students, language laboratory and other special-purpose rooms.

The adjoining physical education building houses a 2500-seat gymnasium, stage, boys' and girls' dressing rooms, showers, varsity and junior varsity rooms, concession stands, public toilets and general storage rooms. Facilities at the Westport Road school are similar. Architect: Hartstern, Louis & Henry, Louisville; Consulting Engineer: E. R. Ronald & Associates, Louisville.

ar new schools"...

Richard Van Hoose Superintendent of Schools Jefferson County, Kentucky

Kentucky junior-senior high schools, designed for air conditioning, provide low-cost, year-round comfort

Western High School and Westport Road High School are in different sections of Jefferson County; the design of each is distinctive and individual. Yet the schools have two important things in common: (1) they are both air conditioned, and (2) total construction on each was less than \$11.50 per square foot.

These beautiful, functional buildings demonstrate again an important fact: if schools are *designed* for air conditioning, they can be constructed for only slightly more than conventional schools.

Herman Nelson unit ventilators provide the yearround thermal environment — air conditioning, ventilation, heating. They offer full refrigeration cooling during the hot months, automatically switch to use of "free" outdoor air when outside temperatures drop.


Herman Nelson developed the *first* air conditioning unit ventilator, has equipped far more classrooms than any other manufacturer. Take full advantage of this experience when planning your new school. Your Herman Nelson representative will welcome the opportunity of helping you.

Herman Nelson

SCHOOL AIR SYSTEMS DIVISION









NO SACRIFICE OF QUALITY. Air conditioning of these schools was achieved without cutting corners on quality. Superstructure of both buildings is of reinforced concrete in floors, columns and beams. Interior classroom and lab walls are of masonry block; cafeterias, kitchens and restrooms have glazed tile walls. Floors are of asphalt tile in the classrooms, vinyl in the labs, ceramic tile in the cafeteria and restrooms and quarry tile in the kitchens. All rooms have acoustical tile ceilings.

FACT KIT AIDS PLANNING. The Herman Nelson Fact Kit on school air conditioning contains all the latest data on (1) design of air conditioned schools, (2) comparative cost studies, and (3) equipment for school air conditioning. For a free copy, write: School Air Systems Division, American Air Filter Company, Inc., 215 Central Avenue, Louisville, Kentucky.

Your new school's thermal system should provide as many of these important benefits as possible

HERMAN NELSON UNIT VENTILATORS OFFER THEM ALL -AT A COST YOU CAN AFFORD

It's a fact that cooling, not heating, is a school's main thermal problem. Extreme overheating is caused by excess heat from students, artificial lighting, and the sun. As a result, school thermal problems are unlike those of any other building. Here are 11 benefits you need in a school heating, ventilating, and air conditioning system:

- 1. INDIVIDUAL ROOM THERMAL CONTROL—Classroom thermal requirements change as education activity varies. Each classroom needs individual thermal "attention" to keep temperatures comfortable at all times. Only a unit ventilator system—such as Herman Nelson offers—can economically provide this room-by-room flexibility.
- 2. VENTILATION COOLING Occupied class-rooms can overheat when outdoor temperatures are as low as 8°F. They often need up to 100% outdoor air for cooling. Herman Nelson Unit Ventilators meet this requirement completely and economically.
- 3. GOOD AIR DISTRIBUTION Herman Nelson Unit Ventilators adjust to required classroom temperatures in a matter of seconds. Fresh, new air is diffused to all areas of a classroom in less than 60 seconds.
- 4. VENTILATION FOR AIR FRESHNESS
 AND ODOR CONTROL—Unit ventilators provide controlled mechanical ventilation using varying mixtures of recirculated room air and outdoor air for maximum air freshness all the time a classroom is occupied. Again, only unit ventilation can meet this need, accurately, on a room-by-room basis.
- 5. RAPID MORNING WARM-UP Substantial fuel savings can be realized by controlling temperatures at a reduced level during the long periods when schools are unoccupied. Herman Nelson Unit Ventilators respond rapidly to needs for heat. The result: shorter morning warm-up time, greater fuel savings.

- 6. COLD WINDOW DOWNDRAFT CONTROL
- -Every classroom needs an efficient system for controlling cold window downdrafts. The patented Herman Nelson DRAFT|STOP system is the lowest cost, simplest, easiest to install, and the *only* draft control system completely compatible with year-round thermal control.
- 7. QUICK RESPONSE TO TEMPERATURE CHANGES—Complete changes in the level of classroom occupancy, artificial lighting, and exposure to the sun can take place in a matter of seconds. A school thermal system *must* be designed to adjust to these changes instantly. Remote and central systems cannot meet this need economically.
- 8. QUIET OPERATION—Herman Nelson Unit Ventilators solve classroom thermal problems quietly. A new flared fan housing design together with a one-piece, extruded aluminum discharge grille and "modular" fan construction make these units 50% quieter.
- 9. AIR FILTRATION—Any system which filters only primary air and recirculates unfiltered room air could endanger student health. Herman Nelson's single filter system efficiently cleans both primary and recirculated air. These filters can be quickly and easily serviced by any school custodian.
- 10. FLEXIBILITY FOR BUILDING ADDITIONS—School expansion can be conveniently anticipated with a Herman Nelson Unit Ventilator system by merely sizing piping mains and boiler room equipment to handle the future plans. Many systems require an entirely new equipment room with each expansion.
- 11. LOW-COST OPERATION Herman Nelson motors have *lowest* operating current of any unit ventilator. Save hundreds of dollars yearly in electric bills. Exclusive back draft damper gives up to 50% fuel savings. Result: substantially lower operating costs.





DID HE SAY ONE...OR NONE?

How well people hear each other in a building depends upon how clearly they speak...how closely they listen...and quite frequently—how good is the sound and communications equipment. The best sound and communications systems bear the name stromberg-carlson.® ■ All of the components that will be used in any stromberg-carlson system you specify are custom-matched...designed right from the beginning to work together to minimize engineering and installation time. ■ You can pick from the widest line of components—or systems—because stromberg-carlson is the most complete line of communication products for business, industry and institutions. ■ Field and factory technical assistance will be readily available...anytime...any place. ■ A system with the name stromberg-carlson is backed by more than 60 years of unsurpassed competence in sound engineering. ■ Want more details or data sheets? Or do you have specific questions? Write to General Dynamics / Electronics-Rochester, Box A, 1408 N. Goodman Street, Rochester 1, N.Y.




GENERAL DYNAMICS | ELECTRONICS - ROCHESTER

aly the prolithic EIN CE C C ET Can You Be This Creative

The formative limitations of many construction materials make *this* type of structure practically impossible except with monolithic reinforced concrete. Monolithic reinforced concrete has no limitations in creative application. That's why architects utilize the superior advantages of this versatile construction material for contemporary buildings as well as more conventional structures.

On your next project, design with greater freedom—design for monolithic reinforced concrete.







Concrete Reinforcing Steel Institute 38 South Dearborn Street Chicago 3, Illinois



"The Gizmo", Students' Snack Room, Knox College. Architects: Perkins & Will, Plate 451.

What to use for a "Gizmo" Floor?

Murray Quarry Tile was selected for this student eating area because of its warm earthy colors and its well-known durability. These new Ember Flash iles give a pleasing mottled effect, and the 8"x 3%" size was used to achieve a subdued feeling of pattern. Quarry tile was preferred, too, in this heavy traffic area, because it is rugged, yet so easy to keep clean. Write for Murray Quarry Tile catalog 861.



MURRAY TILE COMPANY, INC. • 145 MELANIE DRIVE • LEWISPORT, KENTUCKY



NEW CUSTOM IN TEXAS!



Elegant and chaste in its lines, light and open in its construction, yet strong enough to withstand a hurricane without leaking! Such is Michaels' handsome marble-and-glass custom curtain wall for the impressive new American National Bank of Beaumont, Texas. The unique mullion system of this building is especially noteworthy: its profiles accentuate vertical shadow lines, while minimizing horizontal shadows; its split-design members provide for the horizontal expansion requirements of wide expanses; and the exceptional thinness of the members permit delicate detailing, while helping to de-emphasize structural components. Needless to say, only a custom-designed wall can combine so many important features to the architect's exact specifications. How much does such a wall cost? Surprisingly little more than "standard" curtain walls, especially when you consider that Michaels will erect the wall and supervise all contributory trades. Why not investigate before you specify your next curtain wall? We invite your inquiry.

THE MICHAELS ART BRONZE CO.

P. O. Box 668, Covington, Ky., Plant & Office: Kenton Lands Rd., Erlanger, Ky.

Metal Curtain Walls — Windows — Entrance Doors — Custom Store Fronts — Railings — Ecclesiastical Work — Bank Equipment — Tablets & Signs — Astragals — Exhibit Cases

For more data, circle 36 on Inquiry Card

Required Reading continued from page 44

Giedion Reprinted

SPACE, TIME AND ARCHITECTURE. By Siegfried Giedion. Harvard University Press, Cambridge 38, Mass. 776 pp., illus. \$12.50.

In the 20 years since its first publication, Giedion's *Time*, *Space and Architecture* has retained its unique position in the literature of modern architecture. It remains—in its fourth edition, thirteenth printing—perhaps the most instructive, and readable, book on the Modern Movement and all its antecedents.


For this edition, Giedion has written a new introductory chapter, "Architecture in the 1960's: Hopes and Fears," bringing his views up to date. These views have not greatly changed, fundamentally, and he expresses his hope, or certainty, that the "playboy architecture now envogue" will shortly disappear, as fads are wont to do. Giedion has not revised the book itself, feeling that "it is an entity in itself which... should not be disturbed." Chapters on Mies and Gropius were added to the third edition.

Now that city planning has finally received public attention as a matter of great urgency, both socially and architecturally, it might be observed that Giedion's comments on town planning—those in the first edition as well as those added to the third—bear re-reading, particularly for architects who have been long away from the book.

Ruskin Reprinted

THE SEVEN LAMPS OF ARCHITECTURE. By John Ruskin. The Noonday Press, 80 E. 11th St., New York 3. 210 pp., illus. \$1.95, paperbound.

Architectural theory has changed considerably since Ruskin wrote that only the addition of the "useless" and "unnecessary" made a building architecture. Despite his wrongheadedness, however, he was not always wrong, and his dedication and rolling Victorian prose qualify him for America's currently fashionable literary honor: reproduction in paperback.



conversation piece...

NEW SLIMLINE 5

WITH 4 BALL BEARINGS

When talk turns to quality and design, architects and builders find this new hinge makes for good conversation. It's the *only* slimline with five knuckles, the *only* slimline with four ball bearings... and it's still the slimest of them all. How the four intricate but rugged ball-bearing units integrate without increasing knuckle size is a tribute to hinge craftsmen at Hager.


The five knuckles mean 10% to 20% more strength on lateral pull and twice the bearing surface to support vertical weight. The pin, approximately one-third larger than other slimlines, naturally maintains a much greater protective margin in shear and tensile strength.

Medium and heavy doors move ever so quietly, ever so smoothly, ever so true, on the new four-ball-bearing Slimline 5. Write Hager, or contact your Hager repre-

sentative for information. C. Hager & Sons Hinge Mfg. Co., St. Louis 4, Mo. Hager Hinge Canada, Limited, Kitchener, Ontario.


Everything hinges on Hager®





FAST OPENING AND CLOSING. Jamison Electroglide® Power Doors speed traffic to loading dock—single leaf cooler door, left, and bi-parting freezer door, right.

New \$3,000,000 automated plant features Jamison Horizontal Sliding Doors



SAVES REFRIGERATION. Jamison Manual Horizontal Sliding Door in combination with self-closing Flexidor®.



RAPID, CONVENIENT LOADING. Jamison Manual Horizontal Sliding doors facilitate loading of dairy products.

• In a dramatic advance toward automated processing of fluid milk and ice cream products, the Borden Company recently completed a new \$3,000,000 plant at Milwaukee, Wisconsin. An important feature of this modern plant is a number of Jamison Horizontal Sliding Cold Storage Doors.

More and more, in the design of new, modern facilities like this one, Jamison Doors are specified to save space, minimize refrigeration loss, speed traffic and facilitate handling of products and materials. Get the story of the cost-saving benefits of Jamison Doors from your architect, or write to Jamison Cold Storage Door Co., Hagerstown, Md.





elegant floor beauty that won't "walk off"

Premiere Series in Vina-Lux vinyl asbestos tile is a unique combination of subtle styling and rugged resistance to maximum traffic loads...delivers so much more value and performance than surface patterns...yet costs no more. Specify Vina-Lux Premiere Series, for installation over concrete — above, on or below grade, or over wood or plywood subfloors. Consult Sweet's Catalog — or let us send you samples, color charts and detailed architectural specifications. Azrock Floor Products Division, Uvalde Rock Asphalt Company, 515A Frost Building, San Antonio, Texas.


Magnified view shows pattern distribution through full thickness of tile. Available in 1/8", 3/32", 1/16" gauges.

Visit us at ARA Convention Exhibit No. 21

another fine floor by AZROCK

For more data, circle 39 on Inquiry Card





Westinghouse Wall Line™ Water Coolers take 26% less space...install flush to wall...anywhere

New Westinghouse WALL LINE water coolers are as clean and functional as today's modern architectural lines. Compact design projects only 12" from wall, takes 26% less space! No more exposed plumbing or "dirt catching" space behind the cooler. Easier and less expensive to install too, because slip fittings eliminate pipe threading and soldering. Free-standing WALL LINE water coolers available in 6, 8, 11, 15, and 20-gallon capacities...plus

"on-the-wall" models, in 7 and 11-gallon capacities, can be mounted at any height to provide the preferred drinking level in schools, offices, institutions. Full 5-year warranty on all functional parts as well as refrigeration system, backed by factory-authorized service everywhere. For more information, call your Westinghouse Water Cooler distributor listed in the Yellow Pages. Westinghouse Electric Corp., Columbus, Ohio. You can be sure . . . if it's






MOVABLE PARTITION, J-M HIGHWALLS

CONFERENCE TABLE, J-M COLORLITH

ACOUSTI-SHELL-new J-M acoustical product-



Acoustical ceilings can now be more than just a plane surface! New J-M Acousti-Shell is a molded unit that rises gently to a 2" vaulted center.

This third-dimensional effect adds both height and interest to virtually any ceiling, as the above photograph demonstrates. The panels also offer excellent sound absorption across the entire audible range.

And because each Acousti-Shell unit is made entirely of fiber glass, it has a flame-spread rating of zero. The base material is sound-absorbing glass fibers...the sur-



FLOORING, J-M TERRAFLEX

rings a true 3rd dimension to sound control!

acing material is a woven fiber glass fabric. These are nolded into units 24" x 24" x 2" high, which are of a shell-ke thickness about one-third that of flat sound-control anels. Yet they are strong, rigid and easily installed in a imple suspended grid system.

Standard Acousti-Shell fabric colors are white, blue nd green. On special order, however, the surface fabric may be dyed in a wide variety of colors or can be printed with custom designs.

oth custom designs.

The new Acousti-Shell line also includes flat panels for

borders, for areas around columns and beams, for spotlight cut-outs and similar uses.

For more information and a look at this unique new ceiling panel, call your J-M Representative. Or write Johns-Manville, Dept. AR-8, Box 158, New York 16, N. Y. In Canada: Port Credit, Ont. Cable: Johnmanvil.


JOHNS-MANVILLE



ARCHITECTS IN THE NEWS: A.I.D. HONORS YAMASAKI, THIRY; AWARDS TO WALKER, JOHNSON



Forde Photographers



Minoru Yamasaki, A.I.A., has received an honorary membership if the American Institute of Interior Designers for his outstanding service to design both national and international and for the architectural beauty and structural integrity of his works. A.I.D. President Miltor Glaser made the honor known during the A.I.D. 31st annual national conference held in Seattle.

Mr. Yamasaki was one of three no in the practice of interior design an decoration to be so honored for services to art and industry. Honorar memberships were also given to Par Thiry, F.A.I.A., primary architector the "Century 21" exposition, an Dr. Richard Eugene Fuller, honorary A.I.A. member and presider and director of the Seattle Art Museum.

Ralph Walker, "architect, urba planner, public servant, scholar an humanist," has been presented the new Founders' Medal by New York New School for Social Research. At the First Founders' Award Dinner held in his honor in May, Mr. Walke was cited for his "contributions to education during a decade as men ber of the board of trustees and a its chairman from 1956 to 1961."


Philip C. Johnson was awarded a Honorary Doctor of Fine Arts Degree by Pratt Institute, Brooklys N.Y., at the Institute's 73rd commencement ceremonies on June 1 The degree recognizes Mr. Johnson "profound contributions to contemporary architecture, his outstanding buildings, his literature and theory and his interest in educationall an inspiration to students, facuties and architects."

Andrew H. Hepburn, Boston, Mass and William Wilson Wurster, Sa Francisco, Calif., both architect were elected to Academicianship i the National Academy of Design New York.

Edgar I. Williams, past president of the New York Chapter, A.I.A. and of the Architectural League of New York, has been elected president of the National Academy of Design.

For more data, circle 43 on Inquiry Card





BREAKTHROUGH IN OFFICE COMFORT CONTROL

New Inland Integrated Air Floor System provides COMPLETE CONTROL of indoor climate and at LOWER COST than conventional systems.

A new concept in the control of indoor comfort has been developed by Inland engineers. It is a practical, economical system which controls environment *completely*, at costs considerably less than those of conventional heating and air conditioning systems.



The new Inland Integrated Air Floor System combines the functions of four time-tested components to provide simultaneous control of: (1) temperature of air and room surfaces, (2) relative humidity, (3) air motion, (4) bacteria content. What this means to employers and employees alike is clear: better working conditions, increased effectiveness, less absenteeism.

Because it is designed as part of the building, the Inland IAF System delivers all of its benefits at significant savings, both in first and operating costs. Furthermore, it offers the designer new freedom in the creation of healthful, efficient, comfortable interior spaces.

How is this possible? Three years of Inland re-

search have combined (1) a Burgess-Manning radiant ceiling system*, (2) a Kathabar chemical air conditioner†, (3) a standard refrigeration plant and (4) Inland Hi-Bond Celluffor, into an integrated system. The functions of all four harmonize to increase the efficiency of each and to reduce total costs considerably.

Use of radiant ceiling panels and a chemical air conditioner cuts the need for outside air to a fraction of that required by ordinary systems. As a result, all of the circulated air can easily be carried in the cells of Inland Celluflor, with ample room left over for power and signal lines. Building design can be more compact — less space wasted between floors and smaller areas devoted to mechanical equipment. Savings in construction and building materials are significant.

Space is too limited here to explain how the Inland IAF System works, but a sound-slide program has been prepared which tells the story quickly and meaningfully. If you would like your organization to see this program, please write the Milwaukee address listed below or call your local Inland office.


*Burgess-Manning Company, Libertyville, Illinois, †Surface Combustion Div., Midland-Ross Corp., Toledo, Ohio.

EP-25



Inland Steel Products Company Engineered Products Division DEPT. H, 4033 WEST BURNHAM STREET • MILWAUKEE 1, WISCONSIN

ALBANY, ATLANTA, BALTIMORE, BOSTON, BUFFALO, CHICAGO, CINCINNATI, CLEVELAND, COLUMBUS, DALLAS, DENVER, DETROIT, FREMONT, CALIF., HOUSTON, INDIANAPOLIS, KANSAS CITY, MO., LOS ANGELES, NEW ORLEANS, NEW YORK, OMAHA, PHILADELPHIA, PITTSBURGH, SALT LAKE CITY, SAN FRANCISCO, SEATTLE, ST. LOUIS, ST. PAUL, TULSA





Non-flammable 3M Brand Drywall Contact Adhesiveno bracing, no nails needed!

Get a trim looking laminated drywall job, and trim installation time up to 25% with 3M Brand Drywall Contact Adhesive. Finishply goes on without nails, without shoring, and with but a minimum of spackling and finishing.

3M Brand Drywall Contact Adhesive is water-dispersed and solvent-free. No fumes or flammability. Dangers from cigarettes, matches, heat and sparks from power tools are eliminated.

This new adhesive grabs on contact . . . has excellent workability, good heat and water resistance. *One gallon provides approximately 400 sq. feet of complete laminate.* Spray, brush or roll on with standard equipment. Gel consistency keeps 3M Adhesive from running and dripping. Coating can be applied up to 1 hour ahead of bonding. When finished, clean-up is easy with soap and water or detergent.

For the first ply on studs, try 3M Brand Drywall Joist/Stud Adhesive . . . goes on with a caulking gun. Requires few nails . . . reduces "popping." (Other quality construction products from the 3M family: Ceramic tile, floor tile, countertop, insulation adhesives, curtain-wall and duct sealers). See your nearest 3M distributor, or write: AC&S Division, 3M Company, Dept. SBHM-82, St. Paul 1, Minn.

Adhesives, Coatings and Sealers Division





HOW MUCH AUTOMATION 3 RACTICAL FOR YOUR BUILDINGS?

Latest advances mean that today, even in buildings of modest size, the right <u>degree</u> of automated control of temperature, fire, security and other systems may pay off for your clients in as little as 3 to 5 years.

This report from Honeywell shows why and how.

Today's building more and more a machine

The next 6 minutes could be worth thousands of dollars to every client trying to hold down running expenses of a building in the face of the relentless cost-price squeeze.

Whether a public or private building—office, store, factory, school, college, hospital or hotel—it's a machine almost as much as a structure, with mechanical and electrical systems representing up to 50% of its cost.

As a machine, it can now be automated far more, and far more profitably, than most people realize—especially those who have to pay the bills for its operation and maintenance.

New: Automation for optimum results

Today your clients can have the benefit of automation concepts that a few years ago were too costly or unavailable.


Chief of these is automating a building for optimum results—wringing maximum efficiency from equipment to cut a surprising waste in manhours, plug needless leaks in other costs including power and fuel, and assure the utmost in comfort, safety, and efficient working conditions.

Here's what we mean by automating a building

A simple central control panel is, of course, a big step forward in automating a building. You can centralize control of any or all systems such as air conditioning; fire detection and alarm; security against

intrusion and theft; clock systems; equipment surveillance; similar functions. And you can coordinate and integrate them for vastly higher efficiency.

Today you can also start power-consuming equipment such as compressors in just the right sequence and loading combinations for optimum efficiency at any demand. The following graph suggests the savings this can make for a client. It shows the efficiency increase estimated for an actual building by automating control of 3 compressors for the most efficient performance under any load.



Imagine what such a boost in efficiency would do for a client's building. Even if it's much smaller and less complex than this one, automation could well offer extraordinary savings.

The only question today is how *much* automation is *most* profitable. And today's decision may differ sharply from that of a few years ago.

Simpler systems for small buildings, robots for big ones

Five years have seen great advances new techniques, new equipment, new miniaturization and new knowledge gained in hundreds of installations across the nation.

For smaller buildings, there are new and simpler central-control systems; for large buildings, computer-guided robots.

Such a robot can analyze scores of variables including weather, internal load, fuel costs—and instantly allocate the load to equipment for the desired cooling at least expense. So new developments make more automation practical for buildings of all sizes—new or being modernized.

Often pays for itself in as little as 3 to 5 years

By cutting costs and boosting efficiency, automated central control often pays for itself so swiftly, in as little as 3 to 5 years, that it's almost unbelievable.

Yet many reports to Honeywell confirm it and show why. For one thing, it's now simpler to automate only the systems your client needs, in any combination. Some of the functions you can automate include:

Temperature, humidity: Monitored constantly. Remote adjustment possible for hundreds of points or just a few.

Equipment surveillance: Automatic pinpointing of off-normal conditions eliminates human error. Includes monitoring of steam and water pressures, etc.


Building security, fire alarm systems: New electronic, sonic and other detectors that see and hear in the dark or far away; spot even a wisp of the smoke that portends a fire; or feel the presence of an intruder even approaching a security zone.


Clock systems and programming: Startstop of equipment at the proper time, in the proper sequence. Built-in memories to do the right thing after power failure.

System analysis: Instrumentation to enable operation of systems at optimum.


Automatic data logging: Typed records for system analysis, for costing-billing.

For towering skyscrapers





In Chase Manhattan bank, New York, two Honeywell Selectographic DataCenters supervise air conditioning, many another function. An 11th floor center handles lower part of building, a 31st floor center the rest of the 64 stories. One man in 11th floor center can view any of 17 floor plans, 37 systems; stop any of 71 fans, 16 pumps; check temperatures in 400 areas, raise or lower them in 200; make a continuous record of any 20 of 732 key temperatures. A conventional panel for the same duties would be 70 ft. long. This Honeywell setup is less than 17 ft., including 732-station recorder and other panels. In many smaller buildings, Honeywell's Supervisory DataCenter panels of more conventional design are a practical choice for automation.



...another big advantage-when you *treamline* copper tube and install _____ fittings for drainage plumbing

When you use Streamline tube and fittings on a job, even complex plumbing trees can be easily handled by one man. A 20' length of corrosion-resistant type DWV tube weighs only 34 lbs., 1/5th the weight of old-fashioned rustable material. Pre-assembling copper is easy in the shop or at the site-and requires only a few on-the-job connections to complete the installation.

Joints aren't affected by vibration in transit, either. Work is easier, too, because there's no caulking, threading or heavy wrench work to do when you use Streamline solder-type fittings and tube that fit together perfectly because they're made for each other.

Next time-install Streamline copper tube and fittings-the modern material for both supply and drainage.



Write today for new Catalog S-361




MUELLER BRASS CO. PORT HURON 8, MICHIGAN





provides sophisticated beauty for large ceiling areas...one of the new patterns in the 1962 line of G-B ULTRACOUSTIC Ceiling Boards.



Six Sculptured, Three-Dimensional Patterns

The new G-B ULTRACOUSTIC Ceiling Board line offers unlimited design possibilities for suspended acoustical ceilings. Each pattern is excitingly new, original in style, designed to harmonize with a variety of interior decors. Through the interplay of lighting on the richly-sculptured surfaces, you can achieve many new and unusual ceiling design effects.

G-B ULTRACOUSTIC Ceiling Boards, made

entirely of bonded fiber glass, provide maximum acoustical efficiency (.80 - .90 NRC). They are rated incombustible when tested in accordance with procedures established by the Underwriters' Laboratories and Federal Specification SS-A-118b. The pleasing, off-white finish has a light reflection rating exceeding 75%. The panels are available in either 24" x 24" or 24" x 48" modules. Write today for a new, fully-illustrated G-B ULTRACOUSTIC Ceiling Board brochure.





EDUCATION NEWS: DIETZ NAMED DEAN AT WASHINGTON U.; BUSH-BROWN IS R.I.S.D. PRESIDENT Robert H. Dietz, professor of architecture and urban planning at the University of Washington, will become dean of the college next fall. A member of the faculty since 1948, Professor Dietz succeeds Dr. Arthur P. Herrman, who asked to be relieved of his administrative duties as dean to devote his time to teaching and research.

Since 1960, Professor Dietz has been chairman of the graduate program in the College of Architecture and Urban Planning and chairman of the design program committee. He is a director of the Association of Collegiate Schools of Architecture and a member of the National Architectural Accrediting Board.

Dr. Albert Bush-Brown, author, editor, architectural historian and critic, was to become on June 30 the third president of the Rhode Island School of Design, upon the retirement of Dr. John R. Frazier.



Presently associate professor of architectural history and executive officer of the Department of Architecture at Massachusetts Institute of Technology, Dr. Bush-Brown says

Bush-Brown says of his plans as R.I.S.D. president, "I intend to develop R.I.S.D.'s unique personality, a four-year college dedicated to immersing imaginative students daily in the adventures of design, so that they all understand the new scale of artists' responsibility: the urban community, whatever part they contribute."


Bernd Foerster, Morton C. Gassman and Robert F. Winne of the faculty in the School of Architecture at Rensselaer Polytechnic Institute, Troy, N.Y., were slated to become associate professors of architecture on July 1.

Thomas A. Briner, San Luis Obispo, Calif., has been awarded the \$5,000 Lloyd Warren Fellowship, 49th Paris Prize in Architecture, in the annual national competition of the National Institute for Architectural Education.

Mr. Briner, instructor in the Department of Architectural Engineering at California State Polytechnic College, is interested in making objective studies and analyses of urban public spaces, leading to a criteria or standard for "Urban Design."

Subject for the three-day N.I.A.E. competition was the redevelopment of New York's Welfare Island as a recreational area. The final competition, in which 33 participants represented 19 schools, involved a hotel design.

The First Alternate, who will receive \$1,000 for three months study abroad, was James Byron Bell Jr.



Corbin Horizontal-Type Letter Boxes approved by Post Office Department for apartment houses

According to POSTAL MANUAL 155.6 (9-25-61) the Corbin horizontal-type letter boxes are approved as mail receptacles by the Post Office Department. A copy of this manual, Post Office Services Transmittal Letter 100 is yours for the asking from Corbin Wood Products Division.

IMPORTANT ADVANTAGE OF HORIZONTAL TYPE

The 14¼" capacity required is in depth, rather than height, resulting in space saving of lobby wall which is most important in larger apartment houses. A maximum number may be installed in a limited area of wall space without sacrificing the over-all cubic measurements of the receptacle. Send for PLANNED MAIL HANDLING FILE, Department F-8.





CORBIN WOOD PRODUCTS DIVISION

THE AMERICAN HARDWARE CORPORATION NEW BRITAIN, CONNECTICUT

For more data, circle 55 on Inquiry Card

narchitect's Office is his showcase. This modern office building planned for its own use by J. E. Sirrine Company, Greenville, South Carolina architects and engineers, exemplifies the organization's imaginative and economical use of concrete. For example, exposed concrete block was left in its natural finish to provide a practical, yet attractive, interior wall treatment. And prestressed concrete double T's were utilized as floor slabs to help speed construction. Today, architects are designing more beautiful structures at lower costs with concrete masonry, precast concrete panels and facings, prestressed concrete units and reinforced structural concrete. For information about cements and concrete construction techniques, write Universal Atlas, 100 Park Ave., New York 17, N. Y.






Universal Atlas Cements were used for all concrete and mortar in constructing this office building in Greenville, S. C. General Contractor: Yeargin Construction Co. Concrete Supplier: Greenville Concrete Co.



"USS" and "Atlas" are registered trademarks



by TTTS

World leader in the design and manufacture of air distribution equipment


NEW complete line of CEILING DIFFUSERS

Today's first for <u>unrestricted</u> use with modified light troffers; superior air distribution on any application

Here, for the first time, is a line of air diffusers that can be specified *entirely independent* of the light troffer* selected! This means architects, engineers and contractors can now be sure of the finest air distribution . . . regardless of modified troffer used . . . regardless of ceiling application. *(Contact Titus reps for names of qualified light troffer manufacturers.)

LOOK AT THESE BENEFITS YOU GET ONLY WITH THE NEW TITUS AIR DIFFUSING UNITS:

- 1. Completely adjustable air pattern. The air pattern on each side of each Titus unit can be quickly, easily adjusted to a horizontal discharge, a vertical discharge, or to any pattern in between, to exactly suit the space requirements. Simply adjust pattern controller through troffer air discharge slot for pattern desired.
- 2. Complete air volume control . . . from open to closed position. Adjusts through air discharge




• MODELS LT-14 and LT-24. For 1 x 4 and 2 x 4 troffers. Feed from top. 4", 5" or 6" inlet ... low, medium or high capacity. Each side has individual, fully adjustable air pattern and air volume control. Use as supply or return units.

slot of troffer. Both air pattern controller and volume controller can be adjusted anytime before, during, or after diffuser installation.

- 3. Diffusers are of one-piece, air-tight construction. This means faster, easier, lower-cost installation—maximum isolation of air diffuser from light troffer. Because diffuser is independent of troffer, heat from troffer is dissipated uniformly to ceiling space—no supply or return air can enter troffer. This assures maximum light output and color stabilization.
- **4. Today's only complete line.** One-piece models to fit every need. Furnished in units that feed air from top, or in single and double units that feed air from side. Models to fit 1 x 4 and 2 x 4 light troffers.

Don't settle for "second best" air distribution ... SPECIFY TITUS DIFFUSERS AND BE SURE OF *THE* BEST ... regardless of modified light troffer you select.




• MODEL LT-10. For use as single unit or double side unit. Individual feed, individual air pattern and volume control. Can be used with both sides supply or return... or with one side supply and other return. Snaps into troffer.

MAIL COUPON FOR NEW CATALOG

TITUS MFG, CORP., WATERLOO, IOWA		
Branch Mfg. Plants — Hialeah, Fla., Terrell, Texas () Rush new Catalog on Titus Ceiling Diffusers for unrestricted use with light troffers.		
NAME		
COMPANY		
ADDRESS		
CITY	STATE	

ANNOUNCING: THE ATTRACTIVE NEW



RESERV-A-ROLL

Multi-Roll Toilet Tissue Dispensers

PUSHBUTTON AUTOMATIC: A beautiful complement to the best appointed bathroom or restroom. A timesaving convenience for homes, apartments, office buildings, hotels, motels and public buildings.

- HANDSOME CHROME-FINISHED FACE
- MAY BE WALL-RECESSED OR SURFACE-MOUNTED
- SELF-LOCKING, VANDAL RESISTANT
- DISPENSES ANY STANDARD ROLLS OF TISSUE
- EASY TO LOAD, FOOL-PROOF MECHANISM

FOR SAMPLES AND LITERATURE, WRITE:

THE RESERV-A-ROLL CO. 🗫




602 SUL ROSS


HOUSTON 6, TEXAS

P. O. BOX 66069

For more data, circle 58 on Inquiry Card









For more data, circle 60 on Inquiry Card

CUSTOM FACE EFFECTS

for the design man with standard MARMET AP's








choice of mullions and cross members


Even on tightly budgeted jobs, MARMET architectural projected series gives you full freedom of design on face effects with a standard window system. A whole array of mullion and cross member shapes, varying in depth of section (as shown at right) offer a choice of final effect for varying shadow patterns on the building face.

Selection of operating sash includes all of the basic types illustrated at right, in two series. Windows are 11/2" in depth in the 5142 series and 21/8" in depth in the 5212 series. Tubular sash is available in either series for ventilating lites where window design requires a large expanse of glass. In AP's or in Curtain Wall, the flexibility of MARMET window systems gives you monumental treatment at standard engineered system's cost. For full freedom of design on a tight budget . . . plan to specify MARMET for your next job.



For additional information on the complete line of MARMET products — consult Sweet's Catalog File No. <u>17a</u> and <u>16a</u> or write to MARMET <u>Mar</u> <u>Mar</u>





SERIES 1000 DOORS AND ENTRANCES

Designed for the ultimate in appearance and function, MARMET monumental, wide stile doors are custom engineered to fit any entrance requirement. Fabricated from 1/8" extruded aluminum alloy, all doors and frames have MARMET's full weld construction, leaving no unsightly halos, only a neat hairline joint. Frame members are available with special reinforcing if desired. Snap in door stops are weatherstripped as specified.







CASEMENTS

PIVOT TYPE






HOPPER

PROJECTED



THE PHILADELPHIAN—20 stories, 776 units—400 car garage



PENN TOWERS—30 stories—518 units—4 floors for commercial use—135 car garage

HIGH RISE GOES GYPSUM DRYWALL



PARK CITY WEST-21 stories-350 terraced units-200 car garage

The face and skyline of historical Philadelphia are being changed by new, magnificent commercial and residential buildings. Impressive and beautiful structures of glass and metal, incorporating original designs for comfort, convenience, pleasurable living are rising rapidly — among them the works of imaginative and pioneering architect, Samuel I. Oshiver of Samuel I. Oshiver and Associates.

In these luxurious yet unusually functional high-rise apartments, Bestwall Gypsum Wallboard, reinforced with glass fibers, is being used for construction of the most advanced systems of walls, ceilings and partitions.

Bestwall Gypsum Wallboard in various assemblies meets the requirements of the Owner, Architect, General Contractor, Drywall Contractor, City Building Codes, FHA, Loaning Agencies by providing substantial, long-lasting constructions erected at low cost with speed and minimum waste, reducing sound transmission, and achieving 1, 2 or 3 hour fire ratings.

Bestwall provides qualified Systems Engineers to assist in all Gypsum Wallboard Partition Systems whether single layer, multi-layer laminated, metal stud screw-on application, or metal framing movable. Call our nearest office or Bestwall Gypsum Company, Ardmore, Pa.

BESTWAL BUILDING PRODUCT

Plants and offices throughout the United States.

TWO COMPETITIONS
UNDERWAY:
SCHOOL FALLOUT
SHELTER AND
"SYMBOLON"
FOR CINCINNATI

The Department of Defense is sponsoring a National School Fallout Shelter Design Competition whose objectives are "to serve the national interest by encouraging the creation of shelter designs which will: conserve materials, manpower and money; create fallout protection in the maximum area of the school; incorporate attractive features; and produce structures of esthetic appeal."

Awards, to be announced on December 1, 1962, will be: Grand Prize

of \$15,000; seven Regional Fir Prizes of \$4,000 each; eight Regional Second Prizes of \$1,000 each; are eight Regional Third Prizes of \$50 each.


Serving on the jury are Willia H. Byrne, president, American S ciety of Mechanical Engineers, Ne York; William W. Caudill, F.A.I.A chairman, Department of Archite Rice University, Houston Tex.; Harold D. Hauf, A.I.A., vic president, Charles Luckman Assoc ates, Los Angeles; Paul S. Vishe Deputy Assistant Secretary of Deputy Assistant Secretary fense for Civil Defense, Departmen of Defense, Washington, D.C. an Linn Smith, F.A.I.A., president, Lin Smith Associates, Birmingham, Micl Professional adviser is A. Stanley Me Gaughan, A.I.A., Washington, D.(

Three hundred and eighty four reg istrants from 40 states have entere the Cincinnati competition for th design of a symbolic structure i the Riverfront Historical Park of that city. Sponsored by the Cincin natus Association, a private nonprof it organization established in 1920 the "Symbolon" competition asks th creation of a permanent symboli structure which will "symbolize is architectural form, with possible bu not mandatory inclusion of land scape features, sculpture and othe art media, the history, the character of the present city and its future.

Jury members are Gordon Bun shaft, F.A.I.A., Skidmore, Owings & Merrill, New York; Grady Clay, au thor, journalist, Louisville Courier Journal, Louisville, Ky.; Thomas Creighton, F.A.I.A., editor, Progres Architecture; Cornelius J Hauck, president, Board of Parl Commissioners, City of Cincinnati Douglas W. Orr, F.A.I.A., New Ha ven, Conn.; Ernest F. Pickering F.A.I.A., dean, College of Design Architecture & Art, University of Cincinnati; Paul Rudolph, A.I.A. chairman, Department of Architecture, Yale University.

The winning competitor will be given the commission to design and provide the architect's services and be paid an advance fee of \$6,500 Awards to the competitors placing second and third will be \$2,500 and \$1,000 respectively. Announcements of the awards will be made in mid-October.






Van Conveyor can save *you* money too

You will be surprised what Van can help you accomplish in speeding up your food service and soiled dish return with a conveyor tailor-made for your special needs. Not only will it make your operation faster . . . it will enable you to save money on help. Fabricated entirely of stainless steel . . . sturdy . . . easy to keep clean . . . flexible . . . can be made with any length or turn desired. Stainless steel slider pan, and drum, take-up and idler rollers, framing. Parts in contact with belt rust-free. Maintenance-free nylon bearings. Safety switches. You can depend on Van's century of experience to design, fabricate and supervise installation of a conveyor system that will amortize its cost within a reasonable period. When you write, ask us how V.H.P. . . . our Hot Plate system assures service of hot meals to all patients. THE JOHN VAN RANGE CO.,

... dependable source since 1847.



ere's the ball valve you've been waiting for!

Low initial cost. Many economies. Countless uses. These are what the newly developed Crane "Gem" Bronze Ball Valves offer you.

The "Gem"* has innumerable service applications. In addition to its industrial uses, it is ideally suited to a wide range of domestic applications, such as water, non-flammable liquids and gases, air, steam, etc.

Note the ball. It's enclosed in Buna-N for long wear and positive protection.

You can replace the entire capsule almost as easily as a light bulb. Simply

remove the two bonnet screws and lift up on the handle. No wrench needed. And the valve body stays in the line.

Just give the lever handle a ½ turn to open or close the valve. The fluid flows straight through (no pockets!). The valve has only ten parts, and the only part that moves is the ball itself.

The soldered-joint end valve pictured above is No. 2182. Also available with screwed ends—No. 2180. Both come in $\frac{1}{2}$ " and $\frac{3}{4}$ " sizes.

Pressure and temperature ratings for these valves are 200 p.s.i., cold water

(non-shock); 150 p.s.i., water (non-shock) at 200°F max.; 15 p.s.i., saturated steam.


For specific rating and application details, contact your Crane distributor. Or write to Crane Co., Dept. AR, Industrial Products Group, 4100 So. Kedzie Ave., Chicago 32, Illinois.

*Pat. Pend.



VALVES - PIPING - PUMPS - ELECTRONIC CONTROLS - FITTINGS
PLUMBING - HEATING - AIR CONDITIONING - WATER TREATMENT

For more data, circle 64 on Inquiry Card



the most exciting ideas take shape in fir plywo







NINE PLYWOOD VAULTS, seeming to float on panels of light, give this church its simple grace and elegance. They provide the additional, practical advantages of construction economy and a 51x135 ft. support-free interior.

Each vault rises to an apex of 27 feet and spans an area 15x51 ft.—longest span on record for an unsupported plywood vaulted roof system. The roof components were prefabricated, and were so carefully engineered that installation took only seven hours.

This church is one more example of the striking new architectural forms that are becoming a practical possibility with plywood: high in structural strength and integrity, economical of labor and materials, and offering superior design flexibility. For more information on plywood structural systems, write (USA only) Douglas Fir Plywood Association, Tacoma 2, Washington.







In this distinguished building – one of the newest and most important in New York, the only resilient flooring is Ruberoid/Matico – 950,000 sq. ft. of Vinyl Asbestos and 60,000 sq. ft. of Solid Vinyl Opened in October 1961—The Equitable Life Building is located at 51st & 6th Ave. Architects: Skidmore, Owings & Merrill Builders: Turner Construction Co. Flooring Contractor: Circle Floor Co., Inc.

Now-57 colors and styles in Vinyl Asbestos... A complete new color line meeting every specification


The new Ruberoid/Matico line is the result of Ruberoid's continuing research to present the finest styling and performance in Vinyl Asbestos. All popular styles are included: Marbleized, Confetti, Tweed, Maticork, Wood hues and Lode o' gold patterns. Ruberoid/Matico's improved Vinyl Asbestos gives you smooth, tight surface, ease of cleaning, long wear, increased flexibility. It resists grease and acids—has greater resistance to indentation, too! True dimension, sharp, clean corners, assure flawless installation. Ask your Ruberoid/Matico distributor or representative for further information.




For more data, circle 66 on Inquiry Card




THE CATHEDRAL CHURCH OF SAINT MICHAEL COVENTRY





LAIN



At left, top: view of east façade on the principal street, showing the late Sir Jacob Epstein's bronze sculpture of St. Michael and the devil; the ruins are at the left. At left, bottom: the north, or apsidal end of the church. Above: the porch connecting church and ruins

THE CATHEDRAL CHURCH OF SAINT MICHAEL, COVENTRY

By Sir Basil Spence, R.A., R.D.I., P.P.R.I.B.A.

The old Cathedral of St. Michael in Coventry, England (c. 1375–1500)

was badly damaged during a German air raid in 1940.


A competition for the design of a new St. Michael's in 1951 drew 219 entries and was won by Sir Basil Spence.

The new cathedral, constructed according to his design, was dedicated May 25, 1962 with Queen Elizabeth II in attendance

The design for the new Coventry Cathedral was chosen from an open competition, controlled by conditions clearly stating what competitors could do, what was forbidden, accommodations to be provided, and the cost. For instance, the tower and spire of the old cathedral had to be preserved, but the remainder, apart from the apse and capper's room, could be demolished—and nearly all competitors did.


I remember the summer day in 1950 when I first walked into the old building. I found the ruins inspiring, beautiful; and the serene enclosure of the bombed shell—tragic but eloquent—spoke of the sacrifice. I felt the prayers of centuries of worship radiating from the old walls.


The charred cross in the old apse with the words "Father Forgive" carved in the stone stirred me deeply. The charred cross was erected in 1940 by Provost Howard when we were fighting alone and the war was going badly. The whole enclosure was still a cathedral, it was history, it stood for one side of the Christian faith, the Sacrifice. I determined to keep, if possible, the whole, and build a new cathedral that stood for the triumph of the Resurrection.





- Bookshop .
- 3 Entrance Porch
- 4 Chapel of Unity
- 5 Baptistry
- 6 Tablets of The Word
- 7 Chancel
- 8 Verger's Flat
- 9 Refestory
- 10 Lady Chapel
- 11 Chapel of Christ in Gethsemane
- 12 Ghapel of Christ The Servant





The photo at left was taken from the old tower and shows the juxtaposition of ruins, porch, and cathedral. The circular, vertical-finned Chapel of Unity can be seen in the foreground at left center as well as in the cross-section above

SIR BASIL SPENCE.

"I found the ruins inspiring, beautiful; and the serene enclosure of the bombed shell—tragic but eloquent—spoke of sacrifice.

I felt the prayers of centuries of worship radiating from the old walls."

LEWIS MUMFORD,

in THE NEW YORKER of March 10, 1962,


"The fusion of continuity and creativity
that Sir Basil Spence has accomplished here
strikes a note that vibrates longer
and with deeper resonance than
many other works of modern architecture.
In the structure itself, in its siting,
in its chaste omissions and generous permissions,
it has a completeness and an organic richness
that are more vital than formal perfection."

I imagined the new building growing out of the side of the old cathedral to the north. Not an imitation of the perpendicular architecture but a conception from our own age somehow a unity with the old. The new altar backed by a huge tapestry would be the climax, and would be clearly seen from the ruins, drawing people to it. I imagined huge glass doors 20-ft high making the new cathedral one with the old; and I would build in stone, like the original, but would have a concrete vault.

I imagined progress through the old building with its lacelike walls to the old chancel and inscription, and turning through a right angle to the north, the new building. The ground to the north is lower, allowing a flight of steps down to a porch which spans St. Michael's Avenue, an ancient right-of-way. I welcomed this as it could act as buffer and link between the new and the old. People using the rightof-way would pass between the two buildings but within sight of the new altar through the glass wall. Perhaps the non-religious would one day go in—for the interior would seem familiar. This lower floor level allowed me a greater height for the new building without crushing the old, which would certainly have been the case if the ground were entirely level.

Progressing through the great glass doors, the baptistry window with the font is to the right. This window is as large as the great east window of Gloucester, which I love. And





The great tapestry of Christ in Majesty, 74 by 40 ft, was executed in France to the design of Graham Sutherland. *Above left*: the "avenues of



thorns," which form canopies over the choir stalls. *Above right*: the Chapel of Christ in Gethsemane, executed in mosaic by Steven Sykes

SIR BASIL SPENCE,

"The object of this cathedral is to turn the visitor—who may go alone into the sanctuary for a half hour's peace from a visitor into a worshipper . . ."

KENNETH J. ROBINSON, in THE SPECTATOR of May 25, 1962, "This is a great and humbling building a building in which trivial criticisms

merely make the critic himself feel trivial."

LEWIS MUMFORD, in THE NEW YORKER of March 10, 1962,

"Its originality consists in its indifference to originality, and in its respect not for the letter of modernism but for the spirit that giveth life." opposite lies the entrance to the Chapel of Unity, which stands for the unification of all churches. I felt it should have its own identity and character. I took a star shape on plan which grew up naturally into a tent form. In my excitement at the idea I identified the star as the Star of Bethlehem and the tent as a crusader's. These ideas embarrass me now as being too sentimental, but at the time they gave the design purpose and impetus. I like the chapel's final form, but not its symbolism.


After glances to the right and left, the eye is drawn by the altar and the great tapestry. The competition sketch showed the Crucifixion below and the Resurrection above, with the figure of Christ high in the center. The altar cross was the charred cross, which I thought at that time should be carried in and preserved as a relic. I had planned an inner glow of light around the altar, and apart from the baptistry window and a blink of light from the Chapel of Unity, no glass can be seen from the entrance. However, as one progresses toward the altar, the five pairs of 70-ft-high windows are revealed. The walls are saw-tooth in plan to avoid showing everything at once, and to eliminate any competition with the altar.

The glass tells a story. The baptistry window stands for the gift of life, and was planned to glow with simple primary colors. As one moves towards the altar, the first pair of windows represent youth, and are in greens. The next




The engraved glass screen at the south end—giving to the porch and ruins was designed and executed by John Hutton. The pattern consists of figures of angels and saints





The baptistry window is the work of John Piper, measures 80 by 40 ft, and is carried out in bold primary colors to signify youth



The series of five pairs of nave windows were designed by Lawrence Lee, Keith New, and Geoffrey Clarke, of the Royal College of Art

SIR BASIL SPENCE,

"It has always been my intent that
the ruins and the new building should be
directly related . . .

physically divided only by a glazed screen
as broad and as high as the nave itself.
I saw in my mind's eye a sparkling and
beautiful altar at the end of a long vista . . .

but I did not see it clearly
because in front of my eyes
floated the bodies of the saints."

LEWIS MUMFORD,

in THE NEW YORKER of March 10, 1962, "The purpose and meaning of the structure itself dominate its constructive expression and transcend the personalities of the architect and his collaborators. In this sense, and only in this sense, it is a thoroughly medieval building."


pair are done in predominately red glass as they stand for the age of passion and strength. The next, for middle life, are multicolored; and then old age and wisdom are represented by deep purple and blue, with flecks of silver and gold. Finally, the altar windows are of much lighter glass, predominately gold. They symbolize the afterlife, and create the golden glow surrounding the altar.

At that time, I felt that as the communicants moved to the altar, they would progress through this changing light to the radiant climax of the sanctuary. Then, as they walked back, the glory of the glass would be seen. Now, I feel this idea overplayed and unimportant, but it did help me to get the depth and richness of color that this great building truly required.

Although committees commission, encourage, and give backing, it is the craftsmen and artists who build the cathedral; who give of their talents to make it beautiful. Right from the beginning I went for the best artists in the country, and they have worked beautifully together; inspired, I think, by an urge to record a blast of praise in this materialistic age. A chord of music unified in strength and purpose, but sincerely made and coming—as with the old craftsmen—from their own time. But all we can do is provide the frame; the picture itself is the faith and Christian life of the community. It is the people of Coventry who will make this picture.







The circular Chapel of Christ the Servant is 40 ft in diameter and overlooks the workaday world it serves. The interior focuses visually upon a suspended crown of thorns by Geoffrey Clarke, executed in aluminum, which is visible to passers-by. *Above:* the carved wooden stalls for choir and clergy are notable for their elegance

PHOTO CREDITS: All pictures in this article by Henk Snoek, except the following five, by Rondal Partridge—page 101, bottom; page 102, both; pages 103 and 104

The Cathedral Church of Saint Michael Coventry, England

ARCHITECT: Sir Basil Spence

STRUCTURAL ENGINEERS: Ove Arup & Partners


QUANTITY SURVEYORS: Reynolds & Young LIGHTING CONSULTANTS: John & Sylvia Reid

ACOUSTIC ADVISERS: The Building Research Station

LANDSCAPE CONSULTANT: $G.\ P.\ Youngman$ TIMBER CONSULTANT: $E.\ H.\ B.\ Boulton$


THE EL CONSOLIANT. E. II. D. DOULLON


GENERAL CONTRACTOR: John Laing Construction, Ltd. ARTISTS responsible for the sculpture, stained glass, engraved glass, tapestries, mosaics, furnishings, lettering, and liturgical artifacts: Sir Jacob Epstein, John Hutton, John Piper, Patrick Reyntiens, Graham Sutherland, Steven Sykes, Einar Forseth, Margaret Traherne, Lawrence Lee, Keith New, Geoffrey Clarke, Professor R. D. Russell, Ralph Beyer, Hans Coper, Elizabeth Frink, Tony Laws, Ron Stevens, Gerald Benney



SAARINEN'S ATHENS AIR TERMINAL

A building designed, as the entrance gateway to Athens and to Greece,
"to belong proudly to the twentieth century" and
"simultaneously respect and reflect the glorious tradition of Greek architecture"





Saarinen's Athens Air Terminal


The final design for the terminal building for Athens Airport was presented to the Greek Government by Eero Saarinen in May 1961, less than four months before his death on September 1, and was accepted. Contracts will be signed this fall, and completion of this stage is expected in late 1964.

In form, the terminal building is essentially two boxes, directly expressing the interior volumes; the lower one (260 ft long by 240 ft wide by 20 ft high) contains all functions concerned with arrivals and departures and passenger handling; the upper one (250 ft long by 120 ft wide by 10 ft high) cantilevers


out above the main block 22 ft in three directions and contains public and transit passenger restaurants and airline and government offices.

"In contrast to many airports in which the high façade and monumental entrance face the city," Eero Saarinen wrote of his design, "this building faces the field. The majority of arriving visitors will approach it along beautifully landscaped terraces, instead of in enclosed fingers—an advantage due to the special, virtually rainless climate of Greece.

"The form of the building grows out of its site. Whereas the site slopes grandly down from Mount









Terminal Building, Athens Airport Athens, Greece ENGINEERS: Ammann & Whitney ARCHITECTS:

Eero Saarinen & Associates


AIRPORT CONSULTANT:

 $Charles\ Landrum$










Pencil sketch by Eero Saarinen on yellow lined pad

Saarinen's Athens Air Terminal

Hymettus to the Bay of Saronikos, the dominant form of the building is a dramatic counter-thrust upward. Thus, the deep cantilevers over the sheer walls on the field side (cantilevers which, incidentally, will also make a huge shadow to help protect the windows of the field façade from the afternoon sun).

"Post and lintel construction is characteristic of ancient marble buildings of Greece; this post and beam construction developed into long spans with daring cantilevers is natural to concrete and to our time. Built of concrete with Pentelic marble aggregate, which becomes a very beautiful material, the building will have the shimmering white texture which looks so magnificent in the Greek landscape."





Frank Lotz Miller photos

REVITALIZING DOWNTOWN BEAUMONT

The new American Center takes the lead in rehabilitation of downtown Beaumont which has had no major construction for thirty years



The American Center, Beaumont, Texas American National Bank, Parking Building and Petroleum Building

ARCHITECTS: Harrell & Hamilton

Associate architects: Wallace $B.\ \&\ Tom\ B.\ Livesay$

STRUCTURAL ENGINEERS:

Hunt & Joiner (Bank and Parking Building)

W. L. Zeigler & Assoc. (Petroleum Building)

MECHANICAL ENGINEERS: William K. Hall & Co.

LANDSCAPE ARCHITECTS: Sasaki, Walker & Assoc.

CONTRACTOR:

Thad Dederich Construction Co. (Bank, Parking Building) Centex Construction Co., Inc. (Petroleum Building)






But for a considerable amount of study and soul-searching by the officers of the American National Bank and their architects, this bank might have moved to the suburbs and the office building might never have been built. In all probability, the petrochemical center of Beaumont would then have lost to outlying areas the big offices of Sun Oil Company and possibly others. The rehabilitation of downtown Beaumont might have remained stagnant, continuing its record of no major business district construction in thirty years.


As it happened, the officers of the bank did call in the architectural firm to direct an analysis of the bank's needs. When it became known that Sun Oil was contemplating a move out of town, the architects worked with the bank owners to develop not only the bank building itself, but a parking structure and a 13-story office building. Since the bank did not wish to undertake the office portion of the project, the architects introduced the bank officials to a real esdevelopment company. This group was successful in the negotiation of a lease with Sun Oil. The architects then proceeded with the master plan of the center and the development of the individual buildings.

The most striking exterior design element of the bank is the aluminum-framed marble sun screen that projects beyond the aluminum and glass curtain walls. The ³/₄-in. marble screen panels are translucent, and while shading the walls of the building, allow soft filtered light to enter the interior. Other major design elements of the bank are its surrounding arcades and the landscaped court separating it from the office building.



The three main elements of American Center—bank, parking structure, and office building—are located on a full city block in downtown Beaumont as shown in the plan above. Between the office building and bank are a landscaped court and a limited amount of ground-level parking separated by an arcade. A similar arcade extends completely around the bank. The parking structure is available for use by both the bank and the office building tenants. The parking structure has end walls of marble matching that on the bank. Five ground-level, drive-in tellers' booths are included and provisions were made for additional booths when required








In order to obtain the most effective arrangement of banking departments, the architects placed the main banking floor on the second level, reached by elevators and the moving stair shown above. The ground floor is devoted to pedestrian arcades and the lobby, exhibit areas, bank offices such as personal loans that require direct access, and the auditorium, shown below. Safe deposit, the vault, storage and mechanical areas are in the basement; employes' lunchroom, the personnel department, and expansion space are located on the third floor; fourth and fifth are to be leased until needed; the fifth houses mechanical equipment








seph W. Molitor photos


PLAN FOR RENTAL AND OFFICES OF ARCHITECTS


777 Summer Street Building,
Stamford, Connecticut
ARCHITECTS: Sherwood, Mills and Smith
STRUCTURAL ENGINEERS: Werner Jensen & Korst
MECHANICAL ENGINEER: Bernard F. Greene
CONTRACTOR: F. D. Rich

The architects of this five-story and partial basement office building not only designed the building itself but also designed the interior of the top floor for their own offices. Located in the center of the downtown Stamford business area, the new office building contains 37,000 sq ft of rental area, of which the architects occupy 6,800. Housed in this space are the seven partners of the firm and its staff of about fifty. The area occupied by the firm has been subdivided into eight private offices, a reception area, two conference rooms, and a large open area for draftsmen and supervisors. The firm is engaged in the general practice of architecture and performs services for a variety of building types.

Other office floors of the building are rented for various commercial uses. The basement is approximately one-third the area of an upper floor, the remainder being unexcavated. Contained in the basement are janitor's room, telephone equipment, and storage. The service core of the building is located slightly off-center and is surrounded by office areas. In the service core are located toilets, stairs and an elevator.








The structure of the 777 Summer Street building is steel frame with bar joist floor and roof construction. Floor and roof slabs are poured concrete on metal decking. Interior partitions are plastered concrete block, solid gypsum board or metal stud and gypsum board, painted or with vinyl wall covering. Flooring is terrazzo on the ground floor, asphalt tile on the stories above. Exposed grid, mineral acoustical tile is used throughout the building.

The exterior of the building consists, on the ground floor, of an aluminum and plate glass store front on the street side, brick cavity walls on the other three. Above the first floor, the building is enclosed with an aluminum curtain wall with precast concrete panels at head and sill, gray-anodized aluminum spandrels elsewhere. The aluminum frame of the wall is painted with gold epoxy resin paint. Sash are aluminum, fixed or awning-type, glazed with gray sheet glass. The curtain wall extends completely around the building on the second through fifth floors



- A. Vertical Section Head
- B. Vertical Section—3rd Floor Spandrel
- C. Horizontal Section-Mullion
- D. Vertical Section—2nd Floor Spandrel







The views on this page show the offices of the architects and give some indication of the handling of their space in the building. At the top, left is one of the two conference rooms; in the middle a private office; and at the bottom, the large open drafting room area.

It will be noted that the draft ing area is subdivided by custor designed partitions to create within the larger space, a num ber of lesser areas which allow grouping of personnel by job o function and prevent the operarea from giving its occupants feeling of being quartered in great, impersonal bull-pen




A PROBLEM LOT—A GRATIFYING HOUS

Henry Hester creates a warm, livable house on a tight budget





ARCHITECT AND OWNER: Henry H. Hester
LOCATION: La Jolla, California
HEATING ENGINEER: Glen Terrel
CONTRACTOR: R. E. Hazard, Inc.
LANDSCAPE ARCHITECT: Harriet Wimer



A Spacious House for \$21,500

In designing this house for his own family, Henry Hester picked a lot that had many advantages, many problems, and a low cost for the area—\$2,500. The lot boasted an ocean view, but had an irregular hillside condition with a 50-ft rise from street to top of lot, as well as a restriction not to block the views of neighboring houses.


A building spot near the street at the lower edge of the site was selected in order to build into the bank, thus providing ground area for terraces and play yards at both levels of the house. These outdoor areas add much to the sense of space in the house, which had to be kept small for cost purposes (1430 sq ft). To further add a sense of space, the living-dining areas were made as large as possible, with other areas minimum sized.

In organizing the plan, supervision from the kitchen of children's play areas, indoors and out, was considered disirable. Thus the kitchen-utility area became a hub between the bedrooms, the "all-purpose" play room, the outside play yard, and the living areas.

A flat roof was used to preserve the ocean views of the neighboring houses, as well as provide more economical construction and a low scale compatible with the small rooms. The structural roof beams were projected outside to help integrate the areas visually.

The frame is of Douglas fir on concrete and concrete block foundations. Exterior walls are resawn redwood and concrete block; interiors are redwood and plaster, plus tile in baths, and plastic laminates in the kitchen.


Fixed glass is used in most areas, with stainless steel louvers for ventilation. Built-up plastic skylights, used to daylight interior areas, have incandescent bulbs for night use.





The Hester House

Natural wood finishes are used throughout the house, with ceilings of carefully detailed Douglas fir sheathing to match interior clear-heart redwood paneling. Floors in the living areas are carpeted; the kitchen and baths have floors of vinyl-covered cork. Floors below grade are surfaced with vinyl asbestos. Heating is by a radiant system, with boiler off the carport. The coils are placed on a wood deck over the carport area, and on the lower slab of a two-pour floor at areas on grade. The terrace off the living room is also heated for use in cooler weather



(R)

HOTEL ARCHITECTURE: A MANAGEMENT VIEW

By Roger P. Sonnabend, President, Hotel and Motor Hotel Divisions, Hotel Corporation of America

As a top executive of H.C.A., Roger P. Sonnabend speaks for an organization which is responsible for the operation of twelve leading hotels and fifteen motor hotels. It has four major facilities under construction, and building has just begun on a fifth project, a 1,000 room hotel for Boston's Prudential Center.

H.C.A. management hires good architects and uses them well because it considers a high level of design essential to successful hotel or motel operation. Here Sonnabend tells why.—EDITORS

There is a trend, these days, to look for trends in every phase of business and industry. After all, finding and riding a trend is sometimes the easiest way to achieve success.

In the hotel and motel business, we hear a great deal about trends. There has been and continues to be a trend to motor hotels because it is pointed out that the public is motel conscious and desires the informality, convenience and easy parking provided by motels. This motel trend is led by Holiday Inns, Howard Johnsons and Travelodges, and is reportedly followed by virtually every major hotel company.

There is another trend towards large downtown hotels because it is said that new hotel facilities are required downtown to replace older properties that are becoming outdated and unable to cater well to ever larger and more important convention groups. This is typified by the new hotels built or being built by Hilton in Pittsburgh, Denver, Montreal, San Francisco, New York and Washington; by Sheraton in Philadelphia, Dallas, Houston, Portland, (Oregon) and Minneapolis; and by H.C.A. in New Orleans, Hartford, Houston and Boston.

We hear of the trend toward downtown motor hotels, induced, it is said, because downtown is where most people want to be, including motorists who heretofore have stayed in the suburbs. This trend is emphasized in New York City, for example, by Loew's under the Tisches, by Sheraton, and by Howard Johnsons and Holiday Inns.

There is a trend to rehabilitate older downtown hotels because it is argued that they have economic advantages with their depreciated costs over newer properties. The Plaza and Waldorf Astoria Hotels in New York, the Sheraton Cleveland, the Fairmont in San Francisco are just a few of the grand downtown hotels that are undergoing extensive rehabilitation.

There are also reported trends toward resort hotels and motels and toward properties overseas.

What is the meaning of all these trends, and are they actually trends or merely manifestations of an industry that is expanding helter-skelter and in every way? And if there is not a trend to follow, where does success lie in the hotel-motel industry?

First, we must recognize that there are profits to be made in many phases of the hotel industry, or at least many people believe this to be so. Perhaps this is true for those select hotels or motels that are well located, well designed and truly meet the lodging and food and beverage needs of our citizens. But it is not true for properties badly or unwisely planned, or under-financed or unable to rise above competition. Alas, overexpansion and excessive competition potentially threaten all hotels; but most certainly the typical hotel or motel we find today in America that is not outstanding, not truly unique, not eminent, is most threatened of all.

This overexpansion threatening the hotel-motel industry has important meaning for hotel and motel developers, owners and architects. It means, first, that caution must be exercised in considering new projects. Perhaps more importantly, it means that there is a greater premium today than ever before—both in designing new hotels and in rehabilitating old hotels—on good architecture and design. To be

successful in the future, a hotel must not only be well located but must be superb in the way it functions and in its operation, and outstanding in its esthetics.

Each hotel operator, of course, has his own point of view as to how best to create or improve a hotel. We in H.C.A. feel that success rests first on the basic soundness of the project in terms of location and financing, but then equally on the program that is developed for the hotel and on the architect selected to execute the program.

The program for a hotel and the selection of the architect are in their way as closely interrelated as the chicken and the egg. The type of hotel we desire, its location, and other aspects of the program dictate in many ways our choice of an architect. The architect in turn greatly influences the program.

For H.C.A. hotels we prefer to use an experienced architect, one who can bring to our projects a basic knowledge of the hotel business and who knows how best to incorporate operational and service factors into a structure. A hotel is a complex building because it is a many-purpose building. The fact that it includes guest rooms, restaurants, shops, meeting space, ballrooms, parking facilities, office space and often recreational facilities such as a swimming pool, makes for an architectural challenge equal to, or perhaps greater than, the challenge made by any other type of building.

Then, too, we want to select an architect who, in contributing his knowledge and experience, has the ability to create a building that is not only practical and easy to operate, but which is outstanding in appearance and esthetics.

From the very earliest stages we want to share with the architect, and we want the architect to share with us, the development of the project. We want to work together on the character and nature of the guest rooms and baths, for these represent most what we have to sell. This is where our most profitable dollars lie.

We want to work together on the restaurants of our hotels, for the day of the nondescript hotel restaurant is past. We need restaurant facilities that are truly distinctive, equal to or better than the other restaurants in the cities in which we are located. We want to lead the way with new restaurant concepts—specialty restaurants, for example, such as a roast beef specialty room in the Vieux Carre in New Orleans or in London.

We want to work together on the banqueting and meeting spaces of our hotel because these can perhaps enable us to become the social center of the community, the meeting place for important civic and business groups, and can help us supplement our regular transient business with conventions and groups.

We must work together on the public spaces of the hotel, for they display our personality and our character, while they also must breathe the charm and we are concerned with the exterior architecture our hotels for this is in a sense our trademark, a important advertising and promotional tool.

These are just a few of the concerns we share with the architect in the development of our hotel projects. They apply equally to large downtown hotel to downtown, suburban and highway motor hotel and to resort hotels.

In developing a program for the hotel with the a chitect, we ask a lot of questions of ourselves are others. Of what should the hotel consist? What kind of guests do we want to attract? What kind of bus ness do we want to serve? Should we cater to businessmen or tourists? If businessmen, are we most interested in top executives, middle management of traveling salesmen? If tourists, are we looking for families, tour groups, honeymooners? Do we war conventions and if so what sort?

We must study the nature of business generator around our hotel. We will be concerned with cultural and entertainment facilities of the city, with transportation terminals—airports, stations, bus-stopswith shopping facilities, hospitals, tourist attractions, with civic affairs and festivals, with highways


We will analyze the customs of visitors to the cit and of the city's residents in terms of entertainment and dining out, of social events such as wedding and celebrations, of conventions and group meetings and of weekend, summertime and holiday activities

We will determine price levels in the city and care fully study and shop our competition.

Sometimes much of this has been done in advance of the selection of an architect. If this is the case we carefully go over with him all the information developed, for it is important that we have a mutual understanding of all these factors.

With the architect we can thus develop a final program for the hotel. It will represent a shared effor between the architect and ourselves. But then it is the architect upon whom we rely to create for us a truly eminent hotel from the program; a hotel or motor hotel that will be successful in tomorrow's excessively competitive hotel world. We seek a hotel or motor hotel with the distinctive character and personality of a Royal Orleans (New Orleans), a Beverly Hilton, a Marriott Motor Hotel, a Motel on the Mountain, a Rickey's, a Fairmont (San Francisco) an Atlanta Cabana, a Holiday Inn, the Plaza in New York.

True eminence in a hotel requires a service-minded and hospitable hotel staff. It requires a superb as well as efficient operation, but it also requires warmth, charm and a fine architectural character in the building itself. It is the architect who can provide this for us, if he is a planner capable of designing a hotel that will work well, and if he is, at the same time, a creative artist who can design a building which is architecturally distinguished.



Three-in-One Hotel for Boston

Hotel America, Prudential Center, Boston OWNER: Prudential Insurance Company of America


OPERATOR: Hotel Corporation of America ARCHITECTS: Charles Luckman Associates FOUNDATION ENGINEERS: Metcalf and Eddy


STRUCTURAL ENGINEERS: Seelye Stevenson Value and Knecht MECHANICAL AND ELECTRICAL ENGINEERS: Krey and Hunt

Representing a planning solution as complex as that required by a three-class passenger liner, this \$26 million hotel being erected by the Prudential Insurance Company as part of the \$100 million Prudential Center will be three hotels in one. It will combine the facilities of a luxury residence tower, a commercial metropolitan hotel and a drive-in resort motor hotel. The 1,000 room, 27-story structure, with separate entrances, individual staffs, and complete facilities for each division, will also serve the Boston area as a center for dining, convention facilities, shopping and entertainment. Planned for completion in early 1965, it will enable Boston to attract large convention groups which previously could not be accommodated because of the city's lack of adequate meeting and dining facilities.


Its five-story base will house dining and ballroom facilities and several restaurants. The residence tower will be located on top of the hotel with its own private street entrance and its own bank of high speed elevators.

The first three stories of the hotel have been designed to include the drive-in motor hotel accommodations for vacationing families. A separate garage entrance, with its own elevators, will provide immediate access to the automobiles of motor hotel guests. Many rooms of the motor hotel section overlook the swimming pool terrace.






HOTEL PLAZA LEVEL PLAN










1. Identification by night. Manager's record reveal that as many as 80 per cent of the guests arrive at a hotel after dark, especially in a highway unit. The appearance by night therefore as important as by day. Without creating a garish façade or a billboard effect, it necessary to utilize proper illumination, massing and color to make the unit attractive are inviting after dark. In the H.C.A.'s Charter house Motor Hotel in Lynn, Massachusett shown by day and evening in the photograph above, silhouetting an open wood grille with back lighting achieves the desired effect

2. Direct access from the automobile to the room, without passing through formal public spaces. This original motel concept is still highly desirable feature in downtown location as well as in highway units. This can be achieved even in a tower building by providing an entrance directly into the elevator lobby a in the Charterhouse Hotel in Cambridge, Massachusetts, now under construction. See plant left. Here no one is forced to walk through the main lobby



plan - plaza floor (third)





plan - second floor


3. Strong identification and easy accessibility of hotel bars and restaurants to general public as well as hotel guests. The wining and dining spaces in a hotel cannot exist on hotel guests alone. They must be located where they can generate outside traffic and be furnished with a direct entrance from the street. As site limitations generally preclude the location of these spaces on the street level, direct access to elevator and stair towers combined with exterior identification, such as is provided for the new H.C.A. Hotel America in Hartford, provide a means of creating this separate identity. See the plan above and the two plans at left

A Punch List for Good Hotel Planning


By Walter Rooney, A.I.A., of Curtis and Davis, Architects

The multitude of ugly hotels and motels which mar our cities and blight the highways indicates a need for trong architectural control of the design process. Most hotels and motels are either merely mediocre or are lamboyant stage settings draped over a structural frame. "It's what the public wants," say the defenders of ad hotel design. The complete fallacy of this thinking is evidenced by public reaction to hotels which are otably bad and the hasty renovation of recently completed facilities in a futile attempt to change the setting into a more palatable one. The public, in increasing numbers, recognizes and wants good design, tasteful suroundings, an inviting atmosphere, and privacy in a hotel. In brief, the public wants good architecture and inlightened hotel management knows that only good design can provide any hope of maintaining a high occurancy over an extended period of years in the face of ever increasing competition. The sketches and photographs from our work illustrate what we consider some key requirements of good hotel or motel design.






4. Interrupted corridor lengths. Double loaded corridors usually provide the most economical solution for guest room wings, but hotel guests are not delighted with long walks down dull, dimly lit areas. By offsetting room entrances, and introducing bright light and strong color at these wider areas such as in the recently opened Braintree Charterhouse, the walk becomes interesting and pleasant and the view of trees and sunlight through the glazed end walls makes the trip from the lobby to the far distant rooms a pleasant experience. The glass enclosed link connecting the public spaces to the guest room wing adds delight to this part of the walk as well






5. Careful planning to gain maximum advantage from limited bedroom space. The bedroom must be more than a place to sleep, especially if guests are to be encouraged to stay for an extended period of time. A definite feeling of separation between the sleeping and living areas can be achieved by relocating the bath, as in the Lynn Charterhouse, shown above left. In this type of plan the sofa can be converted to a double bed making the room ideal for family use. The Civic Center Hotel for Detroit, now in working drawing stage, has the advantage of providing views in three directions from each guest room by the introduction of an angled "sitting room"



6. Minimum cross traffic and maximum control in kitchen areas. Wherever possible it is desirable to have the kitchen (including all kitchen storage areas) on one level with a direct connection from the receiving area and immediate access to all areas to be serviced, including the guest room area for prompt and efficient response to a call for room service. The kitchen in the Cambridge Charterhouse shown in the drawing at right provides a very functional operation



Approach bridge leads to lobby under boat shaped roof. Dining room on lower level faces pool. Service unit is below guest room with

Design for Luxury on the Rocks

The basic design of the Carlton Beach Hotel was controlled by its splendid site. Perched on a rocky headland, one side of the hotel faces the open sea, the other is oriented toward a light house on a distant rise. Two quiet bays, one forming a harbor for small boats and the other a protected swimming beach, lie on either side of the promontory. The design solution keeps the dining area and the other public spaces low so as not to impede the view of the guest rooms on the land side. These public areas overlook one or the other of the two bays.

The guest room wing has been limited to three stories on the land side and two stories on the sea side to save elevator costs, but also to give the guests a sense of being physically close to the site. The hotel shares the same character as the local structures which are low. The long double loaded corridors are feasible in a luxury hotel well staffed with bellboys to carry luggage. The total cost of the hotel, including equipment and furnishings, was about \$5 million.

Carlton Beach Hotel, Southampton, Bermuda OWNER: Southampton Hotel Company Limited OPERATOR: Hotel Corporation of America

ARCHITECT: William B. Tabler

Raymond C. Giedraitis, associate in charge STRUCTURAL ENGINEER: Wayman C. Wing MECHANICAL ENGINEERS: Cosentini Associates LANDSCAPE ARCHITECTS: Zion & Breen LIGHTING CONSULTANT: William Richardson CONTRACTOR: Aberthaw Construction Company





View from entrance bridge toward lobby, guest wing and bay





Each guest room has terrace and view

Building Types Study: Hotels-Motels









Southeast façade facing water


Building Types Study: Hotels-Motels

Motel and Lodge on State Park Beach

Lodge Building, Illinois Beach State Park, Zion, Illinois

OWNER: State of Illinois

ARCHITECTS: Barancik, Conte and Associates
STRUCTURAL ENGINEER: David B. Cheskin
LANDSCAPE ARCHITECT: Paul Novak




A public recreation facility such as this motel owned and built by the State of Illinois does not have to be competitive in terms of its architecture. It is there for the public to use at reasonable prices. It occupies a choice site. It doesn't have to fight to get customers from motels on nearby highways. Motels of this type offer an opportunity to design without gimmicks. The architect, if he is good, can achieve simplicity and serenity and a bit of gaiety because these can be universal attributes of well-studied park buildings.

This building is an excellent example of the genre, from its playful roof silhouettes to the brightly painted heating plant stacks at the entrance. The structural frame is reinforced concrete, exterior walls are precast concrete and stone.




ooking southwest toward dining wing. Guest room wing beyond




iew from lobby toward dining wing




Main entrance





Motel Designed for Industrial Park

ARCHITECTS: F. A. Stahl & Associates Inc.







Analysis of the requirements of the area surrounding the site of this projected motel has led the architect and developers to include a private club and rental office space in this unusual scheme. It is described by architect Stahl as follows: "The site is in Burlington, Massachusetts, at the junction of two limited access multi-lane expressways. It is a corner of an existing development called 'Northwest Industrial Park' which consists of a series of research and development plants (mainly electronics) covering a considerable area.


"The private club aspect of this building has been found valuable in securing support from the executive levels of the industries in the area. The flexible office space will have food service facilities to encourage trade and press functions for the surrounding industries and offices, and also will provide a facility which I believe is unique at present in motels; that is to encourage new industries which will be building in this or adjacent areas to set up office facilities in this building and maintain a temporary headquarters with staff living accommodations."



Malls are glass enclosed at the roof, and will be partly heated by radiant panels in the soffit of the walkways during the winter months








1 ST. FL.

CLUB BAR



Main entrance


Charles R. Pearson

Jetport Motel


Located directly east from the Seattle-Tacoma International Airport, this motel is planned as a facility for air travellers who need to catch a few hours of rest to adjust to the time difference, and for those who are taking a few days of rest to recover from the intercontinental flight. It has no special characteristics as a jetport motel to distinguish it from well planned pool and terrace focused motels in suburban or highway locations. The wood frame exterior walls and the wood panel and gypsum board interior partitions, as well, as the floors and roof, are sound insulated, for example; but against motel noises, not jetport noises. Since the new motel does not attempt to solve such special problems as this, the main interest lies in its simplicity of plan and in the directness and handsome expression of its wood frame. Note the ease of access to the guest rooms and central building from all the parking areas, combined with the complete privacy of the interior court and pool. All guest rooms look out on landscaped areas. Of the 150 guest rooms, 93 face the large landscaped central court. Ground floor rooms open to private patios and all south and west rooms are shielded from the sun by a projecting wood sun screen.

Hilton Inn, Seattle-Tacoma Airport, Washington owner: Hilton Inns, Incorporated architects: Skidmore, Owings & Merrill interior architect, public spaces: Roland Terry interior architect, guest rooms: David T. Williams Landscape architect: William Teufel

KITCHEN CONSULTANTS: Dohrmann Hotel Service CONTRACTOR: John H. Sellen Construction Co.




View toward west






Art Hupy



Charles Pearson



Charles Pearson



Building Types Study: Hotels-Motels Jetport Motel

A comparison of the exteriors and interiors of the motel indicate that the public spaces and guest rooms are executed in a somewhat different spirit than the exteriors might lead one to expect. The general design concept was to plan an interior expressive of the way of life in the Pacific Northwest and to develop a style using native woods, stone, art and plantings indigenous to this area. Among the most important items displayed are works of art commissioned of local artists, who were requested to suggest by means of design, material, color or subject matter some form or idea related to the Northwest country.



Dearborn-Massar

cerned, because it has a peak solar load between 6 and 8 A.M. when most people are still sleeping or just getting up. The noon solar peak on the south and 4 to 6 P.M. peak on the west are usually not as critical, even though the outside temperature is higher, because the bedroom occupancy is considerably lower. Whether or not the refrigeration plan can take advantage of these conditions is a function of system design and overall air conditioning loads. However, it is recommended that at least two separate air conditioning zones be established for the bedroom areas (usually east and north on one zone) so that economies in design and operation may be effected. If a three pipe system is used, then the need for zoning is reduced.

The dining, meeting and entertainment areas should be served by separate systems based upon the time when these rooms will be used and the conditions to be encountered. If dual duct systems are furnished, then fewer air handling units will be required, thereby cutting down mechanical room requirements but increasing operating costs unless special means are provided for shutting off the air to areas not in use.


In sizing the refrigeration machines, a diversity factor of from 40 to 60 per cent may be used on the bedroom area peak design loads. Part of this is due to the cooling storage capacity available because of the 24-hour building operation. Since motels are generally one- or two-story structures built of comparatively light structural materials, they will not be able to take as much credit for storage capacity.

Very little diversity factor can be anticipated for the other areas since they may and probably will be used more or less simultaneously. Therefore, the refrigeration machines can be selected so that one serves the entire hotel or motel or one unit may

serve the bedrooms and a second unit can serve the other areas. The latter's first cost is somewhat higher but operating costs may be lower because the bedroom areas generally can operate on a higher refrigerant temperature than the dining and meeting areas. Higher refrigerant temperatures usually mean lower fuel cost requirements. The ratio of bedroom to dining and meeting generally will determine areas whether it is feasible to consider separate refrigeration machines.

Most communities have code requirements with regard to ventilation and air conditioning of hotels and motels. Sometimes these codes are adequate, sometimes not. In many cases, the client will not want to furnish more than the code requires. If the code requirement is inadequate in the opinion of the engineer, the client should be shown that the code does not serve his best interests or those of his patrons.

Current Application



Piping diagram for heating and cooling water circuits in basement and penthouse at Water Tower Inn, Chicago (Hausner and Macsai, architects, William Goodman, consulting engineer; see Building Types Study, this issue) shows how a fairly simple system for fan coil cooling with baseboard heating and separate mechanical ventilation in guest rooms of a 15-story hotel-motel can be neatly integrated with other systems for public spaces

Continental Center in Chicago by Naess and Murphy has columns and spandrel beams faced with welded steel plate


STEEL PLATE EXTERIOR SERVES AS COVER FOR FIREPROOFING

Columns and spandrel beams of the new Continental Center in Chicago, designed by Naess & Murphy, Architects & Engineers, will be sheathed in a curtain wall of 3/8-in.-thick carbon steel plate, welded and painted. This will be accented by fixed tinted glass framed by a stainless steel sash.


The covering plates are equipped for double duty. Besides exterior frame design, they serve as a backup to concrete for fireproofing. Studs are welded to the outside of the columns and spandrel beams and to the back of the facing plates. These serve as reinforcement of the concrete which is poured and vibrated into the space between the plates and the columns and beams, once the plates are in place.


All of the columns in the lower portion of the building were fabricated from A440 steel.

Although cover plates were required in the lower floors for strength, they could be smaller in size because the A440 columns are more slender due to their greater strength.



Welded carbon-steel plate covers have been applied over the spandrel beams. They will be protected from corrosion by paint





Covers are tied to the concrete fireproofing by means of stud anchors. Structural steel is A440 alloy. Stud anchors are welded to both plate and structural steel



AMELCO DISTRIBUTOR: James A. Cassidy Co. Washington, D.C.

Amelco Windows Assure Year'round Climate Control

in new Farragut Building, Washington, D. C.

- DUAL GLAZING BUILT-IN VENETIAN BLIND
- TRUE THERMAL BREAK IN VENT AND FRAME
- HORIZONTALLY PIVOTED



- Occupant comfort and lower operating costs are assured in the new Farragut Building because it is ingeniously designed to control Washington's capricious climate.
- The Amelco Window System is an integral part of this climate control. Amelco's dual glazing with venetian blind between the panes of glass effectively reduces solar heat gain in summer...true thermal breaks in vent and frame, along with insulating air space between panes, reduces heat loss in winter.
- The horizontally pivoted Amelco Window permits cleaning of all glass surfaces from inside the building. Amelco Windows are air and water tight, control outside noise, low in cost, versatile and equally adaptable to all types of construction.

Check the complete story in Sweet's 1962 Architectural File or Write Direct







157


Gold Bond gives you a moisture-resis











New membrane backing reduces sound, by diaphragmatic action

Asbestibel Perforated Asbestos—a way to design moisture out, beauty in. Guaranteed not to shrink, warp or sag, even in above-average humidity areas. And when the panels are backed with mineral wool pads (in various thicknesses), you get a wide range of sound-absorbing coefficiencies. New features have been added: 1. Perforated Asbestos Panels with a low-cost membrane backing that reduces sound by diaphragmatic action. 2. New special coating for surface protection makes cleaning easier and faster. 3. A new "rippletone" texture for

heightened visual interest. For even more ways with ceilings, call your Gold Bond® Representative. National Gypsum Company, Buffalo 13, N. Y.





This carpet doesn't sunburn. So why the suntan lotion?

Any carpet looks great when it's new. But the Diamond Head Tower (of Hilton Hawaiian Village) needed carpets that would stay looking great in spite of strong tropical sunlight, tracked-in sand and spilled suntan lotion. So they chose carpeting made with Acrilan® acrylic fiber in the pile.

Acrilan's clear colors resist fading. Oils, lotions, an tracked-in sand are no problem. They clean right up.

Carpets made with Acrilan start out looking beautiful, stallooking beautiful and are economical to maintain. It's a simple as this: You can trust the big red Acrilan "A."

CARPET: HIDALGO BY CABIN CRAF



CHEMSTRAND, A DIVISION OF MONSANTO CHEMICAL COMPANY, MAKES ACRILAN® ACRYLIC FIBER AND CHEMSTRAND® NYLON • GENERAL OFFICE: 350 FIFTH AVENUE, NEW YORK 1 • DISTRICT SAL OFFICES: NEW YORK 1: AKRON, OHIO; CHARLOTTE, NORTH CAROLINA • CANADA: CHEMSTRAND OVERSEAS, S.A., TORONTO • CHEMSTRAND MAKES ONLY THE FIBER: AMERICA'S FINEST MILLS DO THE RE THESE ARE AMONG THE MILLS NOW LICENSED BY CHEMSTRAND: BARWICK, CABIN CRAFTS, CORONET, DOWNS, MAGEE, MONARCH, ROXBURY. IN CANADA: HARDING CARPETS.

Building Components

Application and Specification of Materials and Equipment

FINISHES FOR CABINET WORK

Specifications Recommended by the National Association of Store Fixture Manufacturers

TERMINOLOGY FOR FINISHING

${f Woods}$

1. Fine textured woods—Woods such as maple, beech, birch, gum, basswood, yellow poplar and sycamore, having small pores.

2. Coarse textured woods—Woods such as oak, walnut, Honduras mahogany, African mahogany, Philippine mahogany, ash, and elm having large, visible, open pores.

Stains

- 1. Oil stain—A transparent solution of a dye powder soluble in aromatic hydrocarbons. Normally dry to recoat in 2-4 hours. Need sealers over them which do not dissolve the stain and create bleeding. Shellac is normally used.
- 2. Water stain—A transparent solution of water soluble dye powders. Causes raised grain in most woods and requires long air drying before recoating.
- 3. N.G.R. (non-grain-raising stain) —A transparent solution of water stain powders, in solvents other than water, which does not swell the wood fibers and create raised grain.
- 4. Pigmented wiping stain—A thin oleo-resinous varnish with added specially ground color pigments, either earth or chemical. Must be kept agitated or settling occurs. Dries in 4 hours or more at moderate room temperature.
- 5. Washcoat—A thin solution of a sealer. A lacquer washcoat is normally a 4-6 per cent solids solution of a lacquer sealer. A shellac washcoat is normally the equivalent of a ½ lb cut of shellac. (See definition.)

This material was prepared by GLENN P. BRU-NEAU of the Department of Wood Products Laboratory, University of Michigan and appeared in "Specifications for the Manufacture of Stone Fixtures," a publication prepared under the supervision of Dr. STEPHEN B. PRESTON and under the direction of the Specifications Committee of the National Association of Store Fixture Manufacturers Primary purposes of the washcoats are: (1) to stiffen raised grain fibers and allow clean sanding, (2) to form a sealing layer between stain and succeeding color coats of finish, and (3) to allow cleaner, easier filler wiping.

6. Lacquer sealer—A quick drying lacquer, so formulated as to provide quick dry, good holdout of succeeding coats, and containing sanding agents such as zinc stearate to allow dry sanding of sealer. Requires constant stirring to avoid separation of ingredients. Usually contains 15-20 per cent solids at spray consistency. One full wet coat (see the definition) deposits approximately 1 mil of dry film thickness.

Lacquers

- 1. Water-white lacquer—A transparent lacquer having no apparent color, normally used over light colored surfaces. Usually contains approximately 1 mil of dry film thickness.
- 2. Clear lacquer—A transparent lacquer, unpigmented, but having some natural color, usually a light amber. Normally used over surfaces where slight darkening by topcoats is allowable. Usually contains approximately 20 per cent solids at spray consistency. One full wet coat deposits approximately 1 mil of dry film thickness.
- 3. Flat lacquer—A clear or waterwhite lacquer to which clear pigments have been added to diffuse light reflection from the surface of the dried film and simulate a rubbed surface. Usually contains approximately 20 per cent solids at spray consistency. One full wet coat deposits approximately 1 mil of dry film thickness. 4. Hot lacquer—A lacquer formulate for spraying at elevated temperatures, usually 160 F. Normally contains 30 per cent or greater solids content. Produces in two sprayed coats the equivalent of three coats of normal cold sprayed lacquer. Normal-

ly produces $1\frac{1}{2}$ mils or greater dry film thickness in one sprayed coat.

5. Lacquer enamel—A clear lacquer to which has been added coloring pigments, bulking pigments and others. Forms an opaque film. Requires constant agitation to prevent color changes due to settling out of pigments. Usually contains 35 per cent or greater solids content at spray consistency. One full wet coat deposits approximately 2 mils or greater dry film thickness.

Other Finishing Materials

- 1. Full wet coat—A coat of finishing material applied in such manner as to exhibit an all over wet appearance (as contrasted to a dry or sandy spray). Usually considered to be near the maximum amount that can be applied on a vertical surface without sags or runs.
- 2. Cut (of shellac)—Number of pounds of resin added to each gallon of solvent. Liquid shellac is often supplied as a "4-lb cut." Equal parts of a "4-lb cut" of shellac and alcohol produce the accepted equivalent of a "2-lb cut." One part of a "4-lb cut" of shellac to seven parts of alcohol produces the accepted equivalent of a "½-lb cut".
- 3. Uniforming—Application of colored finishing materials to wood surfaces, finished or unfinished, to minimize variations in color or intensity of color. Usually performed where different woods are used in the same construction or to even up the color of all units in a group. Major use is on transparent and toned finishes.
- 4. Lacquer undercoater—A heavily pigmented lacquer enamel. Formulated to provide filling sealing and coloring. Can normally be sanded without lubricant. Air dries in 1 hour or more.
- 5. Toner—A thin lacquer enamel containing specially ground chemical and earth pigments. Thin applications have high hiding power. Dries

rapidly, in 15 minutes or longer.

- 6. Paste wood filler—A mixture of oleo-resinous varnish, coloring pigments, bulking pigments (silex, others) and other ingredients. Usually reduced for application with VM&P naphtha at following rates: For walnut, Honduras mahogany and similar woods, 8-10 lb filler/gallon reducer. For oak, Philippine mahogany, ash and similar woods, 10-12 lb filler/gallon VM&P naphtha. Primary purpose is to fill and color vessels or pores of the wood and provide a level surface for succeeding coats. Formulated to air dry in 4 hours or more.
- 7. Orange peel—Roughness of a sprayed surface, resembling the surface of an orange peel, caused by lack of flow of sprayed finish droplets.

FINISH PROCEDURES FOR EXPOSED

HARDWOOD SURFACES

1. Natural finish for exposed hardwood surfaces:

- A. Natural finish for coarse textured woods
- (1) Apply washcoat of lacquer sealer. Dry and sand lightly with 6/0 opencoat abrasive paper.
- (2) Apply paste wood filler over all open grained wood. Filler should be allowed to "flash off" until a flat or dull appearance is noted. At this point, surfaces are padded by machine or by hand, with downward pressure across the grain, pushing excess filler into the pores. This initial padding is followed with a clean wipe across the grain to remove excess filler. After this operation, lightly wipe parallel to the grain with a clean cloth to remove all cross wipe marks. Excess filler in corners, carving or similar depressions should be brushed out or picked out cleanly. Dry filler thoroughly before sealing.
- (3) Apply full wet coat of lacquer sealer. Dry.
- (4) Sand out all roughness with 6/0 opencoat abrasive paper. Dust off thoroughly with air jet.
- (5) Apply full wet coat water white lacquer. Dry.
- (6) Scuff with 6/0 opencoat abrasive paper to remove any roughness present. Dust off with air jet.

- *(7) Apply second full wet coat water white lacquer. Dry.
- B. Natural finish for fine textured woods
- (1) Follow exact procedure for "Natural finish for coarse textured woods," 1.A., except for elimination of steps (1) and (3). (Eliminate initial washcoating and filling operations.)

2. Stained finish for exposed hardwood surfaces:

- A. Stained finish for coarse textured woods
- (1) Apply one coat of stain (water, N.G.R., oil or pigmented wiping stain).
- (a) If water stain is used: Dry thoroughly after staining and apply even washcoat of lacquer sealer (4-6 per cent solids). Scuffs sand when dry with 6/0 abrasive paper to remove raised fibers.
- (b) If N.G.R. stain is used: Dry thoroughly, apply even washcoat of lacquer sealer (4-6 per cent solids). Scuff lightly when dry with 6/0 opencoat abrasive paper.
- (c) If oil stain is used: Dry thoroughly according to manufacturer's directions. Apply even washcoat of white shellac (½-lb cut). Dry completely and scuff sand lightly with 6/0 opencoat abrasive paper.
- (d) If pigmented wiping stain is used: Wipe evenly and cleanly, removing accumulations in crevices, inside corners, etc. by dry brush or wiping. Dry according to manufacturer's directions and follow with a washcoat of lacquer sealer (4-6 per cent solids). Sand washcoat lightly with 6/0 opencoat. Avoid cutting through stain.
- (2) Apply paste wood filler (following procedure shown under 1.A. step
- (2). Dry thoroughly.
- (3) Apply one full wet coat lacquer sealer (15-20 per cent solids). Dry thoroughly.
- (4) Sand sealer to remove all roughness and dust off with air jet.
- (5) Apply one full wet coat clear lacquer (water white may be specified but is not essential for dark stained finishes). Dry completely.
- (6) Apply second full wet coat clear lacquer (or water white if specified). Dry completely
- B. Stained finish for fine textured woods
- (1) Follow exact procedure under 2.A. except eliminate the filling operation, step (2).

3. Bleached finish for exposed hard wood surfaces:

- A. Bleach all exposed surfaces. For bleaches requiring a neutralizing wash, neutralize according to manufacturer's directions. Since any free alkali left on the bleached surface may have a serious effect on subsequence coats, each bleached surface should be tested for alkalinity, after neutralizing, as follows:
- (1) A test solution containing the following ingredients should be formulated:

1 part phenolpthalein

50 parts ethyl alcohol

50 parts water

- (2) Several drops of this test solution should be placed at different points on the neutralized surface. If the spots turn red or pink, even momentarily, the surface is still alkaline.
- (3) If the above test indicates alkalinity, the surface should be reneutralized with a 5-15 per cent solution of acetic acid and then sponged with clear water to remove bleaching residues.

Certain bleaches do not require a neutralizer. If not, eliminate neutralizing wash. All bleached surfaces should be dried thoroughly before recoating.

- B. Sand bleach surfaces to remove all roughness with 6/0 abrasive paper. Any sandthrough of bleached surface to unbleached wood should be spot bleached to uniform surface color.
- C. At this point, staining is to be done according to specification.

4. Toner finish for exposed hard-wood surfaces:

- A. Toner finish for coarse textured woods
- (1) Spray uniform coat of toner over all surfaces. Avoid excessive buildup of coating at overlaps of spray pattern to avoid streaks. Natural pattern of the wood should not be obscured by toner application. Dry completely. (2) Apply water white lacquer washcoat evenly over all exposed surfaces. Dry completely. Scuff sand lightly to remove roughness with 6/0 opencoat abrasive paper. Dust off thoroughly with air jet.
- (3) Apply paste wood filler of correct color and consistency and complete schedule outlined under 1.A. starting with step (2), the filling operation.

To be concluded in September


^{*}In any finish schedule, if hot lacquers (at 30-35 per cent solids) are used as the topcoats, two hot sprayed coats shall be considered sufficient to replace three coats of normal cold spray lacquer (20 per cent solids)

For more information circle selected item number on Reader Service Inquiry Card, pages 215-216

ACOUSTICAL CEILING BUILT INTO CONCRETE ROOF PLANKS

Acoustical ceiling boards are integral parts of precast concrete roof deck planks used in the women's physical education building now under construction at Northern Illinois University, DeKalb, Ill.

Almost 5,000 exposed white acoustical panels are being used for the roof which covers 55,000 sq ft and is supported by prestressed concrete girders up to 126 ft in length.



The acoustic panels are one-inch thick *Diminitone* ceiling boards made of long glass fibers. They were selected for their fire resistant properties and dimensional stability. Low moisture absorption rate was also important since one area houses a heated indoor swimming pool.

The roof planks are prefabricated about 17 miles from the job site. Each 24- by 48-in. panel is laid on a sheet of polyethylene. In the concrete form a welded wire mesh is tied in behind the three panels which fit in each plank. The form is placed on a vibrating table, with the acoustical panels face down. Mixed concrete is poured from a bucket (see picture, left). When concrete has cured, interior face of the plank is brushed and sanded to remove all loose particles and dirt.

At the job site a crane hoists the planks to the roof which is 30 ft above ground level. The plastic film will remain in place during construction and while spray paint is applied. Forty-Eight Insulations, Inc., North Aurora, Ill.

CIRCLE 300 ON INQUIRY CARD



THREE-FOOT-WIDE TAPE IS PACKAGED ROOFING



A new idea in built-up roofing consists of a 3-ft-wide mastic tape which is applied cold to flat or sloping surfaces. Under development at Koppers laboratories for more than four years, commercial production is expected later this year.

Called *Bitumagic*, the tape is a waterproof membrane system of asbestos or glass mat, impregnated and covered with a mastic tar formulation in a uniform thickness. A disposable release paper prevents the material from adhering to itself and facilitates application. Tape will adhere to vertical surfaces permanently without sag or flow.

The new roofing material can be applied by two men and eliminates heating kettles and multi-ply applications. It bonds firmly and permanently to concrete, brick, wood, steel or insulation and can be used as a continuous roofing-flashing system. It also is suited to damp-proofing of vertical surfaces such as belowground walls or foundations. A specially formulated, cold-applied emulsion top coating, applied with a soft brush, completes the system. Koppers Company, Inc., Tar Products Div., Koppers Bldg., Pittsburgh 19, Pa.

CIRCLE 301 ON INQUIRY CARD more products on page 168

Office Literature

For more information circle selected item numbers on Reader Service Inquiry Card, pages 215-216

COOLING TOWER NOISE



Practical procedures for evaluating noise of cooling towers, establishing noise criteria, measuring equipment sound levels and determining noise reduction

needs are covered in a 28-page engineering manual, Bulletin 250. Tables supplement text, and a sample problem is worked out step-by-step. The manual was prepared jointly with Bolt, Beranek & Newman, Inc., acoustical consultants. Baltimore Aircoil Co., Inc., P.O. Box 7322, Baltimore 27, Maryland

CIRCLE 400 ON INQUIRY CARD

HARDWOOD DIRECTORY

Manufacturers of Appalachian hardwood are listed in a directory, which gives plant equipment and capacity, kinds of woods, and other products and services offered. Appalachian Hardwood Manufacturers, Inc., 414 Walnut St., Cincinnati 2, Ohio*

CIRCLE 401 ON INQUIRY CARD

METAL COMPONENTS

Four booklets from Bayley deal with metal building components. A-62 (A.I.A. 16-E) has 20 pages on aluminum windows—projected, casement, top-hinged and others. C-26 (A.I.A. 17-A) describes aluminum and steel curtain-wall systems and insulated panels. I-62 (A.I.A. 16-L) gives details on correctional and mental institution window systems. S-62 (A.I.A. 16-E) has 32 pages on steel windows and doors. The William Bayley Co., 1200 Warder St., Springfield, Ohio*
CIRCLE 402 ON INQUIRY CARD

AIR DIFFUSERS

Perforated air diffusers for ceiling mounting are described in Bulletin K-50 (A.I.A. 30-C-45). Linear slot air diffusers for sill or floor mounting are discussed in Bulletin K-55. Connor Engineering Corp., Danbury, Connecticut

CIRCLE 403 ON INQUIRY CARD

PLASTIC BUILDING PANELS

Photographs show how lighting and privacy problems of schools were solved using Alsynite translucent plastic building panels which now carry a written 20-year guarantee. Booklet S 358. Reichhold Chemicals, Inc., 4654 DeSoto St., San Diego 7, California*

CIRCLE 404 ON INQUIRY CARD

ROLLING DOORS

(A.I.A. 16-D) Rolling doors of steel and aluminum are described in a 36-page catalog. Included are details on fire doors, rolling counter shutters, rolling grills, rol-top doors and bifold doors. The Kinnear Mfg. Co., 820-870 Fields Ave., Columbus 16, Ohio *

CIRCLE 405 ON INQUIRY CARD

AIR/LIGHT TROFFERS



Integrated air outlet and lighting fixtures are the products of combined work by Smithcraft and Carnes. Catalog SC-20D gives details and specifications for

Troff-Aire fixtures. Carnes Corp., Verona, Wis. and Smithcraft Corp., Chelsea, Mass.

CIRCLE 406 ON INQUIRY CARD

PARTITIONS

(A.I.A. 35-H-6) Contempo-Wall demountable partition system has steel framing with gypsum panels and anodized aluminum trim. Wall surfaces are vinyl covered. National Gypsum Co., Buffalo 2, N. Y.*

CIRCLE 407 ON INQUIRY CARD

STEEL DESIGN MANUAL

Design procedure, stresses and tests are given in the 1962 edition of the "Light Gage Cold-Formed Steel Design Manual" which includes charts and tables of structural properties. Also included are recently revised specifications. Single copies of the 128-page, hard-bound book are free, with additional copies \$1 each. American Iron and Steel Institute, 150 E. 42nd St., New York 17, N.Y.

CIRCLE 408 ON INQUIRY CARD

PLASTER AGGREGATE



(A.I.A. 21-A-5) Permalite plaster aggregate reduces dead weight and increases fire safety. Also available is an interior finish which is sound-absorbent as

well as fire-retardant. Specifications are included in an 8-page booklet. Great Lakes Carbon Corp., 612 S. Flower St., Los Angeles 17, Calif.*

CIRCLE 409 ON INQUIRY CARD

AIR CURTAIN FAN

Keeping cold air in and warm air out of refrigerated areas can be done with an air curtain fan which provides a thin wall of high velocity air. No structural change is needed. Bulletin DB1-205. Ilg Electrical Ventilating Co., 2850 N. Pulaski Rd., Chicago 41, Ill.

CIRCLE 410 ON INQUIRY CARD

WEATHERPROOF COATINGS

Elastomer plastics in fluid form provide weatherproof coatings for insulation, roofs, floors and metals. Technical data is given in 18-page booklet. Permalume Plastics Corp., 2000 E. Columbia Way, Vancouver, Wash.

CIRCLE 411 ON INQUIRY CARD

CLASSROOM VENTILATOR

A classroom unit ventilator is designed to be suspended from the ceiling and provides 7 to 12 air changes an hour. Bulletin 690-E1A has 24 pages. American Air Filter Co., Inc., 215 Central Ave., Louisville 8, Ky.

CIRCLE 412 ON INQUIRY CARD


FASCIA AND GRAVEL STOP

Lexsuglas glass fiber reinforced plastic fascia and gravel stop is available in 16 colors. Specifications and colors are shown in folder. Lexsuco Inc., 33095 Bainbridge Road, Solon, Ohio *

CIRCLE 413 ON INQUIRY CARD

*Additional product information in Sweet's Architectural File

more literature on page 190




TEXTURE SO DISTINCT YOU ARE TEMPTED TO REACH OUT


AND FEEL IT. New, Jumbo Woodtex 300 asphalt shingles now give architects greater latitude in creative designs for homes, apartments, schools and churches. Vivid shadow line and color

styling further accent the distinct texture of this heavy, rugged shingle backed by 25 year bond against wind, rain, sun and fire. Jumbo Woodtex 300 is available in most areas. For further details write Certain-teed Products Corporation, Ardmore/Pa.



Plants and offices throughout the United States





MOSAIC THE MOSAIC TILE COMPANY • General Offices: Zanesville, Ohio

Member: Tile Council of America, Inc. and The Producer's Council, Inc.

Easy to cut with knife or trowel ... shears clean and straight ... handles surely and easily ... stays firmly aligned.



Product Reports

continued from page 163


ROOF AIR CONDITIONER USES GAS ENGINE

A heavy-duty gas engine is used for a new Atmos-Pak prefabricated, roof-mounted heating and cooling unit. The engine uses natural, L.P., or mixed gas and is expected to effect savings in operating costs of up to 50 per cent in some areas. Units range in size from 15 through 35 tons. Atmos-Pak, Inc., 188 N. Highland Ave., Ossining, N.Y.

CIRCLE 302 ON INQUIRY CARD

SHEAR CONNECTOR FOR COMPOSITE CONSTRUCTION

Shear connectors capable of resisting both horizontal and vertical forces are designed for use with *Cofar*, a



COMPOSITE SECTION

corrugated steel sheet that is welded to a structural frame and acts as both form and reinforcement for poured concrete floors. *Granco Steel Products Co.*, 6506 N. Broadway, St. Louis 15, Mo.

CIRCLE 303 ON INQUIRY CARD

HOME STEAM BATH

A home bathtub or shower stall can become a complete steam room with Thermasol steam bath, which has a steam generator concealed in a false ceiling of stainless steel installed above the tub or shower. A total enclosure (which prevents steam escaping into the rest of the bathroom) is completed with sliding glass door attached to the tub on tracks. Temperature in the unit rises from 70 to 130 F in 20 minutes. Thermasol, Ltd., 702 E. 12th St., New York N.Y.

CIRCLE 304 ON INQUIRY CARD

HARDWOOD PANELING


Craftwall prefinished hardwood paneling is 7_{16} -in. thick and can be applied directly to wall studs without backing or furring strips. Weyhaeuser Co., Tacoma, Wash.

CIRCLE 305 ON INQUIRY CARD


FLUORESCENT FIXTURES

Sabre 12 and Sabre 16 fluorescent lighting fixtures are designed to provide high lighting efficiency with good brightness control for stores, schools and offices. The fixtures vary in width and number of lamps used, and are available in 4 and 8 ft lengths. The Miller Co., Meriden, Conn.

CIRCLE 306 ON INQUIRY CARD



more products on page 172



CONSTRUCTION DETAILS

for LCN Overhead Concealed Door Closer Shown on Opposite Page

The LCN Series 500 Closer's Main Points:

- 1. Efficient, full rack-and-pinion, two-speed control of the door
- 2. Mechanism entirely concealed; arm visible on inside of an out-swinging door
- 3. Hydraulic back-check prevents door's being thrown open violently to damage door, walls, etc.
- 4. Double lever arm provides maximum power to overcome wind and drafts
- 5. Arm may be regular, hold-open 90°—140°, h. o. 140° —180° or fusible link h. o. 90°—140°.

Complete Catalog on Request—No Obligation or See Sweet's 1962, Sec. 19e/Lc

LCN CLOSERS, PRINCETON, ILLINOIS

A Division of Schlage Lock Company

Canada: LCN Closers of Canada, Itd., P.O. Box 100, Port Credit, Ontario


Modern Door Control by Closers Concealed in Head Frame

LAKE MEADOWS CLUB BUILDING, CHICAGO, ILLINOIS

LCN CLOSERS, PRINCETON, ILLINOIS

Constitution Describ on Omnostic Proces







Steel Saves Time Shop-fabricated structurals and Bethlehem steel joists arrive ready to go up. No falsework, no delays because of weather. Long before the frame is completed, other trades can move in and get started. You can make—and keep—a completion promise when you build with steel.

eel Saves Money A steel framework goes up fast—two stories or twenty. No extra, wasteful operations. Steel products like Bethlehem's Slabform (our solid centering) save you both time and materials compared to flexible-type centerings.

'eel Is So Dependable Deliveries are fast. Steel has strength to spare. Non-warp, non-sag construction holds down maintenance costs. Fire-safety is up. We'd be glad to discuss your next building with you. Perhaps we can show you ways you can save time and money with today's steels for construction.





BRAWN'N Beauty

brascolite square recess units


Designed to outlast commercial and institutional buildings. A Master Creation of strength, lighting efficiency and beauty!

Sturdy • well-engineered • functional • all horizontal lamp units have Alzak Aluminum Reflectors for permanency and optimum light control.



doors - 300° acrylic snow-white finish trim - attractive silvan

ARS



For detailed lighting and engineering data, write for Brascolite Catalog Section A




For more data, circle 74 on Inquiry Card

Product Reports continued from page 168

UNIT VENTILATOR

A system known as air spin control, as applied to the Schemenauer 60 Series unit ventilator, maintains a constant volume of air through the unit



even though filters become progressively dirty. Maintenance costs are lowered, claims the manufacturer, because full filter use is obtained. Schemenauer Mfg. Co., Holland,

CIRCLE 307 ON INQUIRY CARD


ELECTRIC SNOW MELTER

Melt-O-Mat electric snow melter is a heating cable mounted on glass fiber mat for embedment in concrete and asphalt driveways, sidewalks and steps. Output is about 42 watts per sq ft. Cox & Co., Inc., 115 E. 23rd St., New York 10, N.Y.

CIRCLE 308 ON INQUIRY CARD

HOTEL PRIVACY LOCK

A privacy lockset for hotels and motels has an inside button which shuts out all keys except emergency key and projects an occupancy indicator



pin in outside knob. The pin is easily seen during daytime and felt at night. Turning inside knob releases the lockout. P & F Corbin Div., American Hardware Corp., New Britain. Conn.

> CIRCLE 309 ON INQUIRY CARD more products on page 176

For more data, circle 75 on Inquiry






Double utility peninsula



To divide a large kitchen



Spacemaker units



Planning desk



Sewing machine cabinet



The warmth and elegance of a GENEVA kitchen starts with the NEW woods finish!


There are many wonderful reasons why Geneva Impasto cabinets bring a carefree dignity to kitchen living. The natural, superbly fashioned texture is etched into the cabinet itself...providing a non-gloss and sound deadened surface. Impasto will not show finger prints...is stain resistant, will not chip or warp. Add to this Geneva's self closing drawers...plastisol protected and adjustable shelves ...wide standard cabinet selection, plus special cabinets to order. It all adds up to the personalized, efficient kitchen you have always wanted. See the warmth and charm of a Geneva Impasto kitchen before you decide (you'll be happy you did).

Geneva Impasto—"the kitchen that whispers...that never grows old."



GENEVA MODERN KITCHENS

Division of Acme Steel Company, Geneva, Illinois



Geneva Modern Kitchens Dept. AR8-62 Geneva, Illinois

send cabinet specifications
and attractive 20-page full-color broch
on Geneva Impasto Kitche

NAME

ADDRESS

CITY

STATE



e's your responsibility too

When a patient sinks into the deep sleep of the anesthetized, his future rests in the skilled hands of the surgical team. But what if power should fail? The responsibility of the operation's success takes a sharp turn... to the men who designed the hospital... to the men who built it... to the men who specified the emergency power.

Hospitals today take the concept of some kind of standby electric power pretty much for granted. But are even the basic needs, such as surgery, delivery rooms, emergency rooms and call systems, really protected at the levels of complete safety for patients? In addition, more equipment and facilities than ever before depend entirely upon electricity. Services such as iron lungs, pediatrics, neuro-psychiatry, heating, air conditioning, elevators, corridor lighting, kitchens, refrigeration, laboratories...all must go on, emergency or no. And the needs will increase as modern medicine progresses.

Thus, the questions every responsible person should ask are: can the emergency power specified really do the jobs required today? Will the unit be able to meet the expansion of needs probable in 1972? In 1982? Will parts and service be available during the many years ahead?

To meet the ever-increasing kilowatt requirements for emergency units, Cat Diesel and Natural Gas Electric Sets provide more power than previous models. Whether an emergency lasts for 24 seconds or 24 hours, the dependability of Cat Electric Sets helps make it routine.

And, as a result of Caterpillar's continuing program of research, this power is delivered from a package that's more compact, easier to install than ever before. Service may be quickly obtained from one of the more than 320 dealer outlets in the U.S.

Caterpillar has shouldered part of the responsibility for keeping modern hospitals alive. For further information, contact your local Caterpillar Dealer, or write direct.



Caterpillar and Cat are Registered Trademarks of Caterpillar Tractor Co.

R

Engine Division, Caterpillar Tractor Co., General Offices, Peoria, Illinois - Caterpillar Americas Co., Peoria, Illinois - Caterpillar Overseas S.A., Geneva - Caterpillar of Australia Pty. Ltd., Melbourne - Caterpillar Brasil S.A., São Paulo - Caterpillar Tractor Co. Ltd., Glasgow - Caterpillar of Canada Ltd., Toronto - Caterpillar France S.A., Grenoble

GET OUT

Mixing calking materials on the job costs money, in extra equipment and wages. And careless mixing, all too frequently, can mean inferior performance.

Available Now

ONE-PART PRC RUBBER CALK 5000,

a new polysulfide-based (Thiokol*) calking compound ready for use as packaged. No mixing equipment is needed. Uncertainties of mixing on the job are eliminated. Man-hours and job time are saved. PRC Rubber Calk 5000 is available in white or gray, and is applied easily by calking gun, putty knife or spatula. It cures to firm, flexible rubber, which *retains* adhesion and elasticity in all weather to provide years of trouble-free service.

SUGGESTED APPLICATIONS

- In place of mortar between materials with different coefficients of expansion.
- Calking section joints in tilt-up construction.
- Sealing pre-cast facings.
- · Sealing concrete conduit.
- · Glazing.



© CORPORATE OFFICES

AND WESTERN MANUFACTURING DIVISION
2919 Empire Ave., Burbank, Calif. • Victoria 9-3992
EASTERN SALES AND MANUFACTURING DIVISION
410 Jersey Ave., Gloucester City, N.J. • GLenview 6-5700

OF STIR

TITLE___

SEND FOR TECHNICAL DATA

PRODUCTS RESEARCH COMPANY

2919 Empire Ave., Burbank, Calif. Dept. AR-862

Please send me complete information regarding PRC Rubber Calk 5000.

NAME		

FIRM NAME_____


ADDRESS_____


CITY____

ZONE____STATE____

DEALER INQUIRIES INVITED









As simple as that!

The all metal, galvanized steel, interlocking slat curtain of the Kinnear Steel Rolling Doors, is the most efficient way to solve your door requirements. The smooth, easy, upward coiling action saves labor as well as floor and wall space. It provides the most durable closure against weather, fire and intruders. The Kinnear Steel Rolling Door is also

ideal for motorized operation, remotely controlled from any number of convenient locations.

1. Tell Kinnear **your** requirements 2

1. Tell Kinnear **your** requirements. 2. Kinnear engineers will recommend the proper door to fill **your** needs. 3. Install a Kinnear Rolling Door. As simple as 1 2 3!

The KINNEAR Mfg. Co.

Factories: 1860-80 Fields Avenue, Columbus 16, Ohio 1742 Yosemite Avenue, San Francisco, Calif. Offices and representatives in all principal cities

Kinnear Rolling Doors


For more data, circle 78 on Inquiry Card

Product Reports

continued from page 172

SILICONE METAL COATING

UCAR-101 silicone metal coating is highly resistant to atmospheres containing oxides, sulphides and salt. The film is about 0.1 mil thick, virtually colorless and does not affect the appearance of the metal. Brass hardware on the left, treated with UCAR-101, is shown after a standard salt



spray test. Pieces at right were treated with ordinary acrylic. Silicones Div., Union Carbide Corp., 270 Park Ave., New York 17, N.Y.

CIRCLE 310 ON INQUIRY CARD

ELECTRONIC AIR FILTER

A low-cost electronic air filter is designed to remove 90 per cent of dust and dirt particles circulating in the home. The unit is 22-in. high and can be added to any central forced air heating or cooling system. It can be adapted to up-flow, down-flow or horizontal furnaces. American Furnace Co., 1300 Hampton Ave., St. Louis 10, Mo.

CIRCLE 311 ON INQUIRY CARD

MOVABLE WALL


Natural pre-finished wood surfaces are used for movable walls available in sections 48-in. wide and up to 12-ft high. Rubber gaskets are used at all





contact points to retard sound and protect ceiling, walls, and floors. Kwikwall Co., Springfield, Ill.

CIRCLE 312 ON INQUIRY CARD

more products on page 180









Cafeteria has Graylite above to cut glare . . . clear PPG Plate Glass below. Pictures were taken at William B. Stout Junior High School, Dearborn, Mich. Architects: Bennett & Straight, Inc., Dearborn, Mich. Contractor: F. W. Fordon Company, Detroit, Mich.





For your new school, choose the fficient beauty of GLASS




- It is the lightest of architectural materials, requiring proportionally less structural support.
- It is available in the largest size components of any comparable material.
- It is available in any shape, to fit any opening.
- Glass curtain walls are thinner, give more usable floor space.
- Glass insulates—PPG Twindow® Insulating glass, for example.
- Heat-absorbing glass reduces air-conditioning costs (PPG Solex®, Solargray® Plate Glass, GRAYLITE™ "14" Window Glass).
- Glass provides a rainbow of enduring color for your designs—PPG Spandrelite® glass with integrated color, for example.
- Glass saves tax dollars, requires minimal maintenance because it does not deteriorate with age.

In addition to glass, PPG can supply doors, door openers, and complete curtain wall systems. We will gladly accept full responsibility for the installation of our complete curtain wall system. Your PPG Architectural Representative will supply specific data. Or, check your PPG General Glass Catalog in Sweet's.


Pittsburgh Plate Glass Company

Paints • Glass • Chemicals • Fiber Glass In Canada: Canadian Pittsburgh Industries Limited



NEEDED FOR YEARS...to prevent perplexing

predicaments in the bathroom...AND HERE IT IS



A NEW BATHROOM CONVENIENCE Just a cover-opening away is the spare...insurance against embarrassment. Closed it's one of the most attractive accessories a modern bathroom can have. Beautifully chromed and precisely made in every detail, it combines a new and original idea with Hall-Mack's fine styling.

The smoothly operating door which conceals the extra roll is a sparkling, chrome plated brass panel—compact and flush with the wall—that blends pleasingly with any decor.

For new homes or remodeling, you're sure to make friends and influence new customers when you specify, sell or install built-in features by Hall-Mack—especially Conceal-A-Roll with the "spare" compartment that solves a delicate problem,




Sold by leading plumbing, tile and hardware dealers everywhere.

For more data, circle 81 on Inquiry Card

Product Reports continued from page 176

SMALLER, LOWER COST CONCEALED DOOR CLOSERS

Series 2000 door closers are concealed in the head frame with track hidden in the top of door. Similar to Series 200, the four models in the



new line are smaller and lower in cost. All are $3\frac{5}{8}$ -in. high by $2\frac{1}{16}$ -in. wide. LCN Closers, Princeton, Ill.

CIRCLE 313 ON INQUIRY CARD

SPRAYED-ON WALL SURFACES

Faserit synthetic fibrous coatings are said to replace both plaster and paint for interior walls and ceilings. Used in Europe for 16 years, the spray compounds have integral color, zero flame spread and high dimensional stability. Faserit of America, Inc., 6675 Biscayne Blvd., Miami 38, Fla.

CIRCLE 314 ON INQUIRY CARD

LAMINATED PINE ARCHES INSTALLED BY HELICOPTER

Helicopters were used to erect glued laminated southern pine arches for the roof of a chemical storage building. All arches were placed in one



day. The roof, 150 ft above ground, has a 2- by 6-in. tongue and groove southern pine decking furnished by the Forest Products Div. of Olin Mathieson. Arches and purlins were pressure treated. *Unit Structures, Inc.*, Pestigo, Wis.

CIRCLE 315 ON INQUIRY CARD more products on page 186



Research and technical improvements have increased the yield and efficiency of McLouth's blast furnaces.

McLOUTH STEEL

progress through pioneering

In the last seven years McLouth's ingot capacity expanded 161%. Our progress has been built on pioneering new and better methods of steelmaking and maintaining rigid controls and the highest product quality. Located for fast service and delivery, McLouth is your dependable source for the finest carbon and stainless steels.



Tapping molten iron from a blast furnace

McLOUTH STEEL

McLOUTH STEEL CORPORATION/DETROIT 17, MICHIGAN







6224

Create beautiful kitchen and bathroom interiors with versatile wash-and-wear Marlite paneling


Marlite is the ideal wall and ceiling material for kitchens and bathrooms—new or remodeled. With Marlite, you can give your clients durability, beauty, easy maintenance. The soilproof baked finish of this practical "wear without care" paneling resists heat, moisture, stains, dents. The impervious surface quickly washes clean; stays like new for years. And Marlite means more satisfied clients, yet it saves you time and finishing costs.

What's more, the Marlite line of beautiful colors, patterns, and authentic Trendwood reproductions fits any color scheme or decor. And Marlite panels are quickly installed over old walls or new framing to complete your projects sooner. Get full details from your building materials dealer, consult Sweet's File, or write Marlite Division of Masonite Corporation, Dept. 805, Dover, Ohio.



ANOTHER QUALITY PRODUCT OF MASONITE® RESEARCH

MARLITE BRANCH OFFICES AND WAREHOUSES: 204 Permalume Place N.W., Atlanta 18, Georgia * 18 Moulton Street, Cambridge 38, Mass. * 4545 James Place, Melrose Park, Illinois (Chicago) * 8908 Chancellor Row, Dallas 7, Texas * 1657 Powell Street, Emeryville, California (Oakland) * 3050 Leonis Blvd., Los Angeles 58, California * 39 Windsor Avenue, Mineola, L. I. (New York) * 2440 Sixth Avenue So., Seattle 4, Washington



Kawneer's **ECONOMICAL** way to conceal a clos

☐ It costs time and money to locate a cement case for a floor closer in exactly the right spot. And it costs even more when, in spite of all precautions, the cement case ends up located in the wrong spot. Not to mention the fact that ripping into the cement with a jackhammer in an effort to correct the mistake can be dangerous . . . broken reinforcement or ruptured waterproofing. ☐ Kawneer provides a simple, easy solution; a closer concealed overhead in the transom bar. ☐ Consider the advantages. The architect gets a clean looking entrance—same as with a floor closer, but doesn't have to allow for the reinforcement and waterproofing being

placed deep into the slab. \square Contractors can pour floors faster, without waiting for cement case forms to be built and located. \square The sub-contractor saves because his installation costs are much lower than with floor closers. \square Yet, even though it offers all these advantages, The Kawneer Concealed Overhead Closer sells for the same or less than

floor closers.

The Kawneer Concealed Overhead Closer comes complete with door and frame.

Specify a Kawneer Concealed Overhead Closer entrance package; it's the economical way to conceal a closer.


KAI




KAWNEER CO., Niles, Mich., Richmond, Calif. KAWNEER CO. CANADA, LTD., Toronto, Ontario.




The Kawneer Concealed Overhead Closer fits neatly into the $1\%'' \times 4\%''$ transom bar. It is the only concealed overhead closer that has been time and work-proved for over four years.



Dow shows you everything you nee





o build a cold room, now!

's simpler than designing a brick wall, making cold coms out of Dow Insulating Panels. In this new ystem, each "sandwich" of tempered hardboard and tyrofoam brand insulation is structurally integral. ecause they come in standard modules only, Downsulating Panels save on material costs and simplify

installation. Styrofoam expanded polystyrene makes them suitable for coolers at 40° F. or sharp freezers down to -40° F. Always dry inside, closed-cell Styrofoam insulation *keeps* its low "K" factor. Permanently. For specifications on Dow Insulating Panels, write us in Midland, c/o Plastics Sales Dept. 1304N8.


HE DOW CHEMICAL COMPANY



Midland, Michigan

Product Reports

continued from page 180



ACOUSTIC CEILING PANEL

Strength and durability are features of *Hansocore* acoustical ceiling panel which has a face of perforated steel and an unperforated steel back with a center core of kraft honeycomb and glass fiber. Panels are one-in. thick and in various sizes. The face has a baked enamel finish. The panel permits freedom of partition placement. *Elof Hansson, Inc., 711 Third Ave., New York 17, N.Y.*

CIRCLC 316 ON INQUIRY CARD

TROFFER-ATTACHED AIR DIFFUSERS

A line of air diffusers can be used with the lighting troffers of a number of manufacturers. The diffusers



feature: (1) adjustable air pattern controller; (2) air volume controller that can be adjusted without removal of any part of the light troffer; (3) one-piece, air-tight construction. Titus Mfg. Co., Waterloo, Iowa

CIRCLE 317 ON INQUIRY CARI

PRODUCT BRIEFS

Transistor intercom-sound systems provide complete intercom and AM, FM radio service, with a wide choice of accessories and prices. Emerson Electric Co., 8100 Florissant, St. Louis 36, Mo.

CIRCLE 318 ON INQUIRY CAR

Structural building panels have a granite aggregate finish for both in teriors and exteriors bonded on ½ in. plywood, studded on 16-in. centers. Century Brick Corp. of America Century Brick Bldg., Erie, Pa.

CIRCLE 319 ON INQUIRY CAR

T-beam insulation is molded of glass fiber for snap-on fit, eliminating hand cutting and material waste Pall Corp., 30 Sea Cliff Ave., Gler Cove, N. Y.

CIRCLE 320 ON INQUIRY CAR

Mineral fiber ceiling panels have glass-mat laminate surfaces painted white for highlight reflectance, textured pattern, and easy cleaning. The Celotex Corp., 120 S. LaSalle St. Chicago 3, Ill.

CIRCLE 321 ON INQUIRY CAR

Epoxy coating for concrete resists chemicals, weathering and effects of wide temperature ranges. It features a non-skid surface. Philadelphia Resins Co., 7637 Queen St., Philadelphia 18, Pa.


CIRCLE 322 ON INQUIRY CAR


Architectural and display letters of cork, wood, plastic, plaster, aluminum and bronze are available at The Letter Center, 208 Fifth Ave., New York 10, N.Y.

CIRCLE 323 ON INQUIRY CAR

Tiberglass FOUNTAINS

Colorful! The appeal of smooth plastic—and rugged, too. Haws exclusive fiberglass designs lend an unusual dash of interest wherever they are mounted. Available in white and five decorator colors at no extra cost. Rely on Haws proved trouble-free valves and sanitary chrome plated brass bubblers. Specs and color chart of Haws fiberglass designs will be sent immediately on request.





For more data, circle 86 on Inquiry Card

HAWS DRINKING FAUCET COMPANY

1441 Fourth Street . Berkeley 10, California

Since 1909



The Connecticut Bank & Trust Company, Hartford, Conn. Architects: Robert Allan Jacobs—Carson, Lundin & Shaw General Contractor: F. H. McGraw & Company

General Bronze was awarded single responsibility for engineering, fabricating, glazing and erecting this distinctive curtain wall.

Alumilite-finished natural aluminum is used for mullions, fascia and copings . . . dark gray aluminum for mullion inserts, louvers and most horizontal members. Spandrels are gray porcelainized insulated panels, faced with gray plate glass.

The design and fabrication of the window system were especially critical—because of the weight and wind loading of the large-area glazing . . . the advanced gasketing . . . the inclusion of such features as window cleaning guides . . . and the importance of the mullion detailing to the over-all aesthetic effect.

Close coordination between General Bronze and the architects was essential to the success of this installation. Sample sections of the curtain wall, for both the base and tower systems, were subjected by GB to rigorous wind and weather tests.

Another
of today's
finest
curtain walls—
by GENERAL BRONZE

General Bronze offers you today's most advanced engineering services in the design of aluminum, bronze or stainless steel curtain walls. With close to a half-century's experience in architectural metalwork and fenestration, GB is uniquely equipped to help you realize the benefits and avoid the pitfalls of this highly specialized field.

For additional information, consult your Sweet's files . . . call in the General Bronze representative nearest you . . . or write to: General Bronze Corporation, Garden City, N. Y. • Sales Office: 100 Park Avenue, New York, N. Y.

PERMATITE DIVISION—Custom-built Windows, Curtain Walls, Architectural Metal Work and Revolving Doors. ALWINTITE DIVISION—Stock-size Aluminum Windows and Doors. BRACH MFG. CO. DIVISION—Radio, Television and Electronic Equipment. STEEL WELDMENTS. INC. DIVISION—Custom Fabrication in Steel and Iron.



Linen supplier provides key space-and-cost-saving service for University of Nebraska



Linen Exchange Center

In designing this 1,000 student dormitory, the architect provided convenient space and location for a linen exchange. This was an important consideration for the University of Nebraska because money spent to establish a laundry, equip, stock and operate it could be better used for other needed construction. And the problems of supplying bed linens, towels, staff uniforms, etc., were more efficiently solved by local linen supply rental.

Architects perform a valuable service in discussing linen provision details before completing building designs . . . because nearly every structure will require linen service! Your local linen supplier will be pleased to help by offering expert counsel on the economics of linen service, traffic, storage and related needs. Call on him for assistance. He is listed in the Yellow Pages under "Linen Supply" or "Towel Supply."

FREE DESIGN GUIDES ...

give case histories and suggestions for providing more efficient linen supply service in motels, schools, restaurants and hospitals. Write today.



Linen Supply

and National Cotton Council • 22 West Monroe Street, Chicago 3



The rich mosaic design of this handsome Bigelow Carpet is in perfect harmony with the lavish Victorian decor of the Plaza's corridors.



enry End is the first citation from the lmerican Institute of Architects. He has eceived more decrating awards than inyone in the U.S. **Henry End** chooses **Bigelow** Carpet for New York's famous Plaza Hotel

Famed interior designer, Henry End, A.I.D., I.D.I., in charge of the Plaza Hotel's program of restoration has refurbished this historic establishment in the elegance and style suited to such distinguished premises. The Bigelow Carpets chosen for all corridors, dining areas, lounges, private rooms and suites were specially planned to carry out Mr. End's individual design.

Bigelow Carpet is selected by leading designers for the most important architectural jobs. Reasonable price,

long economical service, and top performance under traffic - as well as beauty-are prime considerations in every Bigelow Carpet designed for use in public areas. Special designs, colors and textures available. If you plan an installation, consult Bigelow's Carpet specialists about colors, patterns, weaves, at prices you can afford. No charge for this service. Contact Bigelow through the nearest sales office or by writing to Bigelow Contract Department, 140 Madison Avenue, New York 16, N. Y.

PEOPLE WHO KNOW...BUY

Bigelow

igelow sales offices are located in the following cities: Atlanta, Ga.; Boston, Mass.; Buffalo, N.Y.; Chicago, III.; Cincinnati, Ohio; Cleveland, Ohio; Dallas, Texas; Denver, Colo.; Detroit, Mich. artford, Conn.; High Point, N. C.; Kansas City, Mo.; Los Angeles, Calif.; Minneapolis, Minn.; New York, N. Y.; Philadelphia, Pa.; Pittsburgh, Pa.; St. Louis, Mo.; San Francisco, Calif.; Seattle, Wash.

Office Literature continued from page 164

GLAZED CERAMIC TILE

Glazed ceramic mosaic tiles with 1%in. squares are available in two surface textures and 26 colors. Stylon Corp., Milford, Mass.*

CIRCLE 414 ON INQUIRY CARD

VENTILATION

A "Comparative Study of the Effectiveness of Fixed Ventilating Louvers" is given in a 24-page report based on data from a research residence. Home Comfort Products Co., Box 68, Princeville, Ill.

CIRCLE 415 ON INQUIRY CARD

LAMINATED BEAMS

(A.I.A. 19-B-3) Glue laminated wood beams and arches permit wide open areas with small structural member. Wood Fabricators, Inc., 400 Portland St., Cambridge, Mass.

CIRCLE 416 ON INQUIRY CARD

HARDWOOD PLYWOODS



Hardwood plywoods in the Evanite Lustre-Sheen smooth furniture and cabinet plywood line are displayed in full color. Seven woods in a choice of four thick-

nesses are available. Evans Products Co., Bldg. Materials Div., 1029 S.W. Alder St., Portland 5, Ore.*

CIRCLE 417 ON INQUIRY CARD

DRAFTING MACHINE

A track-type drafting machine is said to allow 80 per cent reduction in time needed for some drafting operations. Bulletin 71 gives details. Glideline Corp., Waynesboro, Pa.

CIRCLE 418 ON INQUIRY CARD

TEAK FLOOR PANELS

Parquet panels of Rhodesian teak have an asphalt saturated felt backing for resiliency and moisture resistance. PlywoodInternationalCorp., 160 Centre St., Brooklyn 31, N.Y.

CIRCLE 419 ON INQUIRY CARD

COLORED ASPHALT

Green, gray and red coatings for asphalt protect the pavement while providing decorative variety. Vynatex 23 bulletin. Maintenance Inc., Wooster, Ohio*

CIRCLE 420 ON INQUIRY CARD

DECORATIVE CONCRETE

(A.I.A. 4-K-1) Precast decorative concrete units in a variety of patterns are illustrated with pictures of recent buildings. Medusa Portland Cement Co., P.O. Box 5668, Cleveland 1, Ohio

CIRCLE 421 ON INQUIRY CARD

CARPETS IN SCHOOL

"Excellence and Economy" is a report on the advantages of carpeting in schools, based on histories of three public schools in Ithaca, N.Y. and Andrews, Tex. The 32-page booklet has pictures of interiors, floor plans and maintenance cost comparisons with other flooring. American Carpet Institute, 350 Fifth Ave., New York 1, N.Y.

CIRCLE 422 ON INQUIRY CARD

* Additional product information in Sweet's Architectural File

more literature on page 194





Get ZERO'S new Catalog, with full size details of the complete line of saddles & weather stripping. Write for your copy today!

ZERO Weather Stripping for:

- Doors
- Windows
- Lightproofing

WEATHER STRI



- Soundproofing
- Sliding Doors
- Saddles

#140 HEAD & JAMB Heavy Industrial Doors


Saddles for Floor Hinged Doors



Solid or sponge neoprene, or felt air-tight door seals. Retainers of extruded bronze or aluminum.

JAMB PROTECTORS

For sill protection see p. 18, Zero Catalog





ZERO WEATHER STRIPPING CO., INC. 451 East 136th St., New York 54, N.Y. • LUdlow 5-3230

For more data, circle 90 on Inquiry Card



YOU SPECIFY THE FLOORING!

He'll make sure it lives up to your reputation

People will be walking on your reputation, beginning the day this building goes into use.

They'll be digging into it with their shoes. Dragging abrasive dirt and dust across it. Tracking moisture. For your reputation will rest on the flooring you specify as well as on the overall architectural design.

Yet, the flooring you specify can be drawing raves years from now with proper care and maintenance. Without any headaches or effort on your part. Just turn its maintenance over to our representative ... the Man Behind the Huntington Drum.

Flooring care has been his province for an average of 19 years. Give him the green light—and he'll come up with a floor maintenance program covering every area and every flooring material.

Call in the Man Behind the Huntington Drum. Put the burden of floor maintenance on his shoulders right now.

HUNTINGTO

...where research leads to better products

HUNTINGTON LABORATORIES
Huntington, Indiana

Philadelphia 35, Pennsylvania • In Canada: Toronto 2, Ontario

FILL OUT AND MAIL THIS COUPON — SEE OUR CATALOR CATALOR CATALOR IN SWEET'S

Huntington Laboratories, Inc.
P. O. Box 710, Huntington, Indiana


Gentlemen: I would like a Man Behind the Huntington Drum to call on me to discuss floor maintenance.

(
Ask him to leave his drum outside.)

NAME

TITLE

CITY



Litecontrol's New, Modern Design Jamaica"

Gives High Efficiency - Good Brightness Control

The new Litecontrol "Jamaica" — series 5000 — fixture is designed to give you rugged construction and flexibility in use, whether in schools or in commercial applications. Put these important advantages to work for you:


"JAMAICA" FLEXIBILITY

- Features the Holophane #6150 acrylic Controlens® as an integral part of its plastic enclosure. Also available with Litecontrol's Stylux panel, made either of polystyrene or acrylic plastic, in place of the lens
- Available in 3 lamp or 2 lamp models either 4' or 8' long. Areas can be designed with great accuracy for almost any footcandle requirements

"JAMAICA" CONSTRUCTION

- A plastic enclosed fixture with contemporary styling
- Lens is fitted in the extruded acrylic side panels to make a one-piece enclosure that can be installed to hinge from either side

- Two spring catches easily release enclosure for cleaning and relamping, hold it securely so it can't be knocked off accidentally
- Prismatic side panels are designed to illuminate the ceiling and combine with the lens to provide high efficiency, excellent brightness control, and widespread distribution, thus requiring fewer rows of fixtures
- Fixtures are die-formed and welded of zinc-coated steel for rust prevention and long life. The finish is 90% reflectance baked white enamel
- Can be pendant or surface mounted, singly or in rows Write now, for complete information.





LIGHTING


LITECONTROL CORPORATION,


36 Pleasant Street, Watertown 72, Massachusetts

DESIGNERS, ENGINEERS AND MANUFACTURERS OF FLUORESCENT LIGHTING EQUIPMENT DISTRIBUTED ONLY THROUGH ACCREDITED WHOLESALERS











Here in CERAMIC VENEER

- A RICH'S STORE, Washington, D.C. Berla & Abel—Architects;
 M. Cladny Construction Co., Inc.—Builder. Colorful individuality is created by sculptured Ceramic Veneer units 1411/16" x 2313/16" in matte gray glaze.
- B wm. ROSENDORF STORE, Washington, D.C. Berla & Abel—Architects; Tuckman and Rinis—Builders. Decorative facade is sculptured Ceramic Veneer in an attractive light gray.
- C STEINBERG'S STORE No. 95, St. Martin, Quebec, Canada. F. A. Dawson—Architect. Ceramic Veneer grille design FS-G, 1134" x 1134" is set in a random pattern to create this distinctive solar screen.
- D LERNER SHOP, Monmouth Shopping Center, Eatontown, N. J. Kahn & Jacobs—Architects; Jos. L. Muscarelle, Inc.—Builder. Ceramic Veneer in medium solid blue curved units and light mottled blue flat surfaces make an interesting, harmonious combination.

is store front originality!

Colorful, individual, sales-wise . . . and these attractive store fronts will never look drab or dirty. Big city grit and grime are resisted by the fire-hardened surface of Ceramic Veneer. When fully exposed to the elements, it is self-washing; otherwise it requires only soap and water washings for retention of its original color and beauty. Besides minimum maintenance, Ceramic Veneer provides the advantages of quality at low cost, permanence and unrivaled versatility. You can specify virtually any color under the sun, choose any desired texture, and specify units large or small—plain surfaces, grilles or sculpture. Whatever your plans — for store fronts or entire shopping centers, Federal Seaboard craftsmen will custom-make Ceramic Veneer to your precise specifications. Detailed information on Ceramic Veneer will be sent on request; also data on $\frac{3}{8}$ " CV Durathin and CV Durathin Sandwich Panel. Write today.

FEDERAL SEABOARD TERRA COTTA CORPORATION

10 East 40th Street, New York 16, N. Y. • Plant at Perth Amboy, N. J.



For more data, circle 93 on Inquiry Card

Office Literature continued from page 190

FOLDING PARTITIONS

Fourteen sound barriers including 24-gage steel panels are used in Super-Soundguard folding partitions. Brochure has design details. Holcomb & Hoke Mfg. Co., Inc., 1545 Calhoun St., Indianapolis 7, Ind.*

CIRCLE 423 ON INQUIRY CARD

FLOOR TOPPING

Thiopoxy 60 floor topping and patching compound is a one-application compound which cures overnight. Bulletin 85 gives technical data on this product specially designed to withstand severe corrosive and abrasive conditions. Sun Chemical Corp., A. C. Horn Div., 2133 85th St., North Bergen, N.J.*

CIRCLE 424 ON INQUIRY CARD

RADIANT HEATING

(A.I.A. 30-C-43/30-B-1) Gas fired infra-red heaters for industrial uses are described in Bulletin IR-100 Reznor Mfg. Co., Mercer, Pa.*

CIRCLE 425 ON INQUIRY CARI

LIGHTING DESIGN

The lumen method of lighting design is explained in detail in a 16-page booklet, No. TP-101. Inquiry Bureau General Electric Co., Nela Park Cleveland 12. Ohio

CIRCLE 426 ON INQUIRY CARL

PLASTIC PANELS

Reinforced plastic panels of standard or custom design are available with a variety of cores and in several thicknesses. Window Modes Inc., 16 E. 52nd St., New York 22, N.Y.

CIRCLE 427 ON INQUIRY CARD

ROOF DRAINAGE

A commercial standard for roof drainage products has been prepared by the Commodity Standards Div. of the U.S. Dept. of Commerce at the request of the Roof Drainage Manufacturers Institute. CS244-62, 10¢. Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C.


POLE BUILDINGS

Design data for wooden pole-supported buildings are given in a 66page book which includes cost figures, standards for preservative treatment, correct embedment and photographs of actual buildings. \$1.50. American Wood Preservers Institute, 111 W. Washington St., Chicago 2, Ill.

CALCULATING HEAT LOADS

A method for calculating heating and cooling loads for residences has been prepared by the National Warm Air Heating & Air Conditioning Association, the Institute of Boiler & Radiator Manufacturers, and the Air Conditioning & Refrigeration Institute. Manual J, which was summarized in an article on load calculations in RECORD HOUSES OF 1962, is available for \$2.50. National Warm Air Heating & Air Conditioning Assoc., 640 Engineers Bldg., Cleveland 14, Ohio

* Additional product information in Sweet's Architectural File




For more data, circle 94 on Inquiry Card

Since HOPE'S

1818

STEEL WINDOWS HAVE THE STRENGTH AND RIGIDITY THAT NO OTHER WINDOW CAN MATCH



ASIA HOUSE, 112 East 64th Street, New York City

Philip Johnson Associates, Architects

E. W. Howell Company, Contractors

We salute Philip Johnson Associates, Architects, for their award-winning ASIA HOUSE, selected by the Fifth Avenue Association as the best new institutional building erected in its area for the past two years.

Hope's engineers were privileged to work with the architects from the earliest design stages in developing window details suitable to properly carry out structural and functional requirements.

ASIA HOUSE has two similar multi-story eleva-

tions, one at each end of the building. All windows are Hope's Heavy Intermediate steel sash set to structural steel. The opaque areas are glazed with spandrel glass, others with plate glass.

This is another fine example of the freedom of design and versatility provided for today's most imaginative architects through the strength and rigidity of properly designed steel window sections. We invite your inquiries.

HOPE'S WINDOWS, INC., Jamestown, N.Y.

HOPE'S WINDOWS ARE MADE IN AMERICA BY AMERICAN WORKMEN

ow the odge oporter helped erect Harvard's Holyoke Health Center



Freedom in fenestration has been carried forward a giant step by Architects Sert, Jackson and Gourley in Holyoke Center. The triple function of providing light, ventilation and view has been re-examined and applied room by room to serve human needs. The result is better use of light within and unusual exterior interest.

To fulfill the special requirements of this project Mr. Jose Luis Sert said he depended upon the Dodge Reporter to alert contractors and suppliers and make the needs of the project known. The Reporter, who calls on Sert, Jackson and Gourley regularly, was kept informed from the time they were named as architects. Plans and specifications on this project were filed in the Dodge Plan Room in Boston.

To Mr. Sert, this has meant that the suppliers and trades who called were already aware of what was needed, a great help in minimizing bidding-period traffic and making more productive use of valuable time. Suppliers came prepared to make helpful suggestions concerning materials and products, often with accurate, on-the-spot estimates.

Practical architects have had long and profitable experience with Dodge Reporters and Dodge Plan Rooms. They make Dodge Reporters welcome in their offices, as a service to themselves and their clients.

Holyoke Center, Harvard University, Cambridge, Massachusetts.

Architects: Sert, Jackson and Gourley.

Joseph Zalewski and John E. Nickols, Associates.

Holyoke Center, adjacent to Harvard Yard, is an H-shaped building with a covered arcade running through the cross bar. Half the project, containing the health center, is completed. The second portion will contain offices. Translucent glass sandwich panels admit soft light, and clear glass is used where needed, the varying sizes of which establish human scale. Filter-wall modules project between fenestration elements to form shadow patterns and provide animation.





Devoe paints and the famous Devoe Library of

Colors® system. Call him for any information

Warehouses in al Iprincipal cities, coast to coast.



Architect: George M. Ewing Company, Washington, D.C. • General Contractor: Baltimore Contractors, Inc., Baltimore, Md. • Architectural Bronze: General Bronze Corporation, Garden City, L.I., N. Y. • Sheet Metal Cont.: J. Edward Linck Sheet Metal Works, Inc., Phila., Pa. and Washington, D.C. • Duct Work: Koolair Company, Washington, D.C. • Textured Sheets for Panels: Ardmore Products, Inc., Roselle, N.J.



MEW Wings for

NAVAL ACADEMY

Revere has been doing business with the U.S. Navy since 1801. In fact, the first copper rolling mill in America was founded by Paul Revere in that same year on the strength of an order from the fledgling fleet of the new country.

In 1955...100,000 lbs. of Revere Sheet Copper were used to roof Macdonough and Dahlgren Halls at the Naval Academy.

More recently Revere furnished metals to the U.S. Navy for the first atomic-powered submarine the Nautilus, her sister ship the Sea Wolf, and the nuclear-powered N.S. Savannah.

Now, for the two new wings at Bancroft Hall Revere supplied 40,500 lbs. of Muntz Metal (Bronze) for the embossed panels in the ceilings of the entrance lobbies, for "bridges" between the existing wings and the new wings and for the entrance doors. 168,901 lbs. of Revere Sheet Copper (some lead coated) were used for the roofs, flashings, gutters, dormers, vents, and penthouse. An additional 35,000 lbs. of 16 oz. and 20 oz. Revere Sheet Copper were used for the shower ventilating system.

Design with copper and its alloys in mind . . . for its proved qualities of endurance and the beautiful effects which can be obtained with man's oldest metal.

And if you have any technical problems involving the best way to use Revere Copper, let us know and we'll put Revere's Technical Advisory Service in touch with you. No obligation.



REVER


COPPER AND BRASS INCORPURATED

Founded by Paul Revere in 1801

Executive Offices: 230 Park Ave., New York 17, N. Y.
Mills: Rome, N.Y.; Baltimore, Md.; Chicago and Clinton, Ill.;
Detroit, Mich; Los Angeles, Riverside and Santa Ana, Calif, Swe
Bedford and Plymouth, Mass.; Brooklyn, N.Y.; Newport, Ark.;
Ft. Calboun, Neb. Sales Offices in Principal Cities.

Distributors Everywhere

SECTION OF DUCT WORK, made of Revere Copper Sheet, which was used to vent the individual Midshipmen's room showers and the large basement shower rooms.





CLOSE-UP of one of the embossed panels showing brass strip braces to which panels are silver soldered.

122 tons of Revere

Copper and Bronze

combine to give

ONE OF THE "BRIDGES" connecting the new wings #7 and #8, an addition to the existing wings of Bancroft Hall.

EMBOSSED REVERE MUNTZ METAL PANELS prior to assembly. 10,971 lbs. of metal were used to fabricate these panels.


There are 1200 panels of 30 types.

to ings #7 and #8 of Bo roft Hall

Beauty and Permanence

MAIN ENTRANCE LOBBY showing doors of Revere Muntz Metal and section of ceiling with square embossed panels.


BATTEN SEAM ROOF and dormers of Revere Sheet Copper. There will be no need for worry about corrosion here.




CLOSE-UP of dormers, deck molding, vents and gutter of Revere Sheet Copper. Outside section of gutter is lead coated copper.

FOR FORWARD-THINKING HOSPITALS-

The New Auth Series 4000 Nurses' Call Systems





The <u>First</u> Nurses' Call System to Offer All Three...

1. GREATEST NUMBER OF VALUABLE NEW FEATURES. Included are: "Remote Supervision" which permits nurse to go to a patient's room without fear of missing other incoming signals to her station —"Priority" by which nurse can single out calls from critically ill patients for instant attention—"Dialset" by which nurse controls the functions of each bedside station - and many others.

2. WIDEST SELECTION OF SERVICE FACILITIES FOR PATIENTS.

These range from nurses' call only to provision for connection of additional facilities, as selected, at each patient's bedsidein modular form and in one enclosure. These facilities are: 110 volt receptacle, TV, radio, oxygen, vacuum, telephone, etc.


3. FINEST QUALITY AT COMPETITIVE PRICES. Designed by experts. Utilizes only the best-transistorized amplifiers, recessed visual signals, dustproof relays, anodized and vinyl finishes, etc.—yet is also designed to lower production cost.

Write today for New Brochure 4000S and name of nearest representative.

Auth Electric Company, Inc.

Long Island City 1, New York • Specialists in Hospital Signaling and Communication Systems

For more data, circle 98 on Inquiry Card







MIRAMAR HOTEL, SANTA MONICA, CALIFOR-NIA • ARCHITECT: FRANK GREEN • GENERAL

notels Architects & Builders

iller sliding glass doors

To an ever-increasing degree in homes, apartments, motels, hotels, and commercial building, the quality of the sliding glass doors symbolizes the quality of the entire structure. For this reason, more and more architects and builders are selecting Miller quality sliding glass doors. Visually, a beautiful focal point; structurally, there's durability and quality in every detail. For single and/or dual glazing.



A HOUSE TIME'


LAST

2

SLIDING GLASS DOOR CO. 3216-AR Valhalla Dr. • P.O. Box 189 Burbank, California • VIctoria 9-1357 Member of Building Contractors Association

For more data, circle 100 on Inquiry Card






MEDUSA WHITE

PREFERRED FOR PRECAST PANELS AND SCREEN BLOCK

Today there's a growing preference for Medusa (the original) White Portland Cement in making precast concrete panels and decorative screen block to satisfy a fast growing market. Architects and concrete product manufacturers believe that Medusa White best meets their need for a dependable white cement with a true white color that can be relied upon to make beautiful white or tinted products true to color specifications. They also appreciate the dependability of Medusa White Cement, whose strength and use properties have been proved by more than half a century of use.

For setting decorative block the most popular mortar choice is Medusa StoneseT White Masonry Cement. A card or letter brings details and specifications on any or all of the eleven Medusa Portland Cements for all types of precast concrete units.

General James White Auditorium & Coliseum, Knoxville, Tenn. Architect: Painter, Weeks, McCarty A.I.A. and Morton & Sweetser A.I.A., Knoxville, Tenn. Gen. Contractor: Johnson & Galyon, Knoxville, Tenn. Panels by: Southern Cast Stone Co., Knoxville, Tenn.





MEDUSA PORTLAND CEMENT COMPANY

P.O. BOX 5668 . CLEVELAND 1, OHIO

For more data, circle 101 on Inquiry Card

Prevent Bathtub SAGGING

with



LUCKE BATHTUB HANGERS

Essential—but often overlooked

Make certain that every bathtub installed in your projects is insured against settling and subsequent water seepage. Lucke tub hangers distribute the weight of the tub evenly on all joists and a special flange insures a perfect water seal when bonded with Lucke Leak Proof Filler. This mastic compound is guaranteed to maintain its elasticity during extreme temperatures.

Used in quality houses, motels, hospitals and institutions for over 20 years.

WILLIAM B. LUCKE, INC.
514 Poplar Drive, Wilmette, Illinois
Please send me without obligation, a folder illustrating and describing how Lucke Leak-proof Bathtub Hangers may be used with various type and size bathtubs.
NAME Architect Plumber Builder
Street
City Zone
State

SHELL CONFERENCE FEATURES EXPERTS IN RELATED FIELDS

Architects, engineers, researchers and builders from many countries will share ideas and experience at the World Conference on Shell Structures, to be held October 1-4 at the Sheraton-Palace Hotel in San Francisco. Papers and discussions will feature both theoretical and practical considerations.

Among the session chairmen will be: Lawrence Anderson, head, Department of Architecture, Massachusetts Institute of Technology: M. Salvadori, professor, civil engineering. Columbia University; H. L. Donnell, professor, mechanics, Illinois Institute of Technology; A. Tedesko, vice president, Roberts and Schaefer Company, New York; W. Flugge, professor, engineering mechanics, Stanford University; A. M. Haas, president, International Association for Shell Structures and professor, civil engineering, Technological University, Delft, Netherlands; G. S. Ramaswamy, deputy director, Central Building Research Institute, Roorkee, India; A. Aas Jakobsen, consulting structural engineer, Oslo, Norway; A. L. Parme, vice president, International Association for Shell Structures, Portland Cement Association, Chicago; S. J. Medwadowski, consulting structural engineer, San Francisco; and N. M. Newmark, professor, civil engineering, University of Illinois.

HOSPITAL MEETING INCLUDES EXHIBIT OF NURSING HOMES

An architectural exhibit of nursing homes and long-term, nonpsychiatric units adjunctive to general hospitals will be featured at the 64th annual meeting of the American Hospital Association, scheduled for September 17-20 at McCormick Place in Chicago. Projects on display will be those by registered architects from the United States and Canada built since January 1, 1957 or under construction before July 1, 1962.



A-V Aware Architects Choose Da-Lite Screens

Business, churches, and schools are becoming more and more conscious of Audio-Visual communication. One big part of this trend is to architect-planned permanent installation of Da-Lite projection screens in offices, conference rooms, meeting rooms, training rooms, auditoriums, classrooms—wherever pictures will be shown. The architect provides a vital contribution to the convenience of a new building when



he anticipates the need for projection screens—specifies one of the many Da-Lite electrically operated, remote control screens. Be A-V Aware! Get the specifications for Da-Lite screens for permanent installation by writing for the Da-Lite A-V Manual. We'll also supply the name of the Da-Lite trained, franchised dealer near you who can give you competent technical assistance in planning A-V installations.



Since 1909

DA-LITE SCREEN CO., INC.
Warsaw, Indiana

For more data, circle 103 on Inquiry Card

... USING OSMOSE TREATED WOOD





The modern version of the Gazebo, above, is a far cry in appearance and technique from its forerunner so popular in the Gay Nineties, but preserves all its sheltered privacy. The Gazebo is just one of many structures which follow today's trend to outdoor living areas. Terraces, patios, sun-decks, courtyards, etc., require windbreaks, trellises, arbors, overhangs, walls, fences and enclosures of all types... many of which are designed to take advantage of the natural beauty of wood. Weather-wise architects know how fast unprotected exposure to the elements and foundations can hasten decay and insect attack in wood members. That's why they specify low-cost OSMOSE Pressure Treated Wood for long-lasting indestructability. It's just "good business" to insure client satisfaction for many years to come.


on OSMOSE Pressure Treated Wood and name of nearest OSMOSE treating plant.

OSMOSE WOOD PRESERVING CO. OF AMERICA, INC. 983 ELLICOTT ST., BUFFALO 9, N. Y.
Send more data on OSMOSE Pressure Treated Wood Name of nearest plant
NameFirm
StreetState

OSMOSE TREATED WOOD IS ATTRACTIVE · VERSATILE · DURABLE · SAFE · ECONOM








Nathaniel Curtis and Arthur Davis of Curtis and Davis, prominent New Orleans and New York architectural firm, say: "We have one associated who's ready to work 24 hours a day, 365 days a year. Our Sweet's Catalog File is always there at our fingertips, ready to give us the up-to-date product information we need to select building materials and equipment at a moment's notice. We don't see how an architect can function without it."

The real credit for the completeness and usefulness of the Sweet's Files in your office belongs to the manufacturers who make their cata logs instantly accessible in the File. They have earned your consideration



Precast MARZAI Curtain Wall Panels





MARTIN MARIETTA CORPORATION CONSTRUCTION MATERIALS DIVISION


101 EAST ONTARIO STREET, CHICAGO 11, ILLINOIS, PHONE: WHITEHALL 4-5600

For more data, circle 106 on Inquiry Card



Lengthy laminated beams, dual-post supports, and a multi-toned planked ceiling create spacious luxury in the club's high clerestory-lighted room for dining and dancing. Wood natural resiliency adds to dance floor pleasures, too. Interior Decoration: R. F. Associates

use WOOD . . . and your imagination




A close-up of the club's laminated posts shows off the inherent strength of wood in fist-sized peg fastenings. This grass-high view also illustrates wood's compatibility with the barest forms of glass and concrete.

People are partial to a clubhouse or any pleasure-business structure you plan with wood. The adaptability of wood . . . in framing, paneling, flooring, or roofing . . . provides breathtaking splendor in a ballroom, functional ruggedness for a roller rink. The economies of wood permit daring designs on unimaginative budgets. Its many grains, tones, and textures gain special attention wherever they're seen, warm beautifully to other materials whenever they're used.

Inherent strength gives wood the capacity to endure generations of patrons. Its insulating qualities help maintain temperatures you can live with through the seasons . . . its acoustical characteristics bar annoying noises, carry dinner or dance music to the intimate corners of a large room. For more information on designing with wood, write:

NATIONAL LUMBER MANUFACTURERS ASSOCIATION Wood Information Center, 1619 Massachusetts Ave., N.W., Washington 6, D.C.

nlma
find the better way with Wood



Weathered vertical and diagonal planked siding complemented with generous areas of glass, bound and supported by laminated wood girders in twos and fours...all form a precisely patterned yet warmly welcome facade for the Edgewood Country Club's pavilion-like clubhouse in River Vale, N. J. Architect: Norval White.

The sign



What does it stand for? For 1,880 criminals last year, it meant "jail." For countless thousands more, it warned, "Keep Off!" For 74,000 service subscribers, it stood for many things: peace of mind, lower protection costs, better management control, safety to employee life, continuity of business operations, and the preservation of property and profits. All our systems are flexible, versatile, and adaptable to any plant security requirement.

There are ADT central stations in principal cities. Systems can also be connected direct to fire and police headquarters, or to in-plant guard centers.

Your nearest ADT office is listed in the Yellow Pages. Call us, or write our executive office, Dept. A. No obligation for free survey.

COMPLETE PROTECTION through **AUTOMATIC DETECTION**

ALARMS FOR:

Fire Burglary Sabotage Holdup Smoke Intrusion

SUPERVISION OF:

Sprinkler Systems Industrial Processes Heating Systems Pumps and Power Watchmen and Guards

AMERICAN DISTRICT TELEGRAPH COMPANY 155 Sixth Avenue, New York 13, N. Y.

For more data, circle 108 on Inquiry Card

N.A.A.B. LISTS 52 ACCREDITED SCHOOLS

The National Architectural Accrediting Board has issued the 1962-1963 List of Accredited Schools of Architecture, which reveals a major change from last year. Kent State University, Kent, Ohio, and Louisiana State University, Baton Rouge, have both achieved provisional accreditation. The list follows:


have both achieved provisional accreditation. The list follows:

Arizona State University—B. Arch. (Provisional); University of Arkansas—B. Arch.; Auburn University—B. Arch.; University of California—B. Arch.; Carnegie Institute of Technology—B. Arch.; Catholic University—B. Arch.; Clemonati—B.S. in Arch.; University of Cincinnati—B.S. in Arch.; Clemon A.&M. College—B. Arch.; Cornell University—B. Arch.; University of Florida—B. Arch.; Georgia Institute of Technology—B. Arch.; Institute of Technology—B. Arch.; Harvard University—B. Arch.; University of Houston—B. Arch.; Howard University—B. Arch.; University of Illinois—B. Arch.; Iowa State University—B. Arch.; University of Kansas—B. Arch.; Kent State University—B. Arch.; University of Kansas—B. Arch.; Cornell University of Kansas—B. Arch.; Cornell University of Minnesota—B. Arch.; University—B. Arch.; University of Minnesota—B. Arch.; University—B. Arch.; University of Minnesota—B. Arch.; University of Notrabas—B. Arch.; Oklahoma—State University—B. Arch.; University of Notrabas—B. Arch.; Oklahoma—B. Arch.; University—B. Arch.; Oklahoma—B. Arch.; University—B. Arch.; Oklahoma—B. Arch.; University—B. Arch.; University of Notre Dame—B. Arch.; Ohlo State University—B. Arch.; University of Oregon—B. Arch.; University—B. Arch.; Univers University of Washington University—B. Arch.; Western Reserve University—B. Arch. (Provisional) Val. 11. ern Reserve University—B. Arch. visional); Yale University—B. Arch.

ERWIN WOLFSON DEAD AT 60

Erwin S. Wolfson, 60, noted New York investment builder and chairman of the board of Diesel Construction Company, died on June 26 at his home in Purchase, Westchester County, after two months' illness.

Twice "Realty Man of the Year," recipient of the Hearst Gold Medal for "improvement of 'Old New York' in lower Manhattan" and in 1961 of the "Manhattan Medal," Mr. Wolfson was owner-builder of a dozen post-war Manhattan office buildings, among his current projects, the \$100 million Pan Am Building.



Development Building, Union Carbide Technical Center South Charleston, W. Va. Architect: Feilheimer & Wagner, New York Plumbing Contractor: B. & G. Olsen Co., Richmond, Va.

Union Carbide uses Vulcathe drainlines

in 91 labs

Scientists at Union Carbide's multi-million dollar Technical Center are engaged in research and development that require drainage of an enormous volume of organic and inorganic waste. Vulcathene was used for this job because of its shatter-proof, alkali-proof, non-adhering, nonscaling qualities. There's a big economy factor in Vulcathene, too. It can be installed in about half the time of other systems and gives long, trouble-free service.

Check this completely integrated system: sinks, traps, fittings, pipe $-\frac{1}{2}$ in. to 6 in. assembled in seconds by the patented Polyfusion® method. For new catalog and list of hundreds of users, write Dept. 3720.




P.O. BOX 387, ROCHESTER 2, NEW YORK



First with polyolefins for corrosion-resistant drainline system

For more data, circle 109 on Inquiry Card For more data, circle 110 on Inquiry Card →



KI JLOR ENDOWS LAKE FOREST COLLEGE Lightfast amber All num surfaces

■ Amber finished aluminum on the exterior of Lake Forest College will remain colorful and uniform for years to come. Because the curtain wall system—by Modu-Wall, Inc.—is in Kaiser Aluminum's fade-resisting Kalcolor®.

■ Kalcolor finishes are produced by the only aluminum integral-color anodizing process — offering a range of colors — proven in scores of architectural applications. It uses no organic dyes. Rather, the color is derived from the alloy itself—with resistance to sun, abrasion and atmospheric corrosion unsurpassed by any other architectural anodic finish. ■ To see the lasting Kalcolor hues—from gold through olive and greys to black—see your Sweet's Architectural File catalog 6a/Ka. For information contact your Kalcolor licensee or write:

Kaiser Aluminum, Department 843, Kaiser Center, Oakland 12, California.



FLASHING OF PLASHING OF PLASH SPANOREL OF SPANOREL OF

TYPICAL SPANDREL DETAIL




TYPICAL MULLION DETAIL SCALE: 3'' = 1'0''

A WEALTH OF DESIGN IN LASTING EXTERIORS— BY MODU-WALL,

New freedom in curtain wall design, because of new colors and textures, is provided by Modu-Wall aluminum systems. Extrusions are offered in clear anodized finishes or Kalcolor hues. Panels may be precast aggregate; porcelain enameled; plain or patterned Kalcolor aluminum.

See "Follow The Sun" weekly, ABC-TV Network

HORIZON TUUR



Architects and designers love the informal, handcrafted appearance of this colorful new wall tile. It is beautiful beyond description.

HORIZON TILE achieves its distinctive appearance through the intentional variation and irregularity of its shape, its surface texture and its 58 beautiful color shades that range from soft pastels to textured tones, to solids, including gold and silver.

HORIZON TILE in any of the many interesting "Buckshot" or "Striped Pattern" designs created by Suntile's Design Department will add new interest, new beauty to any finished wall. "Exterior" HORIZON TILE is now available in same colors for outside installations in freezing climates.

For your next job, specify Horizon Tile—made in America by Cambridge;—available through your local Suntile dealer, who is listed in the Yellow Pages of your phone directory. For Free color palette of actual tiles in 58 colors, write on your business letterhead to Dept. R-628.

*U.S. Patent No. 3,008,256

THE CAMBRIDGE TILE MFG. CO.

P. O. Box 15071, Cincinnati 15, Ohio

For more data, circle 111 on Inquiry Card

The CASE #3000 One Piece Closet is mounted off the floor. You can hardly hear its "Whispering Flush".

Like all Case one-piece closets it positively will not overflow.

The elongated contour seat is more comfortable and more hygienic—especially for public use.




* We will be happy to send you our catalog and "Look of Luxury" brochure, as well as a complete list of representatives. Also refer to Sweet's Catalog (26A) for additional information.



CASE MANUFACTURING

Division of Ogden Corporation 1080 PINE ST., ROBINSON, ILLINOIS

For more data, circle 112 on Inquiry Card



A heavy duty industrial overhead door that lets light through like a skylight! Saves windows, cuts lighting costs. Custom-made in sizes up to 24' wide by 16' high. No maintenance, i.e., no painting.

Modern fiberglass aluminum construction with harmonizing sculptured design. Will not warp or split, impervious to corrosion. Shatterproof, shrinkproof, weatherproof. Built for hard service.

See Sweets Files—Industrial, 13a/Fr; Architectural, 16-J/Fr.

COLORFUL BROCHURE OF FACTS-ADDRESS DEPT. 201

FRANTZ FILUMA®

Produced by Frantz Manufacturing Company, Sterling, Ill.


For more data, circle 113 on Inquiry Card



SUPER-STRENGTI-MOISTURE BARRIEI

Punch it, poke it, crunch it . . . Moistop resists rips or tears under all kinds of job-site beating, assures an impensers of the inertness of Punch it, poke it, crunch it... Moistop resists rips or tears under all kinds of job-site beating, assures an impensolvethylene film with the toughness of reinforced, waterproof Sisalkraft. Comes in 1.200 sq. ft. rolls 72". 84" and etrable barrier (perm rating 0.15) against moisture migration through floors — forever! Combines the inertness of 96" wide. lavs down fast over areas prepared for concrete slabs on grade or basement floors and crawl spaces in polyethylene film with the toughness of reinforced, waterproof Sisalkraft. Comes in 1,200 sq. ft. rolls 72", 84", and homes. Exceeds FHA Minimum Property Requirements. Check complete specifications in SWEFT'S Architectural 96" wide, lays down fast over areas prepared for concrete slabs on grade or basement floors and crawl spaces in SWEET'S Architectural homes. Exceeds FHA Minimum Property Requirements. Uneck complete spe File, 8h/AM. For sample, write: American Sisalkraft Company, Attleboro, Mass.

A DEVELOPMENT OF AMERICAN SISALKRAFT COMPANY/DIVISION OF ST. REGIS PAPER COMPANY PREINFORCED PAPER + POLYETHYLENE



New support for lowered construction co

Armco Steel Corp. |
The Babcock & Wilcox Co., Tubular Products Div. |
Jones & Laughlin Steel Corp., Electricweld Tube Div. |
National Tube Division, United States Steel |
Ohio Seamless Tube Div., Copperweld Steel Co. |
Republic Steel Corp., Steel and Tubes Div. |
Sawhill Tubular Products, Inc. |
Southeastern Metals Co. |
The Standard Tube Co. |
Superior Tube Co. |
Tex-Tube, Inc. |
Trent Tube Co., Subs. Crucible Steel Co. of America |
Van Huffel Tube Corp. |

 Much of the weight of cutting building costs can be borne by designing structural support of welded steel tubing. Recent developments resulting in larger sizes and heavier wall thicknesses open many opportunities: you get the efficiency of a thin-walled, hollow section with trimness of line that integrates well with other elements. No need for additional trim or finish unless you want it. Tubing can be formed to any shape—and it lends itself to pre-fabrication and rapid on-site assembly.

The practicality of utilizing the light-weight-to-high-strength ratio of welded steel tubing has been proved by recent experience — in modern office buildings, schools, commercial buildings — even homes. Best current example: supporting curtain walls. Many of the quality tube producers listed here can supply information, or write Department AR-3, Welded Steel Tube Institute, Inc., Hanna Building, Cleveland, Ohio.

WELDED STEEL TUBE INSTITUTE, INC.






ROOF THAT
WILL LAST
OR THE LIFE
OF THE
BUILDING

...made possible with Bestwall "Firestopper" Poured-In-Place Gypsum Roof Deck. The roof is incombustible, strong, offers thermal insulation, resists shock and stress, is rot and vermin proof. Substantial savings can be realized for the life of the building with this fire-rated deck from Bestwall Gypsum Company, Ardmore/Pa.



Plants and Offices throughout the United States




We congratulate the Gypsum Roof Deck Foundation for its substantial contribution to establishing high standards of design and installation in the industry. Three detailed brochures are available through GRDF, its members, and material manufacturers like Bestwall Gypsum Company:

- Design Data for Poured Gypsum Roof Deck
- Recommendations for Installation of Gypsum Concrete Roof Decks
- Standard Installation Practices for The Gypsum Roof Deck Industry

For more data, circle 116 on Inquiry Card



another new school chooses modified



school-vent's roll call is growing fast!

- St. Monica's School, Indianapolis, Ind.
 Carver County School, Mayer, Minn.
- . Mt. Pleasant School, Racine, Wis.
- · St. Stephans's School, Monona, Wis.
- · Janes School, Racine, Wis.
- · Riverside-Brookfield High School, Riverside, III.
- Erlanger School, Erlanger, Ky.
 Rolling Meadows School, Rolling Meadows, Ill.
- Carthage College, Kenosha, Wis. A. O. Marshall School, Joliet, III.
- Triton Central High School, Shelby County, Ind. Goodland School, Racine, Wis. Ringwood Elementary, Ringwood, III.

- Anderson College, Anderson, Ind.
 Marquette Jr. High School, Madison, Wis.
- Waterloo Township School, Indianapolis, Ind. Beth Israel School, Milwaukee, Wis.
- Middletown High School, Middletown, Ind.
 Harlem Jr. High School, Rockford, III.
 No. Shore County Bay School, Skokie, III.
 Plum Grove School, Palatine, III.
 Pachelle High School, Columbus, Ga.
 Marion College, Fond du Lac, Wis.

- New Cass Township School, Dugger, Ind. Geo. C. Marshall School, Vancouver, Wash.
- Grand Rapids School, Grand Rapids, Minn.
- Lake Shore Elementary, Vancouver, Wash. Glendale Jr. High School, Salt Lake City, Utah
- Lakeview Elementary, Lakeside, Cal.
 Washington Township School, Westwood, N.J.
 San Jacinto College, Houston, Texas
 Brooklyn School, Portland, Ore.
 Olivet Community School, Olivet, Mich.
 Hamilton, School, Self, Jako City, High.


- · Hamilton School, Salt Lake City, Utah

- . W. Lamar High School, Houston, Texas
- East High School, Bremerton, Wash.
- Cross Lutheran School, Pigeon, Mich.
- Arcadia Elementary School, Olympia Fields, III.
 Washington Elementary School, Westfield, Ind.
- Florence State College, Florence, Ala. North High School, Vancouver, Wash.

- Mitchell Jr.-Sr. High School, Mitchell, Ind. Negro School for the Blind, Jackson, Miss. Mirror Lake School, Federal Way, Wash.
- Horace Mann Jr. High School, Salt Lake City, Utah
- Horlick High School, Racine, Wis.
- Dewey Intermediate School, Bremerton, Wash. Thelma Buffey School, Flint, Mich.
- Mississippi Delta Jr. College, Moorehead, Miss.
- Lewis & Clark College, Portland, Ore.
- · Bly Elementary School, Bly, Ore.

nool-vent®

UNIT VENTILATOR for heating, cooling and ventilating



Endicott College, Beverly Farms, Mass. Rehabilitation Center Ellis School, Ellisville, Miss. Frank White Elementary School, Park Rapids, Minn.

Wauseon Elementary School, Wauseon, Ohio Union High School District #2, Franklin, Wis.

Glenns Valley Elementary School, Marion County, Ind.

Hebrew Teachers College, Brookline, Mass.

Kempton Elementary School, Saginaw, Mich.

Maplewood Academy, Hutchinson, Minn.

Vose Elementary School, Beaverton, Ore. East Gate School, Ft. Rucker, Ala. Happy Camp School, Happy Camp, Cal. Perry Elementary School, Southport, Ind. Johnson Elementary School, London, Ky. Camp Ground Elementary School, London, Ky.

Oscoda Elementary School, Oscoda, Mich. Walterville Grade School, Walterville, Ore.

Modern schools coast-to-coast are choosing Modine SCHOOL-VENT unit ventilators. And for good reason! These units are the result of more than five years of research, engineering and testing . . . are specifically designed to meet specifications of architects, engineers and school officials.

Beth Israel School. Milwaukee, Wisconsin

SCHOOL-VENT units have a unique air-control system that automatically adjusts to temperature and fresh air requirements. An ideal "educational climate" is quietly maintained . . . summer, winter, spring and fall. Operation is economical. So is maintenance, thanks to such user benefits as pushbutton lubrication and slide-out filters.

Important too, of course, is SCHOOL-VENT's modern, attractive styling . . . together with design simplicity and installation flexibility. Units are thinner and lower than most other equipment of this type . . . 13" x 28" compared to the normal 18" x 32".

Seven handsome colors to choose from! And SCHOOL-VENT beauty is virtually student-proof. Heavily-reinforced, welded-steel cabinets defy abuse. Front panels have scuff-resistant vinyl inserts.

Modine SCHOOL-VENT unit ventilators heat with steam or hot water . . . cool with central-source chilled water. Five sizes: 500 to 1500 cfm. Bulletin 1261 has full data. Mail the coupon today!

MODINE HAS EARNED "HIGHEST GRADES" IN SCHOOL COMFORT FOR MORE THAN 30 YEARS! Modine cabinet unit heaters, convectors and conventional unit heaters have served schools - large and small - for more than

three decades. Thousands of schools throughout the country are currently enjoying the economical comfort provided by these units.



MODINE MANUFACTURING COMPANY

1510 DeKoven Avenue, Racine, Wisconsin

Please send SCHOOL-VENT Bulletin 1261 □; also data on Modine's other school comfort equipment .

City State

In Canada: Sarco Canada, Ltd., Toronto 8, Ontario

For more data, circle 117 on Inquiry Card



On the Calendar

 $August_{-}$

5-8 Fifth National Heat Transfer Conference, Exhibit, American Institute of Chemical Engineers and American Society of Mechanical Engineers-Shamrock Hilton Hotel, Houston

22-25 Fourth annual convention, Society of American Registered Architects-Edgewater Beach Hotel, Chicago

23-28 Eighth annual convention, Prestressed Concrete Institute-Roosevelt Hotel, New Orleans

September _

2-9 Biennial Congress of the International Federation for Housing and Town Planning; theme: "Habitat et Civilisation"-Paris

6-11 1962 World Congress, International Council for Building Research Studies and Documentation-Cambridge, England

Office Notes

Offices Opened -

William W. Dodge III, A.I.A., has opened an office at 103 Yancey Building, 611 Tucker St., Raleigh, N. C.

Bruce Wendell Beebe, Architect, has opened an office at 458 Broadway, San Francisco.

New Firms, Firm Changes

Alfred Malkin, consulting electrical engineer, and John Hosking, consulting mechanical engineer, have formed the partnership of Malkin and Hosking, Consulting Mechanical and Electrical Engineers. The address is 1500 Stanley St., Montreal,


Thomas E. Greacen II and Richard S. Evans announce the formation of a partnership under the name of Graecen and Evans-Architects. Offices are at 500 Stuart St., Houston,

Oliver J. Foster Jr. and Frank J. Ridout have become partners in the West Hartford, Conn. firm of Moore & Salsbury, Architects. New associates are Robert B. Kaemmerlen and Welles A. Standish II.

The firm name of Nolen & Swincontinued on page 228



A complete form for concrete house being lifted by crane. The unit, of Symons Forms, has 5,000 square feet of surface.



Lifting pads are welded to 8" 1-beams that tie assembly together. Tension rods strengthen unit and keep it square.

INGENIOUS METHOD

FORMS 2 COMPLETE CONCRETE HOUSES EVERY 3 DAYS

Carroll C. Martin, president of Monowall Homes, Inc., Baltimore, started a 200-house development near Dorsey, Maryland using Symons Steel-Ply Forms in the conventional manner, stripping after each use. Because of mounting costs, he sought a way of forming a complete house in one operation-not only outside walls but interior partitions and closets.


Martin found the answer by ganging Symons Steel-Ply Forms. By using this forming method, he was able to pour the 24' by 40' houses in one continuous two-hour pour. Just 8 hours later, the 18-ton form was lifted by crane and placed on the next slab. The slabs were formed in advance. Two houses were poured every three days.

Complete story available on request. Symons Steel-Ply Forms can be rented with purchase option.



CONCRETE FORMING EQUIPMENT SYMONS MFG. COMPANY Z EAST TOUHY AVE., DES PLAINES, ILL.

MORE **SAVINGS** FROM **SYMONS**



Why the 4 inch extension in the back?

Not for appearance. Most people never notice. But those extra four inches of wall bearing surface (plus two anchor screws) give rock-like solidity to the Kohler Juneau Lavatory.

The extra four inches eliminates the need for an expensive carrier installation (saves time and money) and keeps the Juneau straight and true for the life of the building. That kind of installation is mighty complimentary to an architect's

(or builder's) good name and reputation.


Just another sensible feature of the vitreous china Juneau lavatory...and a reflection of the Kohler habit of putting time and effort into designing plumbing that makes good sense (that includes a superb line of All-Brass fittings).

The Kohler Juneau is vitreous china, available in white and Kohler colors. For more information, write Kohler Co., Kohler, Wisconsin.

KOHLER OF KOHLER

Kohler Co., Established 1873 • Kohler, Wis.

ENAMELED IRON AND VITREOUS CHINA PLUMBING FIXTURES . ALL-BRASS FITTINGS . ELECTRIC PLANTS . AIR-COOLED ENGINES . PRECISION CONTROLS



Sheffield's new open web steel joists are adaptable to virtually any building design

These SJI-approved high-strength steel joists are the answer to fast, economical construction of schools, factories and commercial structures of all kinds. Whether you're designing or building a traditional or contemporary structure, Sheffield Open Web Steel Joists can simplify floor and roof handling.

These new joists have virtually unlimited adaptability for imaginative design. They are ideal for either pitched or flat roofs. They can be placed fast. They are the perfect answer where deadlines and weather are to be considered.

Today Sheffield's new high-strength Open Web Steel Joists are available in three standardized series — approved by The Steel Joist Institute. J-SERIES (replacing the old S-Series), based on a stress in tension of 22,000 psi and made from 36,000 psi minimum yield strength steel. Spans up to 48'.


H-SERIES (completely new), high-strength joists based on a stress in tension of 30,000 psi, and made from 50,000 psi minimum yield strength steel. Spans up to 48'.

LA-SERIES (replacing the old LS-Series), based on stress in tension of 22,000 psi, and made from 36,000 psi minimum yield strength steel. Spans up to 96'.


(LS-SERIES. These joists extend beyond the span range of SJI Standard joists, but are designed in accordance with their specifications. Based on stress in tension of 22,000 psi and made from 36,000 psi minimum yield strength steel. Spans up to 144'.)

It pays to consider these advantages of new high-strength Sheffield Open Web Steel Joist construction

- They are lightweight reduce deadload.
- Savings are substantial in both construction and maintenance.
- · Prefabricated and ready to place.
- Fast, easy erection is possible in any weather.
- They allow plenty of freeway for pipe and conduit.
- . Excellent for radiant heating systems.
- . No form work or curing time is required.
- Dimensions and carrying capacity are standardized.
- · Permanent and non-shrinking.
- Termite-proof and rot-proof.




Bring your files up to date with this useful reference book. Sixty pages of specifications and load tables on J-Series and H-Series Sheffield Open Web Steel Joists. (LA-Series and LS-Series information available on request.) Write Sheffield Division, Armco Steel Corporation, Sheffield Station, Kansas City 25, Missouri.





ARMCO Sheffield Division

MONTGOMERY GEARLESS HIGH SPEED PASSENGER ELEVATORS



ho's on first?

Montgomery high-speed elevators are the arteries that make buildings come alive. Montgomery Elevator Controls are designed to be almost human. When a crowd gathers, elevators come a'running to handle the rush. When the crowd thins,

one or more cars automatically, "take a break." But . . . they are always ready when the need arises.

For single or multiple installations in new buildings or the modernization of older buildings, check Montgomery's "dependable" elevator equipment . . . including "Measured Demand" Group Supervisory Control passenger-operated systems. Montgomery also offers a complete line of geared electric and hydroelectric elevators, escalators, moving walks and dumbwaiters. Call your nearest Montgomery representative today . . . he's listed in the Yellow Pages.



elevator craftsmen since 1892

ontgomery

ELEVATOR COMPANY

ELECTRIC AND HYDRAULIC PASSENGER AND FREIGHT ELEVATORS, ESCALATORS, MOVING WALKS AND RAMPS, DUMBWAITERS

For more data, circle 122 on Inquiry Card

IN DESIGNING ONE-STORY BUILDINGS

Provide for expansion without oversize heating/cooling equipment

The multiple units of Atmos-Pak heating and/or cooling system facilitate expansion by merely adding new units. They obviate total breakdown, permit economy of operation, create flexible control.

Atmos-Pak is a roof-mounted, low-silhouette, prefabricated heating and/or cooling system specifically engineered for large one-story buildings. It has innumerable advantages for shopping centers, supermarkets, discount houses, bowling alleys, schools, post offices, churches, and industrial buildings. The only interior fitting is an inconspicuous, although good-looking, diffuser, integral with the unit. The onepiece apparatus can be delivered and in operation the same day. Optional colors and housing designs.

Dispensing with boiler and apparatus rooms, Atmos-Pak saves space. Pre-fabrications reduces on-site installation to three quick connections. The supply and return air distribution chambers do away with ductwork. Air-cooling makes water-towers, evaporative condensers, miles of pipe, and other appurtenances unnecessary.

The 50 standard Atmos-Pak models range in individual cooling capacity from 5 to 35 tons. As many units as are needed to add up to the total requirements, are installed. Heating capacity provided as required.

Specify Atmos-Pak for the assurance of problem-free comfort. Write for additional information.


ATMOS-PAK, INC., 88 North Highland Avenue, Ossining, N. Y. Pioneer, Designer, and Manufacturer of Roof-Mounted Heating and/or Cooling Systems.

There's always room on top for the original low silhouette

ATMOS-PAK, Inc. 88 North Highland Avenue Ossining, N.Y.

Pioneer, Designer, and Manufacturer of Roof-Mounted Heating and/or Cooling Systems

For more data, circle 123 on Inquiry Card



Installation: Ventura School for Girls, R. B. Bradford, Director, Department of Public Works, State of California. State Architect: Anson Boyd. General Contractors: C. K.-F-M, San Diego, California.

ickel Stainless Steel never stops showing o

How come? Because it's so easy to keep clean. These toilet partitions—made by the Ferrometal Division of Milwaukee Stamping Co.—are a good example. They're made of nickel stainless steel and will keep this washroom bright and pleasant looking for the life of the building with just a minimum of maintenance.

In addition to being easy to take care of, nickel stainless

steel also takes good care of itself. It doesn't chip. It fights off corrosion, and it doesn't stain adjacent materials. In short, nickel stainless steel is the ideal metal for interiors that need good looks, strength and durability. Try it. And for more information, write to The International Nickel Company, Inc., 67 Wall Street, New York 5, N. Y.

INCO NICKEL MAKES STAINLESS STEEL PERFORM BETTER LONGER





Maintenance

Fountains

Meat

Handling.

Kitchens

The forward-thinking systems for forward-thinking planners

Architects, engineers, specifiers, plumbing contractors, fabrica-tors...all experienced professionals, who take a hand in the design of water service, have taken the progressive step for-ward with T & S foot control systems. They're sanitary! They're quick! They're automatic! A simple touch of the toe activates the T & S system for rapid filling, cleaning or spraying in literally hundreds of commercial, industrial and institutional applications. Sensitive, variable flow control with positive, automatic shut-off improves efficiency and water conservation. System layouts accommodate any combination for wall, floor or deck mounting. Learn why leading planners today recom-mend and specify T & S qualitybuilt pedal valves and service fittings for their newest, most advanced design water flow installations. Investigate the advantages for your organization now. A T&S field man will gladly discuss it with you. Write or call for Catalog No. 442PV.

Sanitary water flow-at the touch of a toe

T & S BRASS AND BRONZE WORKS, INC. 134 Magnolia Avenue, Westbury, L.I., N.Y. Area Code: 516 / EDgewood 4-5104

NATIONWIDE SALES AND STOCK COVERAGE

PRE-RINSE • GLASS FILLERS • WATER STATIONS • FAUCETS • PEDAL VALVES & SERVICE FITTINGS • POT FILLERS • KETTLE KADDIES • SPRAY HOSES • ACCESSORIES • LAB-FLO LAB. SERVICE FIXTURES

For more data, circle 125 on Inquiry Card

_L_CT___ HOT WATER HE 1 2,500,000 B.T.

PRECISIO

ELECTRIC HOT WATER HEATING BOILER

COMPLETE UNIT READY FOR INSTALLATION

with circulation hot water system and water chiller for year-round air conditioning.

CONVERSION EASILY ACCOMPLISHED

where other type fuels now used. Suited for home, churches, motels, apartments, hotels, hospitals, commercial buildings, swimming pools, snow melting and domestic hot water for large users. Temperature range — 60 to 250 degrees. Equipped with Sequence and Proportional Controls when desired.

- Every unit tested and inspected 40.948 to 2.500.000 B.T.U. Output.
- All Boilers meet the requirements of the ASME Boiler and Pressure Vessel Code. Natl. Board approved.

No chimney! No odors! No flame! No ducts! No noise!



400-AR NORTH FIRST STREET NASHVILLE 7, TENNESSEE

For more data, circle 126 on Inquiry Card

Dentists

Laboratories

Washrooms



YOU CAN BE SURE WITH LACLEDE

..insist on SJI Approved "J" & "H" Series high strength steel joists

In January 1962 the Steel Joist Institute issued new specifications and load tables to provide architects, engineers and owners with a means to check full section, full weight, standard types of high strength open web steel joists: "J" series based on a design stress in tension of 22,000 psi; and "H" series based on yield strength of 50,000 psi.

To qualify under these requirements, extensive testing and engineering studies must be made by the Institute before approval is granted.

Laclede, as one of the first SJI-qualified producers, offers delivery on both of these great new structural members. They are in production and available now in all standard sizes.

There is no need to accept any non-qualifying substitute.








STEEL COMPANY

Quality Steel for Construction and Industry SAINT LOUIS 1, MISSOURI




New Load and Spacing Tables on J-Series and H-Series Joists

64 pages cover load and spacing figures on both joist series in all standard sizes. Write for your copy today.

6208



is designed to your exact application requirements for:



SCHOOLS

A wide selection of systems with complete functional programming facilities in every price range.

MOTELS . HOTELS

Complete systems for music and sound distribution, paging; message indicator. maid locator and room status features.

CHURCHES • AUDITORIUMS

Unique in-wall, transistorized amplifiers for inconspicuous, space-saving installation.



Systems for every requirement, including specialized paging and intercom.



proof of quality

.T.

Thousands of RAULAND Sound Systems 10 years old or over, are still in satisfactory daily use -proof of quality and yearsahead design.

distributors everywhere

There is an experienced RAULAND Engineering Distributor in your area, ready to work closely with you.

Rauland

ask for our

SPECIFICATIONS MANUAL

Detailed specifications of **RAULAND Sound Equipment** are available to you. Ask for our manual on your letterhead. We specialize in cooperation with architects and consulting engineers.

RAULAND-BORG CORPORATION

3535-R Addison St., Chicago 18, III.

Office Notes

continued from page 220

burne, Architects had been changed to Nolen-Swinburne and Associates, Architects-Planners. The associates are Victor H. Kusch, Chard F. Webb and John H. Welsh.

Jan C. Rowan and Norval White have formed a partnership to offer services in architecture, planning and interior design under the name of Rowan & White, Architects. Offices are at 33 E. 61st St., New York.

Three changes have been announced in the executive staff of the American Institute of Steel Construction, New York: Mace H. Bell has been promoted to coordinatorresearch & development; Samuel H. Clark has been promoted to chief engineer; and Robert O. Disque, formerly regional engineer in Pittsburgh, has moved to New York as assistant chief engineer.

Donald A. Winkelmann has been named an associate in the Seattle architectural firm of Naramore, Bain, Brady & Johanson.

Howard Hakken has been appointed an associate of Smith, Hinchman and Grylls Associates, Inc., Detroit.

Ronald H. Leaman, professional engineer, has joined architects Edward D. Lenker and Donald P. Lenker Jr. as a partner. The new firm name is Lenker, Lenker & Leaman, Harrisburg, Pa.

William G. Parr and Dudley Watkins have formed a partnership for the practice of architecture under the firm name of Parr and Watkins. with offices at 513 N. Broadway, Oklahoma City, Okla.

New Addresses_

Marie Antoinette Bacle, Architect, 1117 College St., Shreveport, La.

Edward Larrabee Barnes, Architect, A.I.A., 303 E. 65th St., N. Y.

William C. Young, Registered Architect, 115 Locust Lane, Pittsburgh.

Addendum

Community Research and Development, Inc., of Baltimore should have been credited as owners and developers of the Cherry Hill Shopping Center, Delaware Township, N.J., published in the June issue, pages 174-179. The RECORD regrets the unintentional omission of the credit.

1962 Megraw-Hill YEAF OC

of SCIENCE and **TECHNOLOGY**

JUST PUBLISHED - All the concepts, theories, and findings of the most extraordinary "science breakthrough" year in history brought to you by the very men who helped make these remarkable achievements possible.

Markable achievements possible.

Includes sections on space, including Colonel Glenn's orbital flight – intellectronic machines – underwater and ocean-bottom projects – the mind of man – many other important areas in physical, life, and earth sciences and engineering, 558 pages, 7½ x 10: 580 illustrations; over 300 contributors; \$17.50.

SUCCESSFUL MANAGEMENT FOR CONTRACTORS

Just Published. Here a man with 36 years' experience in the construction field gives you tested methods of planning, scheduling, and controlling operations. Covers organization, estimating, costs, legal risks, competition, etc. Includes over 70 ready-to-use forms and records of many types. By Lawrence C. Miller. 216 pp., illus., \$8.25

FOUNDATION ENGINEERING

Published. Comprehensive Just Published. Comprehensive treatment of the current status of the science and art of foundation engineering, with emphasis on design and construction. Uses theoretical analyses to explain problems—obtain safe, economical solutions. Each section by one or more specialists. Edited by G. A. Leonards, Purdue Univ. 992 pp., 439 illus., \$25.00

FLUORESCENT LIGHTING MANUAL

Authoritative information to aid in design, installing Authoritative information to aid in design, installing, servicing, and selling of fluorescent lighting systems. Covers performance characteristics of lamps, calculation of illuminating requirements, design of luminaires and auxiliary equipment, system maintenance and repair, lighting economics, etc. By Charles L. Amick, Day-Brite Lighting, Inc. 3rd Ed., 393 pp., 292 illus. and tables, \$12.50

STRUCTURAL ENGINEERING FOR PROFESSIONAL ENGINEERS' **EXAMINATIONS**

Including Civil Engineering Review

Review
Concise review of facts, formulas, and tables to help you prepare for and pass structural and civil sections of state P. E. examinations.
By Max Kurtz, Cons. Engr. 341 pp., 246 illus., \$9.00

10 DAYS' FREE EXAMINATION

McGraw-Hill Book Co., Dept. ARR-8 327 W. 41st St., New York 36, N. Y.

Send me book(s) checked below for 10 days' examination on approval. In 10 days I will remit for book(s) I keep plus few cents for delivery costs, and return unwanted book(s) postpaid. (We pay delivery costs if you remit with this coupon—same


return privilege.)	
☐ McGraw-Hill-Yrbk. of Sci. & Tech., '62,	\$17.50
☐ Miller—Succ. Mgt. for Contractors, ☐ Leonards—Foundation Engg.,	\$8.25
Leonards—Foundation Engg.,	\$25.00
Amick—Fluorescent Light. Man	\$12.50
	\$9.00
Name	
A didmong	

City Zone State Company

Position For price and terms outside U.S. write McGraw-Hill Intl., N.Y.C. 36

ARR-8

new PRESTRESSED GONGRETE junior high school at Laconia, N. H., gets high marks for economy, safety, attractiveness



The advantages which make prestressed concrete outstanding for any kind of building made it top-of-the-class selection for construction of Laconia's fine new Junior High School. Prestressed earned highest rating in the following important subjects: fireproofness, durability, economy and ease of construction, spaciousness, pleasing architectural design, and lowest possible maintenance costs.

Where building a school is concerned, there is naturally a particular insistence on safety. That this should be met without "loss of marks" in the other subjects shown is indeed an achievement. For any kind of building you may now be planning-school, plant or warehouse, office building, bridge, aircraft hangar, motel or apartment, to name just a few-it will pay you to give first consideration to prestressed concrete.

this country, can put at your disposal a wealth of practical experience and design data as well as the names of fabricators nearest you. Roebling also supplies a full range of the finest prestressing wire and strand available. To get all the advan-

tages of prestressed concrete construction, be sure to call or write Roebling's Construction Materials Division, Trenton 2, New Jersey.

Branch Offices In Principal Cities John A. Roebling's Sons Division The Colorado Fuel and Iron Corporation

Roebling, first and foremost in the continuing development of prestressed concrete in

New, attractive Junior High School at Laconia, N. H., has entirely fireproof prestressed concrete framing, including double tee section roof construction. Superintendent of Schools: Kenneth L. Sherman. Architects and Engineers: Alfred T. Granger Associates, Hanover, N. H. General Contractor: Harvey Construction Company, Manchester. Prestressed Concrete Fabricator: Structural Concrete Corporation, Laconia, N. H.

The prestressed concrete girders in the gymnasium section are 95 feet in length and weigh 35 tons each, allowing a large, column-free activity area. The school is also the first in the New England area to be constructed with an all precast, prestressed concrete frame

For more data, circle 129 on Inquiry Card




L-I-S-T-E-N to the solid, silent sound of Ceco's new "Regent" Commercial Door of steel—full flush, 1¾" thick and "custom" in appearance. Your client will also like its beauty, strength, rigidity and easy-care design.

- Inside the door is a strong fiber honeycomb core, one piece, full size, resinimpregnated. The core is held in place with epoxy adhesives to give the door unusual strength and flatness.
- Top and bottom of Regent doors are flush—no voids to catch dirt. No visible welds—this door is flat and smooth. It is bonderized.
- Regent doors are supplied as separate units or in complete "packages" with frames and hardware.



Similar in design and appearance is the new Ceco "Legionnaire" Door, 13/8" thick, for use in openings of average traffic. Ceco's full line includes the 13/4" "Medallion" Custom Door for monumental use; and the Recessed Panel and Fush Panel stile-and-rail Doors for industrial and commercial buildings.



Please send	
Bulletin	
No. 2040-J	
containing details	
on Ceco's	
13/4" "Regent"	
Commercial Doors	
and others.	

CECO Steel Products Corporation 5601 West 26th St., Chicago 50, Ill. Sales offices and plants in principal cities	CEC
name	
title	
firm	
address	
cityzone	estateAR

metal doors • steel and aluminum curtainwalls, windows, screens • steelforms • concrete reinforcing • steel joists • roofing products • steel buildings • metal lath



V-LOK framing interlocks without nuts, bolts or rivets. The Plaza Restaurant and Cocktail Lounge, one of the eight buildings with V-LOK framing, is shown below.



ARCHITECTS

Boullon & Williams, Seattle

PLANNING ENGINEER

Steve McCandliss, Century Concessions, Seattle

GENERAL CONTRACTOR

Rudy Simone (Dick Ziegler, Project Engr.), Seattle ERECTOR & SUPPLIER

Taft Structurals, Inc., Seattle

How the V-LOK® framing system helped the Seattle World's Fair beat the clock

Century Concessions, the Seattle World's Fair major food service concession and their architects chose V-LOK framing for eight separate food service buildings. They total 13,488 square feet of roof area. These buildings went up in record time and symbolized the type of construction expected by the Fair's theme, "Century 21."

Ordered December 26, 1961 . . . all up and decked by February 1962 because of V-LOK's pre-fitted standardized steel members that fit together rapidly without nuts, bolts or rivets. A sledge hammer blow securely sets the interlocking deep end connections, and exclusive V-Section chords are available for faster, easier decking.

These buildings forcefully demonstrate the wide design latitude and functional beauty of exposed steel as a compatible feature in modern decor and finishing.

Macomber also supplied V-PURLINS for the Perimeter Buildings and the Gay Way.

Quality-controlled production is under the resident inspection of Pittsburgh Testing Laboratory. Plants: Los Angeles, California; Rock Island, Illinois; Canton, Ohio.

Exhibition buildings, schools, warehouse or factory...the V-LOK system gets them framed with unsurpassed ease, speed and freedom of design. To get the facts, send for free V-LOK literature.



MACOMBER

 $^\prime$ CANTON 1, OHIO


ALLSPANS • V-LOK • V-PURLINS • ROOF DECK • BOWSTRING TRUSSES • MACOFORM • STRUCTURAL STEEL

LOOK UNDER
"STEEL FABRICATORS"

to find your local
MACOMBER
Representative
in the Yellow Pages

See our Catalog
in SWEET'S

VAR-28



RECENT INSTALLATION

ARCHITECTS:

MORRIS KETCHUM, Jr. and Associates

NEW YORK CITY

GENERAL S. S. JACOBS CO.
CONTRACTORS: JACKSONVILLE, FLORIDA

When Only
"THE FINEST"
is Good Enough

GLOBAL


TOILET COMPARTMENTS

SHOWER STALLS • DRESSING ENCLOSURES Baked Enamel • Porcelain Enamel

See SWEETS 22b/GL and send for large sized detail and specification sheets.

REPRESENTATIVES: Some choice territories still open. Representatives in most states of the Nation including Hawaii. Direct inquiries to: M. Jesse Salton, President.

GLOBAL STEEL PRODUCTS CORP.
10006 Avenue D. Brooklyn 36, N.Y.



AE OFIN

TYPE REMOVABLE HEADER

WATER COILS

- Complete Drainability
- Easily Cleaned
- High Heat Transfer

Completely drainable and easily cleaned, Aerofin Type "R" coils are specially designed for installations where frequent mechanical cleaning of the inside of the tubes is required.

The use of 5%" O.D. tubes permits the coil to drain completely through the water and drain connections and, in installations where sediment is a problem, the coil can be pitched in either direction. The simple removal of a single gasketed plate at each end of the coil exposes every tube, and makes thorough cleaning possible from either end.

The finned tubes are staggered in the direction of air flow, resulting in maximum heat transfer. Casings are standardized for easy installation. Write for Bulletin No. R-50.



101 Greenway Ave., Syracuse 3, N.Y.

Aerofin is sold only by manufacturers of fan system apparatus. List on request.

For more data, circle 132 on Inquiry Card

School and Gym Floors Our Specialty!

AVOID BUCKLING AND WARPING OF MAPLE FLOORING WITH EDGE GRAIN CONNOR'S "LAYTITE"

Up to 50% Less Expansion in the Use of Edge Grain

(ACCORDING TO FOREST PRODUCTS LABORATORIES)

AVAILABLE IN REZILL-CUSH* SYSTEM — "CONTINUOUS STRIP" — REGULAR STRIP

FOR DETAILED SPECIFICATIONS WRITE OR CALL

SEE SWEET'S FILE Specs. #13J/CO.

CONNOR LUMBER AND LAND CO.

PHONE VI 2-2091

P. O. BOX B-810-E . WAUSAU, WISCONSIN

® U. S. PAT. OFF. *TRADEMARK

For more data, circle 134 on Inquiry Card



BOECKH'S MANUAL OF APPRAISALS

5th Edition — just published

Over 100,000 individual unit costs—more than 300 buildings, with hundreds of variations, all easily converted to local cost conditions.

YOU CAN FIGURE YOUR BUILDING COSTS
..... quickly and accurately

BUILDING COSTS — published monthly

A supplementary service giving an analysis of current market conditions and latest cost indexes for the major metropolitan areas of the U. S. and Canada to convert to local cost conditions.

SEND TODAY FOR COMPLETE DETAILS

E. H. Boeckh & Associates 1406 M Street, N. W. Washington 5, D. C.



the first handbook to provide complete information on supervising and testing building construction

FIELD INSPECTION OF BUILDING CONSTRUCTION

by Thomas H. McKaig, C.E., Chairman of the N. Y. State Board of Examiners for Professional Engineers and Land Surveyors

Here is a strictly practical book—it is not a textbook. It assumes that you or your inspector have had sufficient theoretical training to put to immediate use the wealth of practical information it contains.

The opening chapter discusses the role of the field inspector—gives sound advice on getting along with the various trades, on treading the line between under- and over-inspection, on setting up the needed records, on reporting through correct channels, and on other general, but important, matters.

COVERS EVERY STAGE OF CONSTRUCTION

The next five chapters are devoted to your inspection and testing problems at each stage of construction. For each stage you will find specific information on testing the materials and workmanship used there, on pitfalls to avoid, on material storage, protection of work in place, safety precautions, and hundreds of other vital points.

there, on pitfalls to avoid, on material storage, protection of work in place, safety precautions, and hundreds of other vital points.

The seventh and final chapter covers every aspect of concrete construction, and the many special problems involved in getting uniform and acceptable quality.

USE THIS HANDBOOK FOR TEN DAYS' FREE TRIAL

To examine this important material, all you need do is fill out and return the coupon. As soon as your copy arrives, take it right to the job site and put it to work for ten days. We guarantee that it will—

- Point out better ways to speed job progress.
 Provide better ways of testing materials and millwork.
- 3. Help coordinate and ease friction among the many parties to the job.

IF FIELD INSPECTION OF BUILDING CONSTRUCTION fails in the above objectives, or if it does not satisfy you for any reason, return the book and consider the invoice cancelled.

344 pages, 6 \times 9", illustrated, \$9.35

7 IMPORTANT CHAPTERS

- 1. The Job of the Inspector
- 2. Preliminary Stage
- 3. Foundation Stage
- 4. Structural Framing Stage
- 5. Intermediate Stage
- 6. Finishing Stage
- 7. Concrete


----- MAIL TODAY -----

McGRAW HILL BOOK CO., INC., DEPT. FARR-8 327 West 41st Street, New York 36, N. Y.

Send me McKAIG'S FIELD INSPECTION OF BUILD-ING CONSTRUCTION, for 10 days examination on approval. In 10 days I will remit \$9.35, plus few cents for delivery costs, or return book postpaid. (We pay delivery costs if you remit with this coupon. Same return privilege.)

turn privilego.)	
NAME	•••••
ADDRESS	
CITY	
	FARR-8

A Close Look At Quality In Funcing 66 Stainless Steel Device




For a convincing value comparison, take a look inside . . . you'll choose Von Duprin . . . "the <u>safe</u> way out!"

- Stainless steel housing covers are stamped and drawn from sturdy .078" stock.
- Forged bronze chassis in lock stile case reinforces a full 75% of housing area. Minimum wall thickness is .125".
- Neoprene bumpers between housing and chassis assure quiet operation.
- Stainless steel latch bolt and axles.
- Stainless steel master cam.

And there's more ...

- <u>Stainless steel</u> adjustable roller strike permits smooth latch bolt operation with minimum wear.
- <u>Stainless steel</u> forged lever arms with stainless steel axles.
- Hidden "wedge-tite" fittings, extending $1\frac{1}{4}$ " into crossbar, exert full-circumference locking force on crossbar, and give a smooth, uncluttered design.
- <u>Stainless steel</u> crossbar reinforced with steel tube.





VON DUPRIN DIVISION . VONNEGUT HARDWARE CO. . INDIANAPOLIS 25, IND.



Good place to start selling your country

Begin with a notice on the company bulletin board. Tell your people about the benefits of the Payroll Savings Plan for U.S. Savings Bonds—and keep on telling them. See that each employee is personally invited to join through personto-person solicitation. If you already have a plan going, why not give it some extra promotion? Make sure every new em-

ployee knows you are making it easy for him to save this way. Remind everybody that this special kind of thrift gives them personal peace of mind while they buy a share in our country's future. Call your State Savings Bonds Director for any help you need. Or write Treasury Department, U.S. Savings Bonds Division, Washington 25, D.C.

Keep Freedom in Your Future...

U. S. SAVINGS BONDS

The U.S. Government does not pay for this advertisement. The Treasury Department thanks, for their patriotism, The Advertising Council and this magazine



I was skeptical when the salesman said:

these operable walls give <u>better</u>* sound privacy than 8" concrete block

"Frankly, I couldn't imagine accordion-folding partitions doing this kind of sound job. But the results have been amazing. We installed two of these 240's 15" apart, and we're getting excellent sound privacy. Even the largest groups don't disturb each other in this divided space. And when you think that we operate 21-foot-high partitions across 100 feet in a matter of a minute, you get an idea of what real flexibility is like. Modernfolds are certainly better . . . and quicker . . . than any kind of folding wall I've ever seen. And this space is paying us a far better return than ever before. We don't even have any mainte-

nance problems. Yet, the cost of these partitions was substantially below the wide-panel kind."

The statement above by Mr. Reagan T. Houston, executive director of sales for the Hotel Texas, gives you a good idea of Soundmaster effectiveness. We'd also like to give you more specific details—including the ASTM sound testing data. Just call your Modernfold distributor . . . or simply fill out the coupon below.

*Sound Transmission Losses: Soundmaster 240 Dual—46.8 decibels. 8" Concrete Block Wall—45.6 decibels. Soundmaster 240 Single—38.2 decibels. 4" Cinder Block Wall (painted)—34.1 decibels.



NEW CASTLE PRODUCTS, INC. • NEW CASTLE, INDIANA In Canada: New Castle Products Canada, Ltd., St. Lambert, Quebec "Modernfold" Operable Walls, Partitions and Doors; "Air Doors;" Wodern-Cote" Wall Coverings; "Peabody" School Furniture, "Pyrox" Sheathed Thermocouples.

NEW CASTLE PRODUCTS, INC.
Dept. A282, New Castle, Indiana
Gentlemen: Please send information on Modernfolds for hotels.

NAME
HOTEL
ADDRESS
CITY
STATE

Index to Advertising	Ruberoid Company	A-LC I	Mosaic Tile Company 166-167 Mueller Brass Co 88
PRE-FILED CATALOGS of the man-	A-IC Frantz Mfg. Co	212	
ufacturers listed below are available			Nalgene Piping Systems 210
in the 1962 Sweet's Catalog File as fol-	A General Bronze Corp	197	National Gypsum Co 158-159
lows: (A) Architectural File (green), IC Industrial Construction File (blue).	A General Dynamics/Electronics	, , , , , , , , , , , , , , , , , , ,	Vational Lumber Manufacturers Association 208-209
(LC) Light-Construction File (yel-	Rochester	59	Nesbitt, Inc., John J 177
low),	A-IC-LC General Electric Company 17,		New Castle Products, Inc 237
		173	201
	A-LC Glidorama Div., Whizzer Corp.	44	
	_		Olin Mathieson Chemical Corp.,
Aerofin Corporation 233	Goodyear Tire & Rubber Co	16	Winchester Western Div., Ramset 8
A Airthern Mfg. Co	A-IC-LC Gustin-Bacon Manufacturing Co	3-87 A-IC (Osmose Wood Preserving Co. of
Allen Co., W. D	Guth Company, The Edwin F		America, Inc 203
A American Cyanamid Company			Ozalid Div. of General Aniline &
(Bldg. Prods. Div.) 22			Film Corp 33
A-IC American District Telegraph Co. 210	Hager & Sons Hinge Mfg.	40	
A American Elumin Company 157	Co., C	63 100 A-T.C. I	Pittsburgh Plate Glass Co 178-179
American Gas Association . 24-25, 79	A Haws Drinking Faucet Co		Plaza Towel Holder Co 200
A American Laundry Machinery Industries	A Hillyard Chemical Co		Portland Cement
A American Olean Tile Company . 61	A Hope's Windows, Inc	195	Association 2nd cover, 46-47
A-LC American Sisalkraft Company . 213	A Huntington Laboratories, Inc		Pratt & Lambert, Inc 92
A-IC-LC Armstrong Cork Company			Precision Extrusions, Inc 239
1 to 3, 240-3rd cover			Precision Parts Corp 226
Atmos Pak, Inc	A-IC-LC Inland Steel Products Co 72	1-73 A I	Products Research Co 175
A-LC Azrock Floor Products Div 65	International Nickel Company, Inc	225	
			Rauland-Borg Corporation 228
			Republic Steel Corp 39 to 41
A Bally Case and Cooler, Inc 48	A Jamison Cold Storage Door Co.		Reserv-A-Roll Company 92
Beneke Corp 71	A-IC-LC Johns-Manville 68		Revere Copper & Brass Inc 198-199
A-IC-LC Bestwall Gypsum Company 94-95, 217	A-IC-LC Jones & Laughlin Steel Corp. 204-	205 A I	Rixson, Inc 82
A-IC Bethlehem Steel Company . 170-171		1	Roebling's Sons Div., John A.,
Bigelow Sanford	A-IC Kaiser Aluminum & Chemical	T	Colorado Fuel & Iron Corp 229 Russell & Erwin Div 37
A-IC Borden Metal Products Co 21	Corp		
	A Kawneer Co	183	
	A-LC Kentile, Inc		Sanymetal Products Co., Inc.,
A Cambridge Tile Mfg. Co 212	A-IC Kinnear Mfg. Co., The	Λ (The
Canvas Awning Institute, Inc 36			Sedgwick Machine Works 70 Sheffield Division 222-223
Carpenter & Company, L. E 11 A-IC-LC Carrier Air Conditioning Co. 12, 24-25	A-IC-LC Koppers Company, Inc 27 to	04	Sloan Valve Company 4th Cover
A Case Mfg. Div., Ogden Corp 212			Suburban Appliance Company . 79
A-IC Caterpillar Tractor Co 174	A-IC Laclede Steel Co	227	Sweet's Catalog Service 206, 239
A-IC Ceco Steel Products	A LCN Closers, Inc 168-	169 A-LC S	Symons Mfg. Co 220
Corporation 230-231	Lennox Industries, Inc	84	
A-LC Certainteed Products Corp 165	A Linen Supply Association of	100 4.5	T C C D I D. W. I
Chicago Handware Foundam Co. 26	America Litecontrol Corporation	188 A . 192	F & S Brass and Bronze Works, Inc 226
Chicago Hardware Foundry Co. 36 A-IC Concrete Reinforcing Steel	Lone Star Cement Corp		Pitus Mfg. Corp 90-91
Institute			Toledo Scale Co 42
A Connor Lumber and Land Co 234	A Ludowici-Celadon Co	13	
A Corbin Wood Products 88			T. 1. 1. Cl
A-IC-LC Crane Co 97		TC 1	United States Plywood 57-58
		202	United States Steel Corp. (Subs)
Da-Lite Screen Co., Inc 202	A Marmet Corp.	83 A I	Universal Atlas Cement 89
A-LC Devoe & Raynolds Company, Inc. 197	A Marmet Corp		Uvalde Rock Asphalt Co 65
Dodge Reports 196		207	
A-IC-LC Douglas Fir Plywood	McGraw-Hill Book Co., Inc 228,	994	Von Bonne Co. T.
Association	McLouth Steel Corp	101	Van Range Co., John 96 "Von Duprin" Division 235
A-IC-LC Dow Chemical Company, The 184-185 Du Pont de Nemours & Co.,		201	"Von Duprin" Division 235
E. I 56	A Micheals Art Bronze Co	62	
A-IC-LC Dur-O-Wal, Inc	A-LC Miller Sliding Glass Door Co.,	200	Welded Steel Tube Institute, Inc. 214
A-IC Duwe Precast Concrete Products	Inc	A-IC-LC 3	West Coast Lumbermen's
Inc 194	A-IC Minnesota Mining & Mfg. Co		Association 80-81
	Modine Manufacturing Co 218-	11 10 20	Westinghouse Electric Corp 67
A Federal Seaboard Terra Cotta	Moldcast Manufacturing Co		
Corp 193	A-IC Montgomery Elevator Co	994	7 117

NEW YORK—James E. Boddorf, Sales Mgr.; Tom Tredwell, Advertising Mgr.; Blake Hughes, Marketing Mgr.; Richard Crabtree, Business Mgr.; Benton B. Orwig, Director of New Business Development; Joseph R. Wunk, Advertising Production Mgr.; Harry M. Horn, Jr., Michael J. Davin, Robert H. Highsmith, 119 W. 40 St.; BOSTON—Harry M. Horn, Jr., 855 Park Square Bldg.; BUFFALO—Benton B. Orwig, James B. Ryan, 310 Delaware Ave.; CHICAGO—Robert T. Franden, James A. Anderson, Robert Kliesch, Douglas S. Brodie, 1050 Merchandise Mart; CLEVELAND—John C. Jackson, Louis F. Kutscher, James B. Ryan, 321 Hanna Bldg.; DETROIT—Louis F. Kutscher, 527 Free Press Bldg.; LOS ANGELES—Wettstein, Nowell & Johnson, Inc., 2801 West Sixth Street; MIAMI—Michael J. Davin, 802 N. W. First St.; PHILADELPHIA—Tom Tredwell, Michael J. Davin, Broad & Locust Streets; PITTSBURGH—John C. Jackson, 411 Seventh Ave.; PORTLAND—Wettstein, Nowell & Johnson, Inc., 1921 S. W. Washington St.; ST. LOUIS—Richard Grater, Robert T. Franden, 3842 W. Pine Blvd.; SAN FRANCISCO—Wettstein, Nowell & Johnson, Inc.; 417 Market St.


A-IC Montgomery Elevator Co. 224

A Zero Weather Stripping Co., Inc. 19

Corp. 193

A-IC-LC*

TELLS YOU WHERE TO REACH FOR BUYING INFORMATION!




*These symbols are used in the facing index to tell you which advertisers make their catalogs instantly accessible in Sweet's Catalog Files. The letters stand for the Architectural, Industrial Construction and Light Construction Catalog Files.



SWEET'S CATALOG SERVICE

Division of F. W. Dodge Corporation 119 West 40th Street, New York 18, N. Y.



Building being erected by Engineered Curtainwall, Inc., Wausau, Wis.

Design versatility ...with extruded aluminum

From the plans board to the final construction, extruded aluminum combines function, simplicity and beauty to provide the ultimate in design freedom. To be sure your plans grow to sculptured reality with infinite precision—specify Precision Extrusions where engineered teamwork of stock and custom extrusions simplify the most difficult curtain wall problems.

Engineering assistance is always available. Call or write: PRECISION EXTRUSIONS, INC. Bensenville, Ill.

PRECISION EXTRUSIONS, INC.



Bensenville, Illinois POrter 6-0340

For more data, circle 137 on Inquiry Card

This imaginative and practical installation Armstrong Tessera Vinyl Corlon flooring a stairway at the American Society for Mediulding, Metals Park, Ohio—architect of Terence Kelly, A.I.A. The tough, flexible so vinyl material is wrapped completely are the stair treads and installed on the tops undersides of the landings. Versatile as as decorative, Tessera was used in off hallways, the cafeteria, and other a throughout the building.

Technical Data on Tessera: uses: he duty commercial and de luxe residential teriors, above, on, or below grade; grand alkali resistance: excellent; dimension.090" gauge in rolls 6 ft. wide and length to 90 ft.; stylings: colored vinyl chips set translucent vinyl in monochromatic and it ticolor designs, 20 colorings. Style 86 pictured at right.

TESSERA DESCENDING A STAIR AS

The Armstrong Architect-Builder Consultant in area can help you solve any flooring problems encounter. He will provide you with samples specifications and, if you desire, will get you assistance of technical, design, and installation experts at Armstrong. Call installation experts at Armstrong. Call of the consultant in the consultant

TESSERA AND CORLON® ARE TRADEMARKS OF ARMSTRONG CORK COMPANY

