## RECORD HOUSES OF 1965

PREFACE, by Herbert L. Smith Jr.	53
TWENTY HOUSES OF THE YEAR	
Residence for Mr. and Mrs. Joseph J. Schiffer, Concord, Massachusetts. JOSEPH J. SCHIFFER, Architect	54
Residence for Mr. and Mrs. John Wallace, Athens, Alabama. PAUL RUDOLPH, Architect	58
Residence for Mr. and Mrs. Nevin Wiley, Del Mar, California. FREDERICK LIEBHARDT AND EUGENE WESTON III, Architects	62
Residence for Mr. and Mrs. John Maher, Houston, Texas. HOWARD BARN- STONE AND PARTNER, EUGENE AUBRY, Architects	66
Development House for Levitt & Sons, Inc., Rockledge, Florida. GENE LEEDY, Architect	70
Residence for Professor and Mrs. Harry C. Gatos, Weston, Massachusetts. EARL R. FLANSBURGH & ASSOCIATES, Architects	74
Residence for Mr. and Mrs. Alfred N. Beadle, Phoenix, Arizona. ALFRED N. BEADLE, DAILEY ASSOCIATES, Architect	78
Residence in Ligonier, Pennsylvania. WINSTON ELTING, Architect	82
Development House for The Arvida Corporation, Sarasota, Florida. J. WEST AND ASSOCIATES, Architects	86
Residence for Mr. W. Hawkins Ferry, Grosse Pointe, Michigan. MEATHE, KESSLER AND ASSOCIATES, Architects	90
Development House for Louis Hickey and John Barr, South Pasadena, California. TERNSTROM & SKINNER, Architects	94
Residence for Mr. and Mrs. Victor Kirschman, New Orleans, Louisiana. CHARLES COLBERT OF COLBERT, LOWREY, HESS, BOUD-REAUX, FARNET, Architect	98
Residence for Mr. and Mrs. Alan Naftalin, Riva, Maryland. HUGH NEWELL JACOBSEN, Architect	102
Residence for Mr. and Mrs. David G. Rawls, Jacksonville, Florida. WILLIAM MORGAN, Architect	106
Residence for Mr. and Mrs. Alan Steinert, Cambridge, Massachusetts. F. FREDERICK BRUCK, Architect	110
Development House for Willits West Company, Birmingham, Michigan. CARL LUCKENBACH, Architect	114
Residence for Mr. and Mrs. Edward B. Winnick, Woodbridge, Connecticut. HERBERT S. NEWMAN, Architect	118
Residence for Mr. Edward D. Cauduro, Portland, Oregon. EDGAR WILSON SMITH, Architect	122
Residence for Mr. and Mrs. John C. Portman Jr., Atlanta, Georgia. EDWARDS AND PORTMAN, Architects	126
Development House for Stoneson Development Corporation, Millbrae, California. FISHER-FRIEDMAN ASSOCIATES—ROBERT J. GEERING ASSOCIATE, Architects	130

OVER: esidence for

Architects.

printed from

iblished monthly, cept May 1965, nen semi-monthly, McGraw-Hill Publications, division of McGraw-Hill, Inc.

r. and Mrs. Nevin Wiley, el Mar, California.

ouglas Simmonds, Photographer

ECORD HOUSES OF 1965

RCHITECTURAL RECORD id-May 1965, Vol. 137, No. 6

CECUTIVE, EDITORIAL, RCULATION AND DVERTISING OFFICES: CGraw-Hill Building

West 42nd Street

hn Hancock Building 5 California Street

ew York, New York 10036 ESTERN EDITORIAL OFFICES:

n Francisco, California, 94111

ederick Liebhardt and Eugene Weston III,

continued on next page

## RECORD HOUSES OF 1965

ARCHITECTS OF THE RECORD HOUSES OF 1965	133
AIR CONDITIONING THE WHOLE HOUSE, by Henry Wright	7
AN ARCHITECT'S NOTES ON KITCHEN AND BATHROOM PLANNING, by Preston M. Bolton, A.I.A.	15
RECORD HOUSES COMPARATIVE BUILDING COSTS FOR SELECTED CITIES, by William H. Edgerton, Editor-Manager, Dow Building Cost Calculator and Valuation Guide	134
PHOTOGRAPHERS OF RECORD HOUSES OF 1965	202
NEW PRODUCTS FOR THE HOUSE	137
NEW LITERATURE FOR HOME PLANNING	182
INDEX TO ADVERTISING	204
RECORD HOUSES READER SERVICE DEPARTMENT	166

OF PARTICULAR ASSISTANCE TO THE EDITOR AND STAFF in preparation of this issue were: Herbert L. Smith Jr., editor-in-charge; Susan Braybrooke, assistant editor; Marjorie B. Noyes and Barbara Cash, page design and drawings; Alex H. Stillano, cover and art production.

ARCHITECTURAL RECORD (combined with AMERICAN ARCHITECT and ARCHITECTURE), title ® reg. in U.S. Patent Office, ® copyright 1965 by McGraw-Hill, Inc. All rights reserved including the right to reproduce the contents of this publication either in whole or in part. Quotations on bulk reprints of articles available on request. Indexed in Reader's Guide to Periodical Literature, Art Index, Applied Science & Technology Index, Engineering Index, and The Architectural Index. Architectural Record is a McGraw-Hill/Dodge publication, published monthly by McGraw-Hill Publications, a division of McGraw-Hill, Inc., 330 West 42nd Street, New York, 10036. James H. McGraw (1860-1948), Founder.

OFFICERS OF McGRAW-HILL PUBLICATIONS: Shelton Fisher, president; vice presidents—Robert F. Marshall, operations; Robert F. Boger, administration; John R. Callaham, editorial; Ervin E. De-Graff, circulation; Donald C. McGraw, Jr., advertising sales; Angelo R. Venezian, marketing.

CORPORATION OFFICERS: Donald C. McGraw, president; L. Keith Goodrich and Hugh J. Kelly, executive vice presidents; John L. McGraw, treasurer; John J. Cooke, secretary.

OTHER McGRAW-HILL SERVICES TO THE BUILDING AND CONSTRUCTION INDUSTRY: Arizona Construction News—Chicago Construction News—College and University Business—Construction Methods and Equipment—The Daily Journal (Denver)—Daily Pacific Builder (San Francisco)—Dodge Construction Statistics and Research—Dodge Mailing Service—Dodge Reports—Dow Building Cost Calculator—Engineering News-Record—Home Planners' Digest—Hospital Purchasing File—House & Home—The Modern Hospital—The Nation's Schools—Real Estate Record & Builders Guide—Sweet's Catalog Services.







Audit Bureau of Circulation

Associated Business Publication

Staff of Architectural Record

EDITOR
Emerson Goble, A.I.A.

EXECUTIVE EDITOR
Walter F. Wagner Jr.

MANAGING EDITOR

Jeanne M. Davern

SENIOR EDITORS
Robert E. Fischer
James S. Hornbeck, A.I.A.
Mildred F. Schmertz
Herbert L. Smith Jr., A.I.A.
Elisabeth Kendall Thompson, A.I.A.

ASSOCIATE EDITORS
William B. Foxhall
Jonathan Barnett

ASSISTANT EDITORS
Sidney A. Abbott
Mary E. Arendas
Susan Braybrooke
John Samuel Margolies

DESIGN
Eugene H. Hawley, Director
Alex H. Stillano, Associate
Sigman-Ward, Drafting

EDITORIAL CONSULTANTS
Edward Larrabee Barnes, A.I.A.
Walter Gropius, F.A.I.A.
Robert F. Hastings, F.A.I.A.
Paul Rudolph, A.I.A.

INDUSTRY CONSULTANTS
George A. Christie, Jr., Economics
Clyde Shute, Statistical
Clifford G. Dunnels, Jr., Field Research
Daniel J. Howe, Jr., Public Relations
Ernest Mickel, Washington
Myron L. Matthews and
William H. Edgerton, Building Costs


McGraw-Hill World News
John Wilhelm, Director
Domestic News Bureau—Atlanta,
Chicago, Cleveland, Dallas, Detroit, Lo
Angeles, San Francisco, Seattle,
Washington, D. C.
International News Bureau—Bonn,
Brussels, London, Mexico City, Milan,
Moscow, Paris, Rio de Janeiro, Tokyo

PUBLISHER Eugene E. Weyeneth

ASSISTANT TO THE PUBLISHER Blake Hughes

CIRCULATION MANAGER Henry G. Hardwick

ADVERTISING SALES MANAGER James E. Boddorf



## "PICTURE WINDOWS" FOR CEILINGS ARE HERE!

And they're showing up in more and more award-winning homes.

Thirteen out of the 20 Record Houses of 1965, for example, featured this dramatic innovation in design, the majority of which were ACRYLITE\* Brand Skywindows. Designed especially to bring an abundance of bright daylight inside the home, they're more exciting and practical than picture windows in walls. They create a cheerful atmosphere and add new dimension to interiors. And clients especially like the feeling of open skies being just a tilt of the head away. ACRYLITE Skywindows also answer the problem of bringing

daylight into windowless rooms; they free up valuable wall space to help solve furniture placement problems...provide unlimited design opportunities for you. Already proven in thousands of installations, ACRYLITE Skywindows are fast becoming a pacesetter symbol in modern design. Made of shatter-resistant acrylic, they retain their crystal clarity for life. Use them to brighten any room...wherever you want to add the excitement of a picture window in the ceiling. For more information, write American Cyanamid Co.













AMERICAN CYANAMID COMPANY, BUILDING PRODUCTS DIVISION, DEPT. RH455, 595 NORTH AVE., WAKEFIELD, MASS. 01881 <

CYANAMID



Whether it's a spired church on the open sward of a California coastal town, or an impregnable-yet-gracious home commanding a ridge over Atlanta, there's a red cedar shingle or handsplit shake just right for the project. Few, if any, roofing or wall covering materials offer the architect such a striking combination of aesthetic and practical advantages. Design versatility, beauty, strength, durability these are just a few. We like to answer questions. Just write the Red Cedar Shingle & Handsplit Shake Bureau, 5510 White Building, Seattle, Washington 98101. (In Canada — 1477 West Pender Street, Vancouver 5, B.C.)







Architects Martin & Bainbridge of Atlanta designed this AIA Honor Award home for an Atlanta family of five. Sloping walls of shingle and stone lend a protective air while allowing full advantage to be taken of a spectacular view that extends beyond a nearby street. Certigrade shingle, 16" Red Label grade, were used with a 5" weather exposure.

The Messiah Lutheran Church is in Santa Cruz, California. Architects Robert A. Bennighof and Associates selected Certi-Split No. 1 Handsplit-Reswan Shakes 24" x ¾"-to-1¾", 10" to the weather.







NAME	
ADDRESS	
CITY	
STATE	ZIP CODE
DEAL	COMPANY

P. O. BOX 889 • WACO, TEXAS Division, Certain-teed Products Corporation

For more data, circle 6 on Inquiry Card

RH 1965

"Exceptionally easy to install . . . very easy to operate . . . trouble-free service . . . precision-machined . . . handsomely designed."

Those are some of the features of IDEAL Windows, Doors, Cabinets, Entrances and other millwork products... features which will help to give your homes additional glamour, value and sales appeal.

Mail the coupon today for your copy of a free brochure which contains information about one of the most complete lines of millwork on the market . . . designed and manufactured in one of the nation's largest stock millwork plants.

### AIR-CONDITIONING THE WHOLE HOUSE

Some of the things to watch out for, and some de luxe features to consider, when taking this major step

by Henry Wright, Regents' Distinguished Professor of Environmental Technology, Kansas State University

Not long ago, home air conditioning was a novelty. Any sort of cooling device was welcome if it provided relief from the heat. The basis of comparison was the sweltering outdoors; since airconditioned space was manifestly more comfortable than that, no one thought of weighing it against perfection.

With experience, however, comes sophistication. After a couple of summers in the "room with the air-conditioner" we get to wondering if a confined, catch-as-can existence, punctuated by occasional dashes to other parts of the house, is really worth it. Those with house-wide cooling learn that even it has its shortcomings. Performance may be spotty, operation noisy, trapped air unpleasantly reminiscent of yesterday's meals or father's after-dinner cigar. On close acquaintance, the air-conditioned house sometimes turns out to be a better place to visit than to live in daily.

All of which may raise the question, in the minds of those about to build or remodel, of whether such defects can be avoided. Is every air-cooled Utopia bound to have flaws? How can we be sure of satisfaction? An air-conditioning system which becomes an integral part of a house is no longer just an appliance; it is a long-term investment which costs as much as a new car and must be lived with a good deal longer. When we buy a car, most of us have a pretty good idea of what we're buying and why. We don't all buy Cadillacs, but we know what we're likely to be getting and what giving up when we make our selection. How can we be sure the same will apply to our choice of air conditioning?

We have other reasons for wanting to know about air conditioning. Those who do, say that air conditioning may affect, should affect many aspects of house design and construction. Some houses are hard to cool, others easy. The difference may influence not only the cost of an air-conditioning system but also its cost of operation. If house design can save money on the cost of owning and operating air-conditioning equipment, and improve its performance to boot, it is silly to ignore this. And what about the opposite consideration? Does air conditioning make a house easier to arrange, more convenient to live in, if we design in a way that takes advantage of it?

#### Air Conditioning Is A Blessing If Properly Designed


Enslie Oglesby, a Dallas architect who has had a good deal of experience designing air-conditioned houses for exacting clients, thinks air conditioning will have a profound effect on house design.

He once told me that in his opinion nothing more important had happened to houses in recent years than air conditioning's advent.

"It changes the whole program," he asserted, using the word in the architect's sense of the summation of all of the factors on which a design is based.

What Mr. Oglesby had in mind was primarily the effect which planning for cooling breezes has had on room arrangement, window placement, even ceiling height. The non-air-conditioned continued on page 9

Marc Neuhof photo



Air conditioning permits use of courts for visual interest, without concern for cross ventilation. Seymour Kimmel house, near New York City. G. P. and J. J. Jennewein, Architects

KWIKSET

Custom Line

LOCKSETS

FOR THAT


EXTRA SPECIAL

"TOUCH"

In the discriminating buyers market, start forming saleable first impressions — with locksets that begin selling quality at the doorway and continue inside at every turn.

CUSTOM LINE's heavier duty, all steel and brass construction (meeting Federal Specifications No. 160) was developed to withstand the active usage of apartment and office building traffic. They are being used more and more to answer the public's awakened demand for the distinctive, the dependable, the finest in functional home hardware.

For a practical way to up-grade new homes, select CUSTOM LINE — Kwikset's premium lockset which has so much to offer yet costs significantly less than comparable locksets.





America's Largest Selling Residential Locksets
KWIKSET SALES AND SERVICE COMPANY
A SUBSIDIARY OF EMHART CORPORATION
ANAHEIM, CALIFORNIA


douse anywhere must be planned to dmit cooling breezes, for summertime omfort; this is particularly true in hoter parts of the country like Dallas. Making the most of summer breezes not only involves the orientation of the house, but liso the location of rooms and even the lacement of furniture within rooms. Vindows must be arranged to encourge air-flow where it will do the most ood, close to the floor. Interior courts, or example, may be useless from a reeze-cooling standpoint; in an air-conitioned house this can be ignored.

It is not necessary to assume a closed-p existence all year round to grant the orce of this argument. We usually open he window because it's nice outside, not opproduce a perceptible breeze. We eed breezes to cool us off only when it really hot, and when it is really hot, we have air conditioning it is likely to be turned on and the windows closed. In fact, there is an advantage to being ble to throw open the windows without etting a breeze, since this also means ithout papers being blown about or irt or rain blowing in.

#### Vatch Out For Sol

hile air conditioning enables us to be ss exacting with respect to breezes, it quires us to be more exacting with spect to the sun. If a good deal of sun at gets into a non-air-conditioned, but vishly ventilated, house, it may be cared out again with no one the wiser. hen we air-condition, on the other and, we must close up the house and lmit only enough air to keep it free of lors. Any sun heat that gets in must pumped out through the air-condioning machinery, and compared to old ol, the biggest air-conditioner is puny deed. The quantity of solar energy hich falls on a single beach umbrella is ual to one horsepower. Let it in rough a skylight of the same size out 3 feet square—and you will need window air-conditioner of the largest ailable size just to pump it out again. it's all right to put a row of such skythts in a room, provided you're prered to put in the same number of rge window air-conditioners and pay r their operation. Otherwise, you had tter not, unless you incorporate some oper sun shielding.

These two factors should make the r-conditioned house—started from ratch—a different animal from its non-r-conditioned predecessor. And in re-odeling an existing house or adding conditioning, remember that providg sun shields or eliminating heat-invit-



Sun protection is vital for efficient air conditioning, by overhangs or such adjustable

ing openings will probably be cheaper than buying air-conditioning equipment to make up for their effect. And save money on operating expense, besides.

#### A Short Course in Refrigeration

Most people—including housewives—have a better idea of what makes a car go than of what makes an air-conditioner cool. And since a good many of the questions involved in the selection of air-conditioning equipment depend on a general understanding of the refrigeration process, let's see if this can't be acquired fairly painlessly. (Those who understand it already may skip to the next heading.)

Take, for example, that wonderful little machine you probably first encountered in your doctor's office 10 or 15 years ago—the window air-conditioner. It contains all of the essential parts of an air-conditioning system in an easy-to-understand form; let's place it, figuratively, on the examining table.

Even with the cover off, it's less bewildering than, say, an automatic washer. In the middle there's an object which looks like an up-ended bucket: this is the compressor; it does most of the work and has its motor right in the same case, so that the moving parts may be sealed within the hermetic system containing the refrigerant.

Its function, not surprisingly, is to compress the refrigerant, which at this stage of the process is a gas. When compressed, it becomes quite hot, and because it is so hot, can readily be cooled off in outdoor air—even air that is sweltering, from our point of view. This is the essential "trick" of the refrigeration process, since once the refrigerant has given up its heat in this way it be-



blinds as these in the Ditto house, Castle Rock, James T. Ream, Architect

comes, so to speak, "heat hungry," and capable of absorbing heat from whatever we want to cool—air, water, or six-packs of calorie-free cola.

First, however, it must give up its heat. This is accomplished by piping it to a finned coil, which looks a good deal like an auto radiator, in the outdoor part of the air-conditioner. Like an auto radiator, it has a fan to move outdoor air over the fins and carry away the heat. This fan blows air outwards through the coil and draws air to replace it through openings on the opposite side of the unit's metal cover.


When cooled sufficiently, the refrigerant condenses into a liquid and dribbles into a reservoir at the base of the coil. This liquid, which has acquired the potentiality of absorbing unwanted heat, then flows through a tube to a coil on the room side of the unit. Like the one the liquid has just left, this coil resembles a car radiator. Its fan, however, is usually of the "squirrel cage" variety rather than the propeller type because such fans operate more quietly and are somewhat easier to live with within a confined space.

When the compressed, liquid refrigerant is released into this second coil it becomes very cold. Meanwhile the fan draws a certain amount of air from the room, and a good deal less from outside the window for ventilating purposes, and blows the mixture through the coil and on into the room. It, too, becomes cold, which is what the whole process is for. The effect is equivalent to opening a window on a cold day, with a stiff breeze blowing your way.


If any of this explanation passed by without your quite catching it, just recontinued on page 10

#### IN EVERY DIMENSION...

designed for better living with \*SPA Southern Pine



This home speaks a gracious welcome . . . with sweeping elegance of design and the natural warmth of wood.



Construction utilizes the great strength of pre-shrunk SPA Southern Pine for simplicity and spacious living. Board-and-batten siding is stained to allow the natural beauty of the grain to delight the eye.



For the raised sun deck, pressure-treated Southern Pine provides lasting protection against all conditions of constant exposure.



The patio plan provides each room within a please view of a private courtyard. The resilient wood floassures walking comfort.



\*Trade-Marked and officially Grade-Marked

FROM MEMBER MILLS OF THE Southern Pine Association P. O. BOX 52468, NEW ORLEANS, LA. 70150

nember that the air-conditioner draws in room air and blows it out cold at one ind, while at the other it draws in outloor air and blows it out hot. And that is do the one thing it must be allowed to do the other.

House-wide air-conditioners are esentially similar, except that they deliver he cooled air to the various rooms hrough ducts. Also, in recent years it as become common to divide their mahinery, putting the cooling coil in the uctwork next to the furnace, and the ompressor and condenser (similar to ne outdoor parts of a window air-conitioner, only larger) in a separate outoor cabinet. Among other advantages, nis means that the noisier machinery is utdoors. Naturally, it should not be cated under a neighbor's bedroom indow, especially if his house is not ir-conditioned and he must keep his indows open in hot weather.

#### Word About Ventilation

Vindow units make at least a gesture in ne direction of admitting ventilation r; house-wide systems usually do not. he justification given for this is that he air will leak in anyway." It will. nd this is much more likely with a buse-wide system than with an air-contioner serving a single room. But the ay to gain control of ventilation, with r conditioning, is to bring in the propamount of outdoor air through the poling unit (about 20 per cent of the nount being circulated) and then to ovide planned points for a part of it get out again, through bathroom ents and a kitchen range hood. When e range-hood fan is actually operatg, it may exhaust somewhat more air an is being brought in in this way, but r the balance of the time there will be excess, which will be squeezed out ound the windows and doors.

Provision of planned ventilation of is type is not very expensive, and can ntribute more to satisfaction with buse-wide air conditioning than almost tything else. Make it!

#### hat About Dehumidifying?

ur explanation of the window unit ade no mention of dehumidification. his was deliberate. Dehumidification is important to the *quality* of air condining that it deserves separate haning. More often than not, it is the facr which distinguishes good air condining from bad.

Dehumidification is bound to occur ith all types of air conditioning involvg refrigeration. Whether it occurs to

just the desired extent depends on various refinements which are not hard to grasp once the fundamental process is understood.

If you have a window unit handy, and it is running, and you can peer through the decorative grillework where the cold air is coming out, you will probably see drops of water running down the vertical fins of the cooling coil. In sticky weather, the quantity involved will surprise you—air conditioners really do take a lot of moisture out of the air. This moisture is literally squeezed out of the air as it cools; it must be squeezed out whenever cooling takes place, unless the air is quite dry to begin with. In window air-conditioners, if all goes well, it accumulates at the bottom of the coil, drains to the outer part of the unit, is picked up by the outer fan and blown onto the condenser, and evaporates. If all does not go well, and the unit is above a sidewalk, it may drip onto passers-by and cause a certain amount of annoyance.


Our principal concern, however, is with the occupants of the conditioned space. To the extent that cooling of the air results in its dehumidification, this is almost bound to be in their interest, since what is called the "apparatus dew point" of all ordinary air-conditioning equipment is such that it cannot produce "over-dehumidification"—only enough or not enough. When not enough dehumidification takes place, the air acquires a "clammy" feeling that is faintly unpleasant.

Boiled down, this means that since it is hard to cool air without dehumidifying it, under the right circumstances we can take dehumidification for granted. The trouble is, it is also difficult to dehumidify air without cooling it.

#### When "It isn't the heat, it's . . ."

New Orleans, on Mardi Gras, is balmy and gay. Shortly after Lent, however, it tends to get a bit damp, as does much of the real estate bordering the Gulf of Mexico. And in the spring and fall, it gets uncomfortably humid before it gets hot, creating a problem which ordinary air conditioning is not equipped to solve.

The shortcoming of the typical airconditioner in this situation—whether a lowly window unit or a *de luxe* housewide system, is that it cannot dry the air without also making it cold. And if the outdoor air is excessively moist and not very hot, it may be cooled too much. Typically, this leads to much pushing up and down of the thermostat: first it is pushed down because someone is hot



Schematic diagram of a typical window airconditioner. The exterior is shown at top

even though the room is not, then it is pushed up again because someone gets cold. The happy medium is hard to find because there is none.

#### Horse Sense Finds a Way

If the air-conditioner can't make the air dry enough without making it too cold, what can we do about it? The gentleman with the slightly dazed expression is *right!* He just invented "re-heat."


Re-heat is exactly what it sounds like: First you cool the air, to wring the moisture out of it, then you heat it back to a comfortable temperature. It is the only fully satisfactory answer to the situation that exists in Bayou country and to a lesser extent on the banks of the Potomac.

Re-heat is not available as standard equipment with any of the nationally advertised home air-conditioners. But it can be added to such a system by putting some type of heating coil following the cooling coil, or by putting thermostatically-controlled heating coils behind the registers where cooled air is delivered to the rooms. The latter arrangement has the advantage of providing room-by-room temperature control in the summertime-really a "must" for thoroughly satisfactory performance of a housewide system. Heat for the first type of coil might be provided by a small water heater and that for the second by electric-resistance elements.

For ordinary climates, a precaution often cited as a means for assuring at least reasonably good temperature-humidity relationships, is to be sure not to oversize air-conditioning equipment. This because as cooling equipment gets bigger than actually necessary, it tends to operate only for short periods and to remain off for long periods in between. Dehumidification takes place only when the refrigeration machinery is running, and when it is not, moisture may leak

continued on page 13














### NEW IDEAS in sculptured lavatories, tubs and showers, w.c.'s, fountains, service sinks and fittings from U/R.

Before you specify another project for today's better building, it'll make good design sense to discover new U/R GALAXIE fixtures, a skillful blending of function, beauty and simplicity. U/R's fiberglass tubs and showers offer ultimate practicality and a unique money-saving installation. Everything goes in at once . . . tub or shower and walls. Owners appreciate U/R's engineering innovations like exclusive Met-L-Pak faucet controls that are guaranteed never-to-drip for the life of the fitting\* and Adjust-A-Flush, the quiet water closet flush valve that shuts off every time, making water waste obsolete and ending unnecessary service calls.

\*U/R will provide free of charge a new Met-L-Pak cartridge to replace any which proves defective during the lifetime of the fitting.

VANGUARD...new design in U/R's fiberglass fixtures: A full width, five-foot recessed bathtub with three walls of fiberglass polyester resin molded all in one piece. Optional ceiling top can house a fan, light or heater. Completely leakproof, FHA approved, NAHB

APOLLO... vitreous china shell-shaped wall mounted lavatory. Ideal for multiple installations.

POLARIS... low tank profile in an ultra-silent one-piece water closet only 18¾ in. high.

SATURN ... sculptured beauty in a vitreous china oval counter top lavatory. Ideal for narrow counter installations. Self-rimming.

All fixtures available in white or pastel. U/R luxury fittings in chrome or gold plate

Caetle Denrey Vania

Diege on the things of the things.

A John Mill Street Address city/

For more data, circle 9 on Inquiry Card

ack into the conditioned space more apidly than it warms up, causing a roller coaster" humidity effect not ensed by the thermostat but producing iscomfort.

This kind of malfunction is most proounced when the fan circulating the ir in the conditioned space runs connuously and the refrigeration system oes not. When the refrigeration system nuts down, the cooling coil quickly bemes warm and much of the moisture hich has condensed on it during the poling cycle may evaporate, somemes causing an odor problem as well excessive humidity. Where conditions e such that these things become obctionable, it may be the better part of alor to revert to on-off fan operation, espite the objections it carries with it.

#### ydronic Air Conditioning

the problem is a large house, you ay want to consider the type of system which air is heated and cooled in the rious rooms by means of hot and illed water circulating in small, insuted piping. This type of air conditiong, which does away with the need for cts, is popular for apartment houses cause it renders each apartment indendent of the others while preserving e advantages of centralized refrigeran equipment. It has the further adntage that it not only makes room-byom thermostatic control of both heatg and cooling quite simple but also om by room use of air conditioning as HI.

A house-wide hydronic air-condition; system is much less of an "all or thing," "all the time" proposition than more familiar air distribution sysms. If this is what you have been look; for, you may be willing to pay the emium it entails, mostly because comtitive house-size water chillers—the me mover for hydronic air condining—are not yet available.

With such a system, the sliding doors the patio may remain open—with the ing room cooling unit shut off—while sickroom or some other part of the use is being cooled. Individual memors of the family can decide whether y want to sleep with their windows en or with their particular cooling it functioning. Sounds and odors cant be carried from room to room by ducts because there are none.

"Fan coil" units to heat or cool the according to the season, are conned in under-window cabinets or, re rarely, placed above closets. Fans be operated at several speeds, and

each unit has its own, built-in thermostat. Condensed moisture is caught in a drip pan and drained to the outside, and a small amount of outdoor air drawn in by each unit for ventilating purposes, as advocated earlier.


Hot water for heating is supplied by a central boiler, and cold water for cooling by the water chiller. Chillers may be of the regular, electrically-powered compression type, or may be actuated by a gas flame, according to the absorption principle. Absorption equipment costs more than compression equipment, but it lasts longer and is quieter in operation.

First class humidity control is harder to obtain with a hydronic system than conventional air conditioning because the water in the cooling coils cannot be made as cold as the refrigerant entering the coils of the conventional system. Moreover, its average temperature may be a good deal higher if, as is usual, temperature control is obtained by regulating the flow of water through the coil. With this arrangement, under light cooling loads the coil may not be cold enough to condense moisture. The latter effect can be avoided by using a fan coil unit where temperature control is achieved by regulating the amount of air allowed to pass through the coil ("damper control") rather than the amount of water passing through it ("valve control"). Such units are available, and you can have them (at extra cost) if you insist strongly enough. This feature is most important in humid climates.

#### **Esoteric Systems**

Individually-engineered hydronic systems may be designed for the custombuilt house with the ultimate objective of achieving winter and summer temperature control which cannot be seen, heard, smelled or even noticed. A step in this direction is "valance" coolingan upside-down version of baseboard heating where a finned heating-cooling pipe (very much like the one in a baseboard heater) is installed behind a valance near the ceiling of the room, along with a small gutter to intercept condensed moisture and lead it to a drain. The valance cools by "convection," i.e., no fans are needed to make it work because the cooled air, being heavy, falls to the floor and is constantly replaced by rising warm air.

In winter, the room may be heated by a blanket of warm air against the ceiling, or by separate baseboard units served by the same piping and controls.




A typical valance cooler; panel covers two finned chilled water pipes and a drip pan

A still more de luxe version of the same idea is panel cooling, in which the entire ceiling is used for cooling purposes as well as for wintertime radiant heating. Panel cooling requires either a separate conditioned-air supply (which can, however, be much smaller and simpler than that used for conventional air conditioning) or it may employ a valance or other hydronic means of dehumidification. In either case, separation of cooling and dehumidifying functions makes it possible to control the resulting temperature and relative humidity separately to suit individual preferences thus providing the ultimate in comfort control.

We have recently begun to utilize radiant heating out-of-doors and in semi-enclosed spaces, with dramatic results. Refrigeration cooling offers similar possibilities for hot weather. Why not, for example, provide a means for refrigerating the water in the base of a fountain? Chilled water, spurting upwards in the usual way, would cool and circulate air as effectively as a conventional fan-coil air conditioner, and much more decoratively. Paradoxically, it would also dehumidify it. And a fountain located in a court surrounded on all sides by building, so that the cooled air could not escape, would make such a space comfortable even though open to the sky. This would work especially well at night, when the black sky has a pleasant radiant-cooling effect in any event. And for those who don't happen to like conventional fountains, there are scores of other ways chilled water might be employed for the purpose. One would be simply to let it fall as a continuous curtain down one side of such an outdoor space.

While such systems require "custom engineering," they are not beyond the means of those able to afford custom-designed houses. And they provide the means for associating advanced air-conditioning practice with advanced architectural ideas and reaping the full benefits of both.



#### That guy must have thought we were kidding.

To him the Mobil emblem just means gasoline.

Things have changed. Plenty. The Mobil emblem has joined forces with some real veterans in the paint business.

And Mobil on the can means a name any client will recognize and trust. A built-in plus.

And you can add to this the technological know-how and vast research activities of Mobil on the go to develop new

paint products.

You can recommend Mobil's paint with confidence for any job. For more information on what Mobil can mean to you call or write direct to Architect/Contractor Service Department:



## MOBIL FINISHES COMPANY, INC. 101 E. Ontario Street, Chicago, Illinois

Bench painted with SHIELDCOTE.
Other well known products with the Mobil emblem: REV SATIN—REV SHIELD—ARTWALL—LIQUID GRANITE—INTEX WOOD FINISHES

For more data, circle 10 on Inquiry Card

### N ARCHITECT'S NOTES ON KITCHEN AND BATHROOM PLANNING

olor and attractiveness are as important as convenience

Preston M. Bolton, A.I.A.

is regrettable that so few kitchens are designed for a "cook's e view". The cook is in the kitchen far more than anyone e and should have a pleasant view out of the kitchen, and effective traffic pattern inside. The kitchen should be atctive, not just a room with a sterile atmosphere for food paration. Cooking in the kitchen should be as pleasant as uding in the library.

think a lot of color in the kitchen is wonderful. To me, use of natural woods has been overrated and overdone, the end product is a dull kitchen. Color on plastic counter is or fronts of doors creates a happy atmosphere. Naturally, has to be careful to use colors that are complimentary to

#### e Good Lighting

strong generous light in the kitchen is of great importance. Imost believe in commercial lighting—that is, lighting that uld be acceptable in an office or drafting room. To me, re is nothing worse than trying to cook by the touch systa. Refrigerators and ovens have lights inside, but we must vide generous "daylight" by artificial light, as well. I find that a complete luminous ceiling works well in a kitchen, and es a bright daylight atmosphere at all times.

#### n for Change

o not believe in a highly specialized kitchen with a specific lf, nook, or cranny, for each area. As an example of this, I e found that the client who wants a spice rack is thinking in ns of a particular brand of spices, and after visiting the ise I always see two or three different brands, that never te fit the shelf, among the neatly lined spices. If one speizes excessively, he limits the use of the kitchen and is nning entirely for today's gadgets. This is not practical, as y gadgets load the market each year.


#### ciency is still Important

shape of the kitchen has a lot to do with whether the cook ks herself to death or usually has everything close at hand, herally, I think, the doughnut shape is the best, because y the cook is in the food preparation area and has the ch of the counter and appliances on all sides. There is at inconvenience in a too-large kitchen where you are contally bumping into children as you walk from one side to ther. The counter heights in a kitchen are of prime importance, and I see no reason for their being standardized to three feet. If a woman is five feet tall, a three foot counter is most inconvenient. Let's design the counter height for the cook. In order to do this, certain items such as a dishwasher would have to be redesigned.

Counter tops should be of the easiest material to clean with a sponge, as it seems everything in the kitchen today revolves around cleaning with a sponge. If the counter top is one of the plastic products, a space should be allotted near the range end covered with some material such as stainless steel, where hot foods from the oven can be placed.

Cabinets should have the same attention that the architect might give to cabinetwork in a library or elsewhere. I certainly believe in putting hardware on all of the cabinet doors and drawers. There is nothing messier than trying to open a concealed door with a hand that has just been in the biscuit dough. Hardware is a very decorative feature of the kitchen, and should be given as much attention as the design of the cabinets.

Very few women can reach above the bottom shelf of an Continued on page 16



Drawn for the RECORD by Alan Dunn "Now! Be prepared for the worst—Op Architecture!"

### **Custom Designed**

## NATURAL LIGHT

## HUNTER "Sun Lenses"

engineered to meet the challenge of an architect's imagination!

Properly controlled daylight offers u<mark>nlim</mark>ited oppor<mark>tun</mark>ity for dramatic elegance and practicality in homes, offices, churches, hospitals. The very nature of trend-setting design demands product flexibility styles often cannot be limited by the bounds of conventional "standard" models. That is why Hunter's manufacturing facilities are geared to "custom" Sun Lens production - where your request for the unusual is welcomed.





## CUSTOM MANUFACTURED TO YOUR EXACT SPECIFICATIONS

Odd Shapes — like these depicted — designed to carry out the "butterfly" theme of a mid-western apartment project — present just one example of Hunter's capabilities. Our engineers are proud to say "anything you can conceive — we can achieve!" Write, wire or call collect today for complete literature.




#### **HUNTER ENGINEERING COMPANY**


A division of American Metal Climax, Inc.


1495 Columbia Ave. = Riverside, Calif. = (714) 683-0140 820 Columbia St. = Evansville, Ind. = (812) 425-4331

#### Kitchens and Baths

continued from page 15







Trim and colorful cabinets complement "doughnut"-shaped kitch in the R. E. Rolle house, Houston, Texas. P. M. Bolton, Archite

upper cabinet, and there is never a storage place for that a necessary kitchen ladder. Why not bring all of the upper cal nets down to the work level, and use the upper areas for o wedding presents and the ice cream freezer?

While we are on the subject of space and planning, I blieve that the lower cabinets should have very few fix shelves. Let these shelves become trays that pull out into t room in order that you can see what is on the shelf and sele the item you are looking for. For ease in cleaning, line of the trays with a plastic product.

The small architectural details of a kitchen are also impotent. The insides of cabinets should be well painted to elinate the use of bug-catching paper liners, and the outsi should be free of dust-catching crevices.

The floor of the kitchen should be of some material that continued on page



Floor: Bruce Ranch Plank with random widths and pegs. Walls: BrucePly Paneling in Rustic Walnut.

## Naturally beautiful hardwoods...with TUF-LUSTRE prefinish

Now from Bruce, world's largest in hardwood floors, you can secure superbly prefinished flooring and wall paneling. The remarkable Tuf-Lustre prefinish penetrates into the wood to protect its beauty year after year with minimum care. In Bruce Oak Floors you have a choice of Ranch Plank with pegs (pictured), modern laminated or solid Blocks, Fireside Plank in dramatic dark shade, and ever-popular Strip. BrucePly walls give you a wide selection of 41 paneling woods and finishes, color-styled by one of the nation's top designers. See our catalog in Sweets. For complete data, write E. L. Bruce Co., P. O. Box 397-C, Memphis 1, Tenn.







KEEP COOKED FOODS HOT, DELICIOUS AND READY TO SERVE FOR HOURS AS NO OVEN CAN



This convenient, use-every-day appliance opens up a whole new world of kitchen freedom. Complete meals can be cooked in advance and kept hot and tempting for later serving. Children can now enjoy hot, tasty lunches even when you're away. You'll put an end to last-minute scrambling . . . eliminate the problem of having all foods hot at one time! And, you'll enjoy your guests when your party meal is cooked in advance! Exact "Moist-Crisp" and temperature controls insure perfect food for hours after cooking. Select from a variety of decorator-styled exterior finishes or matching wood fronts to beautify and customize your kitchen.

#### TOASTMASTER<sup>®</sup>



Toastmaster Division, McGraw-Edison Company

"Toastmaster" is a registered trademark of McGraw-Edison Company, Elgin, Ill., and Oakville, Ont.

## Send more information!

#### TOASTMASTER DIVISION

McGraw-Edison Company, Elgin, Illinois

Tell me more about this wonderful new appliance. And tell me name of my nearest dealer!

Name\_\_\_\_\_


City\_\_\_\_\_State\_\_\_\_

#### Kitchens and Baths

continued from page 16



Frank Lotz Miller photo



Additional cooking facilities in the breakfast area supplement main kitchen in the John Winterbotham house, Houston, Te

easy on the cook's feet, and easy to maintain. If we did have children in our house, I think a carpeted kitchen wo be marvelous.


The pantry should be in the kitchen proper, and not in so other area. My preference is for a shallow pantry, perh two cans deep and with shelving of varying heights.

#### Kitchen Dining Areas


Eating in the kitchen is something that most of us like to do one time or another, and to me, there is nothing more confortable than a chair and table on which to eat. However, when this is not practical, there are a few comfortable by type chairs, and the additional eating bar area in the kitch does serve to good advantage as extra counter space.

I have never favored opening the kitchen completely to living space. The kitchen is always a noisy area, there is so thing about pots, pans, ice trays, etc., that seems to be them together with a banging that resounds throughout house. I feel that the grind of the disposal, the whirling of dishwasher, the kitchen odors that go all through the hoare not pleasant, and should be confined to the kitchen a

← For more data, circle 13 on Inquiry Card



Roland Chatham photo



ston Bolton's own house in Houston incorporates a compact sion of the doughnut-shaped kitchen with a breakfast bar

#### tchen Appliances

ood ventilation in the kitchen is a prime requirement, though ometimes think the elaborate vent hood over the kitchen we is more of a cleaning problem than it is worth.


The appliance manufacturers, in producing every conceivatype of built-in appliance, have done much to help the pk perform her duties with maximum efficiency. I do feel the refrigerator manufacturers have gone overboard in cializing their interiors. As an example, how many people the eggs out of cartons and place them in each little stic cup? This space could be used to better advantage.

#### me Kitchen Examples

e R. E. Rolle kitchen is doughnut shaped with an adjacent akfast area. This kitchen is done in bright blue and white compliment the stainless steel appliances. The commercial prescent fixture gives a daylight appearance to the kitchen. My own house has a doughnut shaped kitchen with eating on the outside. This bar is used for the children's meals, I as a place for the maid to eat. The kitchen is done in ght yellow and white, with stainless steel appliances. It has a champagne-colored brick arches that interject a warm continued on page 22



For more data, circle 14 on Inquiry Card



## Two home



Architect: Henry Hartwell Hester,

View through Starlux looks out on rolling hills and the distant Pacific. Dining is walled with ¼-inch Starlux plate. This photo was taken from the kitcl serving counter (see plan).

Warmly informal villa has wide archerout from wall of Starlux plate glass Glass is used in lights eight feet sque much of it mounted in sliding alumin doors. House is wood-framed with stucco cement finish outside.



## rched, elegant...and walled with Starlux plate glass



The two houses shown here—one in Alabama, the other in California—have much in common. Both have rhythmically arched facades. Both center on protected inner courts. Both are set on secluded sites of striking beauty. And both are glazed extensively with ASG's clear Starlux® plate glass to take maximum advantage of that beauty.

In each home, the visual fidelity of twin ground, polished Starlux has enabled the architect to achieve an intimate rapport between living space and building site. All the view comes through, clearly and accurately. And seen from outside, the reflective polished surface of Starlux makes a lustrous back-drop to the curve and thrust of arch and column.

For more information about Starlux, and about ASG's full line of plate, sheet and patterned glasses, write: Dept. D-5, American Saint Gobain Corp., P.O. Box 929, Kingsport, Tennessee 37662.


#### AMERICAN SAINT GOBAIN





ın Saint Gobain 1965

Airy Pavilion of glass and brick near Birmingham has a facade of almost classic simplicity. The stately series of tall, graceful arches ends in half-arches at each of the building's four corners.




Architect: Fritz Woehle, A.I.A.



Walls of glass are recessed three feet behind the arches and run the entire 100-foot length of the house. Lights of ¼-inch Starlux are six feet wide and 14-feet high. Vertical aluminum mullions are spaced six feet apart, the same interval as the brick columns.

## Why is Slater anxious to give you a FREE SAMPLE

# of this MEDALIST architectural face receptacle?



... because it's one of the most popular specification grade heavy duty wiring devices from our unique Medalist "Decorator Group" of duplex switches, combinations and receptacles. When you see its crisp architectural design and superior engineering features, Medalist will be your most specified wiring devices. Seeing is believing!

Just write us on your business letterhead and it's yours FREE!

SLATER ELECTRIC INC., GLEN COVE, N.Y.

#### Kitchens and Baths

continued from page 19



F. Wilber Seiders photo



A back entrance hall has compartments to supplement kitchen a pantry in the Houston town house of Mrs. H. G. Safford

note. From one side you look through a walnut-shutter opening to the street, and from the other through a full glawindow to the children's play patio. This kitchen was design for the cook—she has everything at hand without a lot steps, and a delightful view wherever she looks.

In the large residence of John Winterbotham, the kitch was designed with special areas for food preparation. T doughnut shape of the main kitchen with its commerc fluorescent fixture provides an efficient operation center f one or two maids. Outside of this space, in the breakfast are we have a second cooking unit and sink where the lady the house can prepare special sauces or a late breakfast. To keeps her out of the cook's kitchen and allows her to prepare a gourmet delight without interruption.

In Mrs. H. G. Safford's kitchen the colors are orange a white, with a black and white checkered floor. This kitch has a butler's pantry between the kitchen and dining room prevent kitchen noises from traveling through the house, a to provide a flower arrangement center for the owner.

continued on page



There is no limit to St. Charles' ability to develop custom kitchen designs since every kitchen is made to order. Styles, convenience-features, finishes and textures, materials, colors...we have worked with all of them and can produce the kitchen as designed. We

have had over thirty years' experience of close collaboration with architects. St. Charles representatives can relieve the architect of many time-consuming details from preliminary layouts through the completed job, including installation of appliances and services.

## "St. Charles"

## The quality name in custom kitchens for over thirty years



For more data, circle 23 on Inquiry Card

This lovely St. Charles Kitchen, although totally different from the one above, bears the unmistakable mark of St. Charles' craftsmanship and attention to detail that has made St. Charles the choice of countless architects for fine custom homes.

30 YEARS OF LEADERSHIP IN CREATING CUSTOM KITCHENS

Displays at: 5740 Dempster Street, Chicago North Shore area • 101 Park Avenue, New York • 8660 Sunset Boulevard, Los Angeles . . . and at more than 200 St. Charles Dealers coast to coast, see the Yellow Pages.

Send today for a complete Architect's Fact File

St. Charles Custom Kitchens 357 Tyler Road St. Charles, Illinois	StC	
Please send me (check)		
St. Charles Architect's Fact File		
☐ Dimensional Details Book		
Billiensional Beland Book		
NAME		
ADDRESS		
CITYSTATE		
ZIP CODE COUNTY		



## Fine hardware is always functional—never intrusive.

GRANT PULLEY & HARDWARE CORPORATION Eastern Division/9 High Stree West Nyack, N. Y. Western Division/944 Long Beach Ave., Los Angeles 21, Cali





ксм-з





KCIVI-5



## UNIQUE IMPRESSIONS IN CERAMIC TILE...

VICO Crystalline-Glazed KCM is new . . . different . . . unusual . . . completely unlike any ordinary ceramic tile when it comes to beauty of appearance. Its remarkable tonal blending and striated texture transform and dramatize walls, glorify interiors and exteriors with vibrant luxury, making it the standard of design perfection for the most elegant residential and commercial applications. And its allure is forever! Proven less costly, easier to maintain than any substitute material, it is completely impervious to moisture, heat, and climatic condition. Installation is rapid and easy, thanks to its exclusive VICO Perfo-Mesh® backing.
VICO KCM is available in four colors, mounted 128, 3/4" x 1-9/16" x 3/16" square-edge tiles per sheet; 20 sheets (24 sq. ft.) per carton.


Contact your local distributor for color catalog, samples, prices, and further information, or write directly to

#### AMSTERDAM CORPORATION

41 East 42nd Street • New York, N. Y. 10017 New York / Miami / San Francisco / Philadelphia Chicago / Spokane / Washington, D. C.

VICO is a reg. Trademark of the Amsterdam Corp.





Nature's Freshness indoors: Lennox offers maximum design latitude because it provides total control of indoor climate. No other system is so silent, so fresh, so spring-like. Lennox: Climate's "picture window." Write Lennox Industries Inc., 558 S. 12th Avenue, Marshalltown, Iowa.

Don't be satisfied with less than



AIR CONDITIONING · HEATING

## A NICHOLS HY-TENSIL ALUMINUM NAILS ARE PROVED BEST!

Aluminum nails are well recognized for rust and stain-proof qualities; wider size, type and color selection; streamlined, easy to handle packaging. Now, Nichols Aluminum Alloy Hy-Tensil Nails bring you *more strength*. With new alloy bal-

ance and incorporating a new metallurgical process, Nichols nails have strength up to 15% greater than required by FHA standards, and give three times the coverage!




## SUPERIOR QUALITY NICHOLS BUILDING PRODUCTS GIVE YOU EXTRA VALUE

Nichols over 50 years' experience serving the building materials industry guarantees you that Extra Value. In any exterior application where weather exposure is a harmful factor, Nichols Aluminum is your answer. Whether its valley

and flashings, gutters, gutter covers, downspouts, building corners, trim, farm roofing, TV or tree guy wire—rely on Nichols products—they last a housetime.







#### When the house lights dim, FPE takes a bow.

Federal Pacific's Li-Trol® dimmer switch sets the stage for a story of leadership in products designed for modern electrical living. It all begins at the service en-



trance, with FPE's Stab-lok circuit breakers, load centers and service devices, or FPE Type SF fusible equipment


safety switches, fuses, and motor controls. And there's power utilization. For example, FPE's residential électric

with the Magic Main Breaker. There's more to the story than power distribu-tion. There's power control, and FPE takes another bow with its residential

heating equipment. Nothing is more beautiful, efficient, or easier to install than

FPE baseboard heating. Combined with the Li-Tronic thermostat, which reduces temperatures automatically as daylight or houselights dim, this is a system you can really sell. FPE makes the entire system (and guarantees the base-

board heating element for the life of the



building). For special applications, FPE provides Curv-Air Classic convector heaters, radiant and forced air wall heaters and radiant heating cable. Even that's not the whole story, because FPE continues, as it has done for over 60 years, to



provide new products to make electrical living a reality today. For the highest quality products, at competitive prices, from a single reliable source, you can't do better than



Federal Pacific. For further information, and a free copy of FPE's Redi-Reference catalog, write Federal Pacific Electric Company, 50 Paris Street, New-ark, New Jersey 07101.







## **CABINETS BY CONNOR...**

### the connoisseur's choice

Connor Cabinets give you everything you have been looking for—beauty, utility, easy care. All wood (select northern birch), finished in a rich fruitwood tone which is stain and nick resistant. You have a choice of classic Contemporary with smooth flush doors, or elegant Continental styling, with Connor's exclusive picture-frame design. You'll find your Connor dealer listed in the phone book. Or write Connor for the dealer nearest you . . . don't forget to ask for a copy of the new Connor Cabinet brochure. It's the first step to a lastingly beautiful kitchen.



LUMBER & LAND COMPANY WAUSAU, WISCONSIN

Manufacturers of quality hardwood products since 1872




# BUKAY. Once again specified more than all other sinks combined Illustrated is the Consolette. Sculptured from nickel-bearing stainless steel (type 302). Write for our full line brochure. Elkay Manufacturing Company, 2700 South Seventeenth Avenue, Broadview, Illinois

#### Kitchens and Baths

continued from page 22





minimum-sized bath is supplemented with relatively commodius essing room facilities in the M. L. Cook house, Friendswood, exas

#### athrooms


enerally, I think, the bathroom should be the barest minium size. The "Cleopatra" bath has now become such a luxy that few people can afford them. Plumbing manufacturers Il us that a standard bath tub is 5 ft long, therefore, we must an bathrooms to fit this set dimension; the minimum dimenon the opposite way is seven feet. This will allow for a water oset, a lavatory with counter, and a tub, with enough room move freely between each fixture.

The space above the toilet is always wasted in such a fixture ne-up, unless you increase the amount of counter space by ojecting the lavatory counter across it. I believe that the vatory should be built-in, in order that the wasted space low it can be utilized. This space is always good for a small aste receptacle, and there is always the toothpaste box that ust be disposed of.

Such an arrangement in a bathroom dictates the placement the medicine cabinet to the side of the lavatory rather than aight in front. I firmly believe that each bathroom needs a continued on page 34



For more data, circle 16 on Inquiry Card



Spivak Ceratile Designs are for the architect, decorator of who wants something new...something really exciting in ... and on a modest budget. The attractive designs, in recessed texture and soft muted colors of these new Spivak Designs combine to give an overall effect of elegance please the most discriminating client. In creating each six new designs, Max Spivak designed them primarily for 1 masse" effect in a wall. By using them in a random patter

™ Cambridge Tile

SPIVA





MAX SPIVAK,
ONE OF AMERICA'S
OUTSTANDING CERAMIC
MURALISTS, CREATES
NEW DESIGN CONCEPTS
IN WALL TILE FOR
CAMBRIDGE...AND
FOR YOU.





led by Mr. Spivak, repetitive monotony is avoided and the wall becomes even more exciting as its size increases. Il find Spivak Ceratile Designs particularly suited for use in artment and commercial lobbies as well as in bathrooms, rooms and kitchens. They can be used with equal effector an entire room or for a single wall area. 

Spivak Designs are pro-

units in colors that coordinate perfectly with solid colors of Suntile and the colored bathroom fixtures of most manufacturers. And most important to you and your clients—Spivak Ceratile Designs are inexpensive, costing only a few cents more per sq. ft. than standard solid color wall tiles. Investigate Spivak Ceratile Designs today. We will send free sample tiles to architects, builders or decorators

Designs are pron 41/4" x 41/4" flat BEAUTIFUL...EXCITING...INEXPENSIVE who write us on their official business letterhead.

## ERATILE DESIGNS




## SWAN LUXURY SHELL SHOWER

A completely new shower room concept that ELIMINATES DOORS, CURTAINS, CORNERS...an amazing design breakthrough that replaces the stiff, confining shower stall with an open, though private and protected shower room in a minimum of space.

#### THE SWAN CORPORATION

721 Olive St. • St. Louis, Missouri 63101 • CEntral 1-8148

For more data, circle 18 on Inquiry Card



- the enlightened folks who insist on CHICAGO FAUCETS

Of course, the very presence of finer Chicago Faucets in a house is a Mark of Distinction. But it doesn't necessarily mean the owner is wealthy . . . more likely he is just plain WISE!

True, the first cost of Chicago Faucets is a little more, **but:** for fifty years Chicago Faucets have been proving that no faucet can match them in low ultimate cost. So their unrivalled beauty and smooth, silent, dripless operation become an extra bonus, real and big.

Think of this next time you need faucets. You need not be wealthy; just wise!

Write for literature on Chicago Faucets including luxurious gold-plated fittings



FAUCETS

LAST AS LONG AS THE BUILDING

THE CHICAGO FAUCET CO.

Des Plaines, Illinois

(A suburb of Chicago)

For more data, circle 19 on Inquiry Card


#### Kitchens and Baths

continued from page 31





Roland Chatham photos



Compartmented bath and dressing facilities give air of luxury relatively small space in the P. M. Bolton house, Houston, Tex

medicine cabinet for the many items that one collects.

In order to increase the visual size of the room, I like mirror one entire wall.

With the advent of the electric razor and toothbrush v must use recessed receptacles to get them off the counter ar into a cabinet.

Lighting for the bath should be sufficient for close make-t for the lady of the house, and the man of the house shou have the same amount of light for his shaving ritual.

Bathroom fixtures are limited as to what can be purchase Certainly, the wall-hung toilet is a great innovation as far cleaning the floor is concerned.

I think a towel rack 18 inches off the floor for the ba mat is a must. The bath mat is a forgotten item and usual left hanging half in the tub.

There never seems to be a place for the bathroom scale Scales are not easy items to clean, and we have found the they can be recessed in the wall and pulled out when neede

A skylight inside the shower makes showering a gloric adventure, as well as preventing the tile from molding.

I propose the bathroom be located adjacent to a dressi area so that one is able to bathe and dress without seve trips to various pieces of furniture in the bedroom. The should be a place to sit down in performing this task in small dressing room.

For more data, circle 20 on Inquiry

## Will your homes have these six common heating and cooling problems?



Castle Neuschwanstein, Original Owner-Manager: King Ludwig II of Bavaria Architect-Engineers: Hofbaudirektor von Riedl, Hoftheatermaler Jank

e're exaggerating them a little, but modern homes have all the same problems. In fact, they're likely to have them if they're designed with a medieval heating and cooling system that counts on just one thermostat to control comfort everywhere.

The solution is zone control...dividing your homes into two or more areas that your clients can keep at different temperatures.


With a hydronic system, all it takes is a thermostat for each zone, and a zone valve to control the hot water flow. With a forced air system, damper motors control air distribution to the zones.

Any village heating and cooling craftsman can supply everything you need for zoned castle comfort. Your wish is his command. Wish for Honeywell zone controls.

## Honeywell

For more data, circle 21 on Inquiry Card

1 In any split level, warm air tends to rise, leaving cooler air in lower rooms. 2 Separate living and sleeping areas obviously require different temperatures . . . warm in the living areas, cooler for sleeping. 3 Large glass areas cause inside temperatures to vary with outside weather changes . . . even with double-paned windows. 4 With a spread-out floor plan, sun, shade and wind in different areas cause widely differing heating and cooling needs. 5 Rooms over unheated areas such as garages or dungeons often have cold floors and walls. 6 A finished basement, because it is below ground level, requires more heat. Now you can put terrazzo in any room of any house, or office building...



## THANKS TO TERRAFINO

Because TERRAFINO flexible terrazzo is as easy to install as any resilient tile. You can now put terrazzo where it was never before possible or practical. You lay TERRAFINO with ordinary mastic, cut it with a common tile "chopper"!



Remember, TERRAFINO is still the only flexible ½" thick tile with real marble chips. Where terrazzo can't go because of price, time, elevation or mess, you can still earn important profits with TERRAFINO. Homes and the booming renovation market are prime opportunities.

Join the many contractors who are promoting and profiting with TERRAFINO. Ten patterns, available in large  $12'' \times 12'' \times 18''$  size. Send for samples, literature and prices.

Terrafino company, p.o. box 52, carlstadt, new jersey

For more data, circle 22 on Inquiry Card



# NEW 1965 PLANNING GUIDE

FRIGIDAIRE

### KITCHEN APPLIANCES

EN 50 RSARY The appliances shown on these pages are designed for utility, beauty, and ease of installation. And they carry the magic name, "Frigidaire," which means quality to home owners and buyers everywhere.

Why not investigate the many advantages Frigidaire built-in equipment offers you? Complete descriptive literature and simplified installation instructions available.

"The only cost that matters is cost installed"

isic ad appears in many leading New Home & Remodeling Annuals as part gidaire continuing campaign to influence consumers in the Building Market.

MAYFAIR PINK
SUNNY YELLOW
TURQUOISE

AZTEC COPPER
plus
SNOWCREST WHITE
and
BRUSHED CHROME



#### Model RBJ-G99

#### DROP-LEAF DOOR WALL OVE

Easiest in-wall installation, cooking, cleaning ever! Choose from 7 beautiful models, 3 with glass "window" doors, one with handy extra oven. Installation is completed in minutes—with a screwdriver! Wide feature selections, including such conveniences as Automatic Cook-Master, Roast Thermometer, and Broiler Grill. Frigidaire Color choice, plus White and Brushed Chrome.



COOKING TOPS. Ideal surface cooking companions are these "built into counter" models. Match Frigidaire Wall Ovens in color and cooking convenience features. Some with recessed fronts, special cooking units, and remote control.

Wall Ovens—7 models	Width	Depth	Height
Overall—5 single-ovens	23%6"	23¾"	29%6"
Overall—2 double-ovens	231/16"	233/4"	447/8"
Opening—single-ovens	211/2"	23¾"	281/2"
Opening—double-ovens	211/2"	233/4"	44"

*Distance	helow	ton of	counter

Cooking Tops—7 models	Width	Depth	Height*
Overall—1 "budget"	23"	21"	33/8"
Overall—4 regular	321/4"	201/4"	31/4"
Overall—2 recessed front	305/8"	223/4"	421/32"
Opening—1 "budget"	221/8"	20"	_
Opening—4 regular	31"	19"	_
Opening—2 recessed front	291/8"	211/8"	_



### *Hair)* ranges

Enjoy "comfort-level" cooking with a glamorous Flair Range. Designed to look built-in-actually slides in place between cabinets. Beautiful, practical Glide-Up Glass Doors. Surface cooking section slides open and shut like a drawer. Big oven space. Custom Imperial models feature new exclusive Tender-Matic roasting and Meal Minder automatic oven control.

Flairs—3 models	Width	Depth*	Height † ‡ (Including 27" high base cabinet)
Overall—2 single-oven models	30"	25"	621/4"
Overall—1 double-oven model	40"	25"	621/6"

\*Depth with surface cooking section extended: 383/8".
†Height with door(s) up: 697/8".
‡Total height with optional exhaust hood: 70". With ductless hood: 72".







### Compact 30 Rai

Fast, simple installation in or between cabinets. Complete oven and surface cooking facilities. Large "6-pie" oven (23" inside width). 2 models with glass doors. Recessed control panels for easy cleaning. Raised edges on cooking top to catch spill-overs. Frigidaire Colors, White, Brushed Chrome. Just announced: glass door model with Pull 'N Clean Oven.

Compact 30's—4 models	Width	Depth	Height
Overall	305/8"	223/4"	25%"
Opening	291/8"	201/2"	241/2"



Model RBJ-G535




#### **TWIN "30" RANGES**

Slide them in or between counters, and have the custom built-in look in short order! Double-oven convenience, "under and over" the surface cooking section. Bottom oven has spacious 23" inside width—handy glass "window" door on 2 Imperial models. Top oven is at eye-level height, with choice of Swing-Out or Glide-Up Glass Doors. Controls for entire range conveniently clustered at right of upper oven. Wide feature selection; choice of Frigidaire Colors and White.

Twin-30's—4 models	Width	Depth	Height*
Overall—2 Glide-Up Door models	30"	271/2"	66"
Overall—2 Swing-Out Door models	30″	271/2"	66"

<sup>\*</sup>Height with hood: 717/8".



Model RBGH-335

### Flair Wall Ovens

For stunning slide-into-the-wall installation. Choice of double or single ovens, all with Glide-Up Glass Doors for easier cooking, easier cleaning. Two models with illuminated, eyelevel control panels, all with pull-off knobs. Incomparable cooking features, such as Automatic Cook-Master, Roast Thermometer, and Broiler Grill available. Optional Rotisserie for Imperial models. Bright metal trim.

Flair Wall Ovens—3 models	Width	Depth	Height
Overall—2 single-ovens	3013/6"	17¾6″	2711/32"*
Overall—1 double-oven	4013/6"	17¾6″	2711/32"*
Opening—single-ovens	30%"	18½"	26"
Opening—double-oven	40%,"	181/2"	26"

<sup>\*</sup>Height with door(s) up: 34" approx.



### **DISHWASHERS**

For fast, easy under-counter installation. All-new design for beauty and superior dishwashing results. Exclusive Super-Surge Washing Action gets tableware really clean. New Cushion-Coated Steel Interiors. Vinyl-coated racks accommodate large, odd-shaped items. Many features for easier-than-ever front loading and unbelievably quiet operation. Big 14 table-setting capacity (NEMA). Choice of Frigidaire Colors, White, Brushed Chrome. Also comparable mobile models plus 2 budget-priced top-loaders.

Dishwashers—2 Under-counter models	Width	Depth*	Height
Overall	231/8"	DW-IUJ: 26¼6" DW-DUJ: 26¾6"	34¼"
Opening	24"	24"	341/2"

<sup>\*</sup>Depth with door down: 481/2".





### FOOD WASTE DISPOSERS

Ideal "after-meal" clean-up companions for Frigidaire Under-counter Dishwashers! (Or install alone.) Three models featuring easy, compact installation. Powerful, quiet operation. Food waste is liquefied, automatically flushed down the drain to eliminate worrisome, messy hand disposal.

Model DW-IUJ

standing Ranges in 30" and 40" widths

#### WASHERS AND DRYERS

Twelve free-standing electric washers and matching electric and gas dryers for work-free, automatic wash days. Washers feature powerful new Jet Action washing system, Jet-Away Rinse, Jet Spin, and giant tub. Also special feature selection. Dryers in 8 electric and 6 gas models offer wide feature choice. including two with Filtrator which eliminates venting and draining. Washers and dryers all available in Frigidaire Colors and Snowcrest White.

	Washers—Dryers—26 models	Width	Depth	Height
-[	Overall—12 Washers	27″*	261/4"	44" and 44%"†
-[	Overall—14 Dryers	27"	261/4"‡	421/8", 44" and 447/8"

\*When Washer lid is in horizontal position (fully opened), total width is  $39^{5/8}$ ". †When Washer lid is in max. vertical position, total height is  $53^{1}/4$ ". ‡When Dryer door is in max. open position, total depth is  $44^{1}/8$ ".





#### REFRIGERATORS AND FOOD FREEZERS

Beautiful free-standing refrigerators which range from 10 to 18.9 cu. ft. of refrigerated space-food freezers from 9.6 to 22.8 cu. ft. Defrosting is never required in Frost-Proof models. Exceptionally wide selection of capacities, sizes, and features. All refrigerators and food freezers powered by Frigidaire Meter-Miser Compressors. Wide offering of finishes and colors. Low-cost kits available to give many models built-in appearance. Food freezers may be selected from 8 upright and 4 chest-type designs, with color selection to match refrigerators.

Refrigerators-Freezers 39 models; 27 Refrigerators, 12 Freezers	Width	Depth	Height
Overall—17 Frost-Proof Refrigerators	30" to 33¾"	265%" to 30"	59¾" to 67"
Overall—10 Non Frost-Proof Refrigerators	24" to 32"	28½" to 30"	57½" to 64"
Overall – 3 Frost-Proof Freezers (upright)	32"	29½" to 30¾"	64", 69¾"
Overall—5 Non Frost-Proof Freezers (upright)	24" to 32"	29¼" to 30¾"	57½" to 70"
Overall—4 Non Frost-Proof Freezers (chest)	53¾", 70¾"	31½"	35¾″



### **ROOM AIR CONDITIONERS** F Model BW-615 installed in WMS-5 sleeve

Twenty nine models. Thirteen for thruthe-wall application, including three for "delayed" addition of air conditioner mechanism, using separate sleeve that permits virtually flush line-up with outside wall. Ten models may be quickly installed thru-wall with three adjustable brackets. Cooling only or cooling and heating. In addition, Frigidaire offers 16 window models, including one for casements. Cooling range from 5,000 to 19,000 BTU/HR (NEMA). Choice of 115, 230, or 208 v.

Room Air Conditioners 29 models	Width	Depth	Heig
Overall— 3 for "delayed" thru- wall installation with separate sleeve (sleeve dimensions shown)	26"	19%″	163/8"
Overall— 10 for thru-wall in- stallation using cabinet for sleeve	26"	(6) 19¾6" (4) 27"	(4) 16 (6) 16
Overall— 11 Standard window models	26"	(5) 19¾6" (6) 27"	(6) 16 (5) 16
Overall— 4 "Install Yourself" window models	(2) 25" (2) 26"	(2) 15½" (2) 19¾"	(2) 12 (2) 16
Overall— 1 casement	141/2"	261/4"	101/16"

Frigidaire reserves the right to change specifications or discontinue models, without notice.

For detailed information about Frigidaire Appliances, contact your Frigidaire dealer, or your architect, builder, or kitchen remodeler. Or write Frigidaire Division, G.M.C., Dayton, Ohio 45401.



 ${f FRIGIDAIRE}$ PRODUCT OF GENERAL MOTORS



### Warning!

### Weldwood teak paneling. It will spoil you for any other wall.

one glimpse. You'll love it.
ood® teak's easy blend of warmth,
e, and luxury is at home in any
ing scheme. Don't underestie mood-making power of one
even a single accent panel.
ugh.

I dare, feast your eyes on all 70 bod panelings. A 12' x 8' wall sic<sup>TM</sup> teak *does* cost about \$144. other real woods, the same

size wall can cost as little as \$25. Each is glowingly, knowingly finished by Weldwood craftsmen in 18 careful steps. See them at your Weldwood Headquarters dealer's. He's listed in the Yellow Pages under "Plywood." In Canada: Weldwood of Canada Ltd.

Come in and see our new Weldwood showroom at the United States Plywood Building, NYC.

# Only United States Plywood makes Weldwood® paneling.

Dept. ARR Box 61, Nev	AND THE PERSON NAMED IN COLUMN TO A COLUMN	
	me illustrated booklet, More Beautiful Homes." 5¢.	
Name		
Address		
City	State	Zip Code

Linited States Planyand



The HVI emblem guarantees trustworthy air delivery ratings. You'll find it only on range hoods and exhaust fans whose performance has been certified by independent tests at Texas A & M College. All are designed to meet FHA requirements. This emblem is now carried by two out of three range hoods and exhaust fans.

Send for free 12-page "Home Ventilating Guide" that keys air delivery ratings of fans to room sizes

and includes HVI recommendations on number of air changes per hour, types of exhaust fans and range hoods, location of fans and hoods, selection of accessories, installation of ducts.



Full information also available from HVI members: Aubrey Mfg., Inc. • Berns Air King Corp. • Broan Mfg. Co., Inc. • Emerson-Pryne Co. • Fasco Industries, Inc. • Kich-N-Vent Division, Home Metal Products Co. • Miami-Carey Division,

The Philip Carey Mfg. Co. • Nautilus Industries, Inc. • Nutone, Inc. • Roberts Mfg. Div., Rangaire Corp. • Swanson, Mfg. Co. • Trade Wind by Thermador Div. of Norris-Thermador • Ventrola Mfg. Co.

#### HOME VENTILATING INSTITUTE

1108 STANDARD BUILDING, CLEVELAND, OHIO 44113


For more data, circle 33 on Inquiry Card

#### WHATEVER HAPPENED TO THAT "MACHINE FOR LIVING"?

However rhetorical the question, it at least reflects our personal gratification that the work of so many outstanding residential architects is increasingly oriented toward elegance, imagination and environmental harmony. And we are even more gratified—albeit not unselfishly—by the high percentage of these architects who have recently specified Follansbee Terne on major projects. For Terne, its functional integrity validated by two centuries of use, is unique among roofing materials in that it provides both form and color at relatively modest cost.



"STORNOWAY", Ligonier, Penna.—featured in 1965 RECORD HOUSES. Architect: Winston Elting, AIA, Chicago, Illinois Roofing Contractor: Miller-Gyekis Inc., Pittsburgh, Pa.







FOLLANSBEE STEEL CORPORATION

Follansbee, West Virginia

Follansbee is the world's pioneer producer of seamless Terne roofing





# The more windows there are, the greater the reason for specifying

### Andersen Windows

At least a third (maybe even half) of the exterior wall area in the home you're designing right now is windows. No one can dispute their importance as a design element.

And the more windows you use, the more important it becomes to specify Andersen Windows.

Because Andersen Windows **complement your design** scheme... no matter how many you include. They don't stand out. Don't dominate. They do their job quietly... efficiently... more beautifully...without focusing attention on themselves.

Another point. The more windows your customers have, the more they will appreciate the **unmatched comfort**, convenience and carefree living their Andersen Windows afford.


They will thank you for selecting windows that operate smoothly, silently, effortlessly without a lot of fuss and bother. For **heating cost savings** of 15% or more this and every year.

They'll thank you for **extra convenience** features such as welded insulating glass that eliminates all storing, handling and washing of storm windows. Or removable grilles that pop in or out for easy window cleaning. And many, many more.

Check Sweet's File. Or contact your Andersen distributor for a complete Tracing Detail File on all **5 beautiful types** (hundreds of sizes).


### Andersen Windowals ANDERSEN CORPORATION • BAYPORT, MINNESOTA 55003

These 26 Andersen Windows are exact duplicates of the windows in this Bloomington, Minnesota home designed by Robert F. Ackermann, AIA, St. Paul, Minnesota.



Rounding out an idea. This California home, a classic combina of wood and glass, looks as if the site were built for it, inst of its having been built for the site. Architect: Mario Corb

# For homes in the sun, in the shade, on a summit use the uniqueness of WOOD



ying it straight. Laminated beams support the wood sun deck of seaside home. 18' panels in left center can be drawn across it. Architects: Tucker Sadler & Bennett, A.I.A., San Diego.

Regardless of locale, wood imbues homes with the lines, the luxury, the lasting qualities that clients long for . . . and look for. In making a point, rounding out an idea, or playing it straight, wood is the one medium that always assures highly successful results.

Easily adaptable to any site, readily available in any regron, wood offers advantages far above and beyond its cost. Wood's acoustical qualities muffle sound. Its insulation qualities shield against heat and cold. And, the beauty of wood's many species, tones, and textures lasts for many lifetimes.


Indoors or out, upstairs or down, wood is the most reliable way of expressing your ideas . . . tried and true, or bright and new. Wood's versatility encourages its easy adaptation to newly devised systems of planning . . . like UNICOM, which helps reduce on-site time and costs.

For more information on using the uniqueness of wood, including a free booklet describing UNICOM, write:


NATIONAL LUMBER MANUFACTURERS ASSOCIATION Wood Information Center, 1619 Massachusetts Ave., N.W., Washington, D.C. 20036

nlma

find the better way with Wood



ing a point. Cantilever roof spreads its protecting wings over this treeed contribution to modern, comfortable living. The vertical wood g adds special beauty to the total concept. Architects: Anshen & Allen.



Huge 59" x 189" Therm-O-Proof insulating glass units in Grosse Pointe Shores, Mich. "Record House." Architects: Meathe, Kessler & Associates, Grosse Pointe, Michigan

# This is Therm-O-Proof insulating glass "design flexibility."

What does Therm-O-Proof "design flexibility" mean to you?

To architects Meathe, Kessler & Associates it meant freedom to incorporate the beauty of lakeside surroundings into their design by the use of immense insulating glass areas, without sacrificing winter or summer comfort.

But unusual size is not all. THERM-O-PROOF insulating glass comes in over 200 other combinations and configurations: pink, bronze, grey, figured,

cathedral, tempered, triangles, parallelograms, circles, and now even curved insulating glass units.

When glass becomes a part of your project, consider the "design flexibility" of THERM-O-PROOF insulating glass for your freedom of design.

Each THERM-O-PROOF unit is supported by a 10 year warranty.

See our Catalog

7a
Th

In Sweet's Architectural File

For more data, circle 36 on Inquiry Card

Made more ways to fit more ideas.



Thermoproof Glass Company Detroit, Michigan 48210 Subsidiary of Shatterproof Glass Corporation World's Largest Independent Manufacturer of Automotive Replacement Glass.



SIMPATICO Furniture by
HERITAGE
FURNITURE CO. HIGH POINT, N.C.
at leading furniture & department stores

### Provence Floor Tile by Ludowici

For complete information on special shapes quarry tile write: Dept. RH



LUDOWICI-CELADON CO. 75 E. WACKER DRIVE, CHICAGO, ILL. 60601

Manufacturers of quarry tile, the nation's largest producer of roofing tile and NAILON Facing Brick



### JUST A FEW GOOD REASONS MORE AND MORE ARCHITECTS ARE SPECIFYING

# REA hirlpool RANGES



**Built-in electric ovens and cooktops.** Choose single or double ovens along with four matching cooktops.



• Built-in gas ovens and deluxe cooktop feature the exclusive Blanket-O-Flame® burner. Choice of 30" or 24" ovens. Easy to install.



• New electric set-in ranges in 24" and 30" widths. So easy to install; simply hang from the countertop; no bracing is required.

New features
... new styling
... wide selection
plus choice of gas
or electric models

Designed to satisfy the whims of any customer or needs of any builder. Fresh new styling and new features that let you sell easier cooking . . . easier cleaning. Also one dependable source for a full line of gas or electric appliances can save you time and paper work. You deal with one man, sign one order, get undivided responsibility, plus a brand name your prospects know and respect. Call your RCA WHIRLPOOL distributor now for complete details.

(See the Alan Steinert home on page 110)

RCA WHIRLPOOL Appliances are Products of Whirlpool Corporation, Benton Harbor, Michigan. Trademarks RCA and 🎯 used by authority of trademark owner, Radio Corporation of America.

### RECORD HOUSES OF 1965

1965 marks the tenth anniversary of Record Houses and its ARCHITECTURAL RECORD Awards of Excellence for House Design. It was launched in 1956 as an extension of ARCHITECTURAL RECORD's continuing purpose of recording and stimulating design progress. On the documentation side, the decade that has passed since the first issue reinforces, once more, the fundamental value and durability of good residential architecture: a review of the houses included in Record Houses of 1956 reveals an undiminished freshness and livability in each of them.

As for design progress, in the course of preparing this tenth edition we were extremely impressed by the present general high level in house planning and design, and by architects' creative ingenuity in providing for more privacy, quiet, living space and convenience. The search for the 20 houses for this year's awards proved to be more a close evaluation of many, many good designs than a "search." But of them all, we believe the 20 houses selected represent the best in a cross-section of design and plan types, cost range from modest on up, geography across the nation, and of the work of new and established architects. We are proud to present our award to the owners and architects of each of the houses shown here.

As before, Record Houses will be available to the public in a bookstore edition, and will be distributed to the nation's 20,000 foremost builders to accelerate the healthy trend toward greater architect-builder collaboration.

Five of this year's awards again go to well-designed development houses, and it is rewarding to note the many "custom design" planning and design ideas that are being incorporated to make them more comfortable, economical and attractive.

As George Bain Cummings, then President of the American Institute of Architects, wrote in Record Houses of 1956, ''here (one) may observe real evidence of easier, healthier, safer and more enjoyable living through architecture.''

Herbert L. Smith, Jr.

ARCHITECT: JOSEPH J. SCHIFFER

Residence for Mr. and Mrs. Joseph J. Schiffer

Concord, Massachusetts

Engineers; William Thoen - Le Messurier & Associates

Heating and Ventilating Consultant: Victor Pesek

Contractor: Joseph Zaffina

JOSEPH W. MOLITOR PHOTOS




### BOLD ROOF EXPRESSION FOR ARCHITECT'S OWN HOUS

An extremely strong and individualistic handling of the roof-ceiling formation characterises Joseph Schiffer's design for his own house. Three wide, plywood box beams, supporting two bands of acrylic skylights, are the main elements in the roof structure. From the exterior, the two outer beams appear as wide roof 'channels' in which an unusual balance is established between the upward projections which support the skylight framing in the center of the roof, and the overhang along the sides of the house, which serves to shade the glass and give protection from excessive brightness and glare. The overhang is in turn balanced by an extension of the floor of the house to form an open porch going the whole way round the building.

The plywood roof beams are equally dominant inside the house, where they define each of the main living areas, and give an extraordinary sense of stability and permanence to the structure. Skylights running the full length of the house on either side of the center beam, throw light into the middle of all the living and family rooms and prevent the ceiling structure from appearing in any way heavy or oppressive.






#### WALL ENCLOSURES CLEAR LARGE LIVING SPACES

Describing how the plan was evolved, Joseph Schiffer said: "the plan of the house is generated from the enclosure of all secondary functions, such as storage, closets, baths, and alcoves for the display or containment of works of art. The primary areas are the open living spaces created in between the closed walled forms of the secondary service areas." These U-shaped walls, which support the plywood box beams are built of stud framing with plasticfaced plywood exterior surfaces and with a similar gypsum-plaster panel surface on the interior. This wall arrangement has the advantage of leaving room spaces clear and uncluttered and also of providing attractive alcoves for plants, pictures and small pieces of furniture. From the outside, the wall alcoves give an impression of solidarity to balance the bold expression of the roof structure. Glass areas between the alcoves give glimpses of the outdoors. The cost of the house was approximately \$35,000, excluding lot, landscaping and furnishings.








JOSEPH W. MOLITOR PHOTOS







The architecture of the South, most vivid characterized by the neo-classical period, heen dramatically restated and revitalized Paul Rudolph in this imposing southern vil Despite the dominant use of classical forn the repetition of the curved shape in stairwa and balconies evokes a certain romantic aud The stairs seem made for the sweep of a begown, and the balconies for twilight serenad

The house is set on a podium from which r the 32 circular brick columns. A long, curv drive leads to the front of the house, which for the most part solid and quite private. Curv steps on the south side take one to the ent The almost startling whiteness of the house against the surrounding greenery is once agatypical of neoclassical southern homes.



ARCHITECT: PAUL RUDOLPH

Residence for Mr. and Mrs. John Wallace


Athens, Alabama


Structural Engineer: John Altieri

Mechanical Engineer: Herman J. Spiegel

### VIVID RESTATEMENT OF SOUTHERN NEO-CLASSICISM

ALEXANDRE GEORGES PHOTOS







#### OPEN COURTYARD EXPRESSES UNITY OF DESIG

The central court, around which the whole of the Wallace house is planned, is perhaps the most imposing part of the design. Here all the different elements in the design are brought together; curved stairs, columns, the long porch can all be clearly seen from the court. As this area is open to the sky, variations of bright sun light and deep shadow are seen here to full advantage.

Describing the structure of the house, the architects said "The materials are unified, cement-like; brick exterior and plaster interior, although marble from an old Alabama courthouse was installed where cost would allow. The columns are not made of special radial brick but standard brick laid on edge." The house has a wood stud frame and floor joists and a built up roof. Offwhite plaster interior surfaces enhance some very nice period furniture. The cost was \$90,000.











XANDRE GEORGES PHOTOS





#### ARCHITECTS: FREDERICK LIEBHARDT & EUGENE WESTON

Residence for Mr. and Mrs. Nevin Wi

Del Mar, Califor

Structural Engineer: John Kariotis & Associ

Contractor: Syd Neuhau

DOUGLAS SIMMONDS PHOTOS




### A HOUSE PLANNED FOR LEISURE, EASY CARE AND RETIREMENT

This festive, informal house seems to amply fill the owners' requirements: a home for present active family life, and one equally suita for eventual retirement. Provision for low matenance, servantless living and a restricted but et were also vital.

As built, the house is relatively small (19 square feet of enclosed floor area), but wo as well and appears as large as many quesizeable ones. Part of this is due to the opness of the plan, and to the concentration one really big room (shown here and in co on the cover). It was also constructed for reasonable cost, about \$30,000.

The house incorporates a number of "reso facilities, including swimming, ping pong, liards, outdoor dining and facilities for frequ small social gatherings. The kitchen was ca fully located in a central position to serve cing room, living room, recreation room a poolside with equal ease at minimum distan All major living areas look out to fine vie




SMALL ADJOINING AREA VARY AND DRAMATIZE THE BIG LIVING ROOM

DOUGLAS SIMMONDS PHO


The site of the Wiley house is a deep, narrow one, falling abruptly to the East and South. The "T" shaped plan was oriented to provide both sun, and shelter from the prevailing wind, at the pool area, as well as relate to the views to the East and West. The architects describe the house as "a two-level, open plan with mezzanine bedroom and two-story living room. Forms and materials are kept simple, with aesthetic impact derived from interflowing volumes and spaces." Thus, the master bedroom adds its space visually to that of the big living room, and shares in the views through the tall glass walls. If more privacy were desired in the bedroom, it would be a simple matter to install a short folding partition on top of the balcony counter-railing. A bedroom and bath for a teenage son adjoin the recreation room on the lower level. For retirement years, these three rooms will be used as guest bedrooms. Materials are: redwood, terrazzo, marble counters, and mahogany cabinets.




















FRANK LOTZ MILLER PH

#### ARCHITECT: HOWARD BARNSTONE AND PARTNER, EUGENE AUI

Residence for Mr. and Mrs. John M


Houston, 7

Structural Engineer: R. George Cunning

Contractor: Ivanhoe Construction Com

Landscape Architect: Thomas Ch

Interior Designer: Wells D



#### TREETOP" LIVING PAVILION OF STEEL AND GLASS


steel and glass living-dining room, which ms almost to be suspended among the trees, inquestionably the most dramatic feature of at is in any case an unusually interesting eme. The enormous living pavilion consists a 55 foot by 30 foot steel truss resting on r 4 foot by 4 foot brick columns. The hitect said that the unusual shape of the 1 framing was governed by engineering contrations, but this has the effect of enhancing appearance of the structure and preventing poking like an oversized glass box. Detailing execution have been meticulously handled, wing how effectively steel can be used in nestic architecture.

Inside, the living room and dining room


together form one of the most impressive interior spaces in this year's Record Houses. The glass is tinted so that sunlight is never accompanied by glare. Shades are provided for additional protection when required. The Mahers' collection of antique furniture has been used to great advantage in this eminently 20th century setting. The furniture has been placed in contemporary groupings, and great care has been taken not to over-furnish so that the effect of the space is in no way impaired.

The architect says that the house was conceived of in two masses, the front mass containing entry, bedrooms and all family spaces, while the back mass consists of the huge living room, with a parking space beneath.





AIR CONDITIONING IN FIVE ZONES FOR MAXIMUM CONTROL AND EFFICIENC





hough the living pavilion is the highlight he Maher residence, the rest of the house lso very well planned and provides a great ety of unusual living areas. The master room suite is particularly luxurious, conng as it does of two large adjoining ms, one with a spacious dressing room the other with a private gymnasium ched. A library between the two bedms makes a convenient place for quiet study. Wherever possible balconies are vided overlooking the trees and a small ou or creek. The children's entrance on


lower level gives convenient access to

r bedrooms.

The mechanical system for a house of size is important and presents certain plems. The architect describes how these solved: "the mechanical system ines five separate cooling systems intersected by hot water heating and a competurn through the shallow 'attic' been floors. The purpose of the separate ems is that the house be not vulnerable otal breakdown in the event of failure single compressor. With the common rn, one of the systems may be inoperaand the house would still be livable. In a system also provide a natural of 'zone' control."

Interior walls are gypsum board, plaster yood paneling. Ceilings for the lower are wood; for the rest of the house stic plaster is used.





ARCHITECT: GENE LEEDY

Development House for Levitt & Sons, Inc.


Rockledge, Florida

Contractor: Levitt & Sons, Inc.

Interior Designers: Phill Hall Interiors


One of five prototypes designed by Gene Leed for Levitt and Sons (and the only one built ar for sale so far), this house marks some fir steps forward in planning for development houses. Simplicity, combined with the use standard materials also make it the least e pensive of this year's Record Houses. It priced for sale at \$20,990, which includes was er and kitchen appliances, lot, landscapin architectural fees and all closing and settleme costs, and central air conditioning. It is reported that public interest in the house has be high, and the sales volume satisfyingly goo

The security and privacy provided by walle in courtyards in a development is one of t key factors in the success of the house. T basic idea is hardly new—there have been ma variations on the use of courts in our past sues, and several in this one. But probably t most simple and effective of all is the use he straightforwardly flanking a glass-walled how with courts at front and back. The visual spa of the house (and in good weather, the usal space) is trebled. The carport is set in front the house compound, but connected to it by covered walk. A simple, but dominant roof been added to strengthen the architectural chacter, and to keep it from appearing awkwa






DOOR ROOMS TREBLE SPACE IN BUILDER HOUSE



The courts and room arrangement of this hor for Levitt and Sons is expressly planned to p vide outdoor space for play off the three cl dren's bedrooms, and a separate terrace at front for adult entertaining. A fin wall a screens the play area from the living room at back. Flowering vines are planned to cover compound walls to soften any present auster

The plan of the house is fairly straightforw and well zoned. The kitchen is centrally and c veniently placed, and flanks the two baths plumbing economy. And for the number of roc it serves (including a laundry "closet"), the l hardly seems disproportionately long. A fa impressive little entry has also been created, v an iron gate, flowers and a small foyer lead into the living area. The circulation path for the entry to the bedrooms unfortunately has cross the living area—but, no doubt the "far entrance" to the house will be via the carp

The structure is built with plywood girders on the concrete block bearing walls, and supping wood trusses. Exterior surfacing includes block, brushed cedar siding and asphalt shir roofing. The interiors are drywall construct and the floors are terrazzo.




CAREFUL ZONING ADDS CONVENIENCE TO AREAS INDOORS AND OUT





ALEXANDRE GEORGES PHOTOS



#### ARCHITECTS: EARL R. FLANSBURGH & ASSOCIAT

Residence for Professor and Mrs. Harry C. Ga

Weston, Massachus


Structural Engineers: Souza and T


Mechanical Engineers: Francis Associa

Contractor: Costa Limbera

Landscape Architect: Carol R. John

### MUSIC ROOM IS DOMINANT FEATURE OF HOUS





hen planning a house around one important central requireent, it is sometimes a temptation for the designer to concentrate s chief efforts on fulfilling this central need, and to some tent to sacrifice the rest of the house to the perfecting of the ain theme. Most people are probably familar with the "hi-fi" ruse, in which one area is acoustically treated for the perfect production of stereophonic sound, but the rest of the house lives something to be desired. One may enjoy many hours tening to concert music in such a house, but lack of detailed anning of other areas may make ordinary living somewhat amped or uncomfortable, or may result in certain aesthetically pleasing features. Of course, budget limitations and particular cumstances make some compromises inevitable, but unfortutely planning deficiencies of this type cannot always be excused

these grounds.


Earl Flansburgh's architectural solution for the Gatos family ectively avoids these pitfalls. The scheme admirably fulfills e central requirement—the provision of a large music room a house which is practical and pleasant for family living, as ll as being aesthetically satisfying. Professor Gatos is a keen nateur musician and he needed a music room which would commodate fairly large groups for informal concert evenings. e room also serves as the main living area in the house, and ids itself readily to other forms of entertaining. The lower part the ceiling above the piano and the harpsichord acts as an coustical reflector and also, through contrast, enhances the ight of the rest of the room. The glazed area connecting the w and high ceiling heights lightens the room and throws sunht up on to the unpainted, sand-finish plaster ceiling. Interior lls of painted plaster form an effective background to a collecn of paintings by Jack Wolf and George Dergalis.

The zoning of the plan integrates the music room very well the rest of the house, but at the same time allows the nily rooms and bedrooms to be completely closed off; everyy family routine can continue and the children can sleep

thout being in any way disturbed by the music.



### WELL-PROPORTIONED FURNISHINGS INCREASE THE SENSE OF SPACE









The effect of dramatic space inside a house is too often marred by an unfortunate choice of furniture. In this case, however, the furniture is both comfortable and practical, but has been carefully chosen to emphasise the space rather than detract from it. The free standing closet in the dining area serves to shield the dining table from the entry hall. The room has a quiet, rather formal air, but can be quickly brought to life when the curtains are drawn back, or when an informal concert is in progress. Steps connecting the dining platform with the lower level can be used as an informal seating area. A sheltered deck outside the family room makes a pleasant spot for having meals out of doors. Attic space above the bedroom wing can be converted into an additional bedroom.


LOUIS REENS PHO





architect had the advantage of plang the Gatos house on a well-wooded beside a pond, but the house actually ns to enhance the natural scene. The ked roofs, which express the high ceilin the music room and attic space ve the bedroom area, give form and ince to the structure. Shadows from surrounding trees are strikingly reflected the white-painted pine exterior walls. large sculpted mounds serve to shield house on the street side, so that conrably privacy is afforded. A detached age is situated near the entrance drive. struction is wood frame with stud bearwalls and joists, on a poured concrete ndation. Exterior walls are unplaned siding in ship lap pattern. The cost approximately \$75,000.





ARCHITECT: ALFRED N. BEADLE, DAILEY ASSOCIA

Residence for Mr. and Mrs. Alfred N. Beadle

Phoenix, Arizona

Contractor: Len Pritchard


# A MODULAR STEEL FRAME RAISES HOUSE ABOVE SEASONAL FLOODS

An asset was made of a difficult site problem in this trim house. The lot was chosen because of its desirable location and its undulating grades. However, it was a natural "wash" which carries off seasonal run-off water from the neighboring hills. To cope with it, the architect simply left the site undisturbed as a natural, pristine rock garden, raised the house on steel stilts, and enjoys the periodic streams running through. The entrance drive and pool terraces were built up a bit, with block retaining walls, so they would not flood during run-off times. Raising the house itself gave an added bonus in gaining elevation to take advantage of a nice view to the south.

The design of the house contrasts a rather sophisticated, hard-edged structure with the natural rocky environment. It is totally contained in an exposed, modular steel frame with bays measuring 12 feet 4 inches by 14 feet 4 inches. The bays are used open or closed as the plan warranted, for rooms, terraces and planting areas. Enclosing walls are sliding glass doors or panels surfaced with cement plaster. Rooms or terraces were planned to exactly fit a one or two bay space. The extensive use of glass walls and integrated outdoor spaces visually enlarges all the living areas in the house. Two combination heating and air conditioning systems (one three-ton, one five-ton) join with sensible zoning in the plan to provide a very liveable house for Mr. and Mrs. Beadle and their five children.









In his own house, Alfred Beadle used the regular, disciplined bay spacing as a "design motif" throughout the raised or builtup areas of house and grounds: the same module is used for dimensions of planting beds, drive and the like. In these areas, planting is carefully controlled to contrast with the natural site - a device which considerably reduces the maintenance required for the grounds. It would be possible, if desired at a later date to enclose some of the open deck areas in the house to enlarge some of the existing spaces, or to add new ones. As built, the house has 2400 square feet of interior space, and 4800 square feet of roofed space; quite a bit of luxury was included for a construction cost of approximately \$37,000, excluding lot and landscaping.


The steel structure supports wood joists topped by plywood sheathing for floors and roof. The surfacing for the roof is a 4-ply built-up one; carpeting is used on the floors of most living areas. Four-inch batt insulation is installed in floors and ceilings as a thermal barrier.

All the interiors are finished with painted gypsum board, except the big family-room-kitchen, which is surfaced with walnut. All the baths are interior ones, daylighted by domed plastic skylights. All the utilities of the house are ranged along the central bays to form a sort of extended "service spine". In addition to the generous storage provided in each room (including a good-sized dressing room for the master bedroom), there is a commodious storage "house" flanking the garage.



# DOOR AND OUTDOOR SPACES FORM A CLOSELY LINKED COMPLEX





ARCHITECTURAL RECORD HOUSES OF 1965

ARCHITECT: WINSTON ELTING

"Stornoway," Ligonier, Pennsylvania

Associate on the Job: Robert H. Burdett


Engineers: G.A. Mattern & Associates

Contractor: F. Hoffman Co.

Landscape Architects: Franz Lipp & Associates

Interior Decorator: Catherine G. Rawson

## COUNTRY HOUSE HIGHLIGHTS REGIONAL QUALITIE




Although "Stornoway" is a country house very much in the contemporary idiom, it nevertheless has strong roots in a tradition of country house design dating as far back as feudal times. The imagination of many of today's leading architects has been caught by village and farm house designs in Europe, and a number of them have translated these forms into modern techniques and materials and have used them as a basis for their personal architectural expression. Concern with shed roofs, concentration on light and shade, high sloping ceilings, often with skylights in the roof angles, are typical of this approach and can be seen in Winston Elting's strongly individualistic handling of an accepted theme.


Approaching the house through rolling farm country and entering the paved courtyard as the


afternoon sun throws long shadows on the gran paving and the stone walls are mellow in sunlight, one has the impression of coming t house which has been an integral part of surroundings for many years. It is almost feeling that one might have on approaching farm house in the Cotswolds. The unselfconsci regional quality of the house was quite deliber and was in fact built into the program, wh stated that the house, though very large, sho appear to belong to the natural landscape a should at all costs avoid the overpower impression of a large estate. The use of lo stone for the walls, the quiet dark gray te roof, the massing of the building around a c tral courtyard, are all factors in the archite success in meeting his clients' requirements.



JOSEPH W. MOLITOR PHOTOS








In order to accommodate second story windows without the need for dormers and to maintain the uniformity of the roof pitch, the stone walls have been recessed at these points. This has the effect of putting the exterior walls on two or more planes and creates an unusual play of light and shadow. Inside the house, the narrow windows with the stone detailing between them, rough stone walls and fireplaces, which contrast effectively with the light-colored sand-float plaster of the other interior wall surfaces, create an impression of warmth and intimacy without in any way detracting from the wonderful sense of space.


Although the house has a pleasant, informal, rambling quality, the plan is sufficiently compact to work very well as a complete unit. The variety of forms have a logic and cohesion which enable them to operate visually and functionally as an integrated whole.




JOSEPH W. MOLITOR PH

### UGE, RAMBLING INTERIOR SPACES FUNCTION AS COHERENT ENTITY









#### ARCHITECTS: J. WEST AND ASSOCIATES

Development house for The Arvida Corporation

Sarasota, Florida

Contractor: Jack Lavender

Landscape Architect: Lane Marshall

Landscape Architect. Lane Marshal

Interior Designer: Phill Hall

The distinctive serenity of this house, designed for a waterfront subdivision on Bird Key in Sarasota, is a generous cut above the somewhat chaotic architecture of many houses built for sale. Instead of the usual tendency to gain effect by using too many coatrasting materials and colors in the structure, the architect has emphasized his design by limiting the choice of materials to only two: the concrete brick of the walls, and the shingles of the roof. The "effect" is achieved by the quiet relationships of the forms of the house itself. Curved, hipped roofs add a touch a little out of the ordinary, with one sheltering a carport that is unusually well integrated with the overall design of the house.


The air of serenity and privacy continues within the house as well. Walled and screen-topped patios, or "Florida rooms", surround the house on most of three sides and shield the interiors and terraces from neighboring houses and the street. The fourth side opens onto the water at the back. Thus the glass walls of the house open only on the private patios and the view; one hall window looks onto the drive.

# ATIOS AROUND DEVELOPMENT HOUSE ADD PRIVACY

LIONEL MURPHY PHOTOS










In the handling of the interior spaces of the ho Jack West has used a number of interesting vices to make the rooms seem larger than t are. The laminated wood beams and decking the roof are left exposed to carry the eye upw with the sweep of the curve; the screened roof the patios similarly carry the view upward. least one wall in each room is of sliding glas open the area outward both visually and physic: and in the opposite direction each room leads a more constricted passage giving hints of sp beyond. A folding partition separates the li and service areas, permitting their use togethe apart. A brick floor carries through from the pa into the living room, foyer, hall and kitcher give unity to all these spaces when used toget


The house is well zoned for convenience privacy. Each bedroom is planned "hotel fashi with dressing area and bath near the entra giving the room itself double use as a sitting a Banks of closets and baths help reduce noise to mission from the living and service areas. "asking" price of the house is \$60,000 with landscaping and air conditioning.

#### PEN PLANNING AND CURVED CEILINGS ADD TO SENSE OF SPACE










BALTAZAR KORAB PHO

The regular spacing of a 15-foot column mod has been used in this handsome house to crea a big variety of related spaces: different are are made up of either one, two or three modul and some have snug, low ceilings while oth rise to the roof some 18 feet above. The badiscipline of the module is always appare and emphasized by the concrete columns.

The exterior is enclosed by panels of a minum-framed glass, or of cypress with a nati finish. Two of the modular bays at the back the house are not enclosed, to form porc and balconies sheltered by the wide overha of the roof. To take advantage of the view Lake St. Clair, the rear facade is entirely gla the other three sides are more enclosed for vacy from street and neighbors. The fenestrat on these three sides makes use of an arcl form for added interest - and they are inver in a somewhat whimsical manner on the second level. In addition, a band of glass is pla around the house, between the exterior v panels and the roof, to accent the light s pin supports. The well studied relationships all these elements, and neat detailing, comb into a pleasantly unorthodox design.



# IODULAR SCHEME PROVIDES DISCIPLINED VARIETY

#### ARCHITECTS:

MEATHE, KESSLER AND ASSOCIATES

Residence for Mr. W. Hawkins Ferry
Gross Pointe, Michigan


Landscape Architect: Johnson, Johnson & Roy

Contractor: George Crane, Inc.




#### NEAT DETAILING HIGHLIGHTS LIVING AND SERVICE AREA











Ferry house had two major program rerements in addition to the usual living facils: to provide means to exhibit an impressive collection; and, sufficient air conditioned ce and facilities to accommodate large numbers people at parties. Both seem to have been ieved without any sacrifice of everyday livity.

To give maximum play to the colors of the ntings, neutral colors are used throughout the ise, with all materials simple, textured ones. 1, with the exception of some antiques in the ner's collection, the architects selected trim, temporary furnishings. Walls are sand plastered painted beige; ceilings are white acoustical ster, except for parket walnut flooring used for ceiling over the living room "conversation " Undyed wool carpets are used throughout principal areas of the house, except for gold pet in the dining room, terrazzo in the enice, and vinyl in the kitchen, tile in the baths. nediately in front of the living room windows ch face the lake, there is a terrace constructed "mural" of hand glazed bricks in shades of , black and white, and designed by Glen haels.






A "provocative house" for an average family of four, "who want a house above the caliber of the tract home but can not afford a truly custom house with all the rooms and space they desire," was asked for by the Los Angeles Times and the Southern California and Southern Counties Gas Companies, who together sponsored this scheme.

The architects fulfilled these requirements within the limits of quite a strict budget by intelligent split level planning, which took full advantage of a sharply sloping site "to achieve a flow of space between rooms," making the

house appear larger than its 2350 square feed. The living-dining area was conceived as "universal pavilion" connecting and unifyi other elements of the house. "Every effort was made" said the architects" to have this spatch appear very large and free. Towards this ear formal entry was sacrificed in the interest achieving a larger living space." The mass bedroom leads off the living room, a half-lead bove it, so that the two areas "contribute a common volume," but the bedroom has visu privacy. Decks outside the living room a master bedroom further extend the living are:

LELAND Y. LEE PHOTOS





# IMAGINATIVE SPLIT-LEVEL PLANNING

#### CHITECTS: TERNSTROM & SKINNER

Development house for Louis M. Hickey and John Barr
South Pasadena, California
Partner in Charge: Robert H. Skinner
Structural Engineer: Joseph Kinoshita
Mechanical Engineer: Paul Bennett

Contractors: Louis M. Hickey and John Barr
Landscape Architect: Henry Soto

Interior Designer: Roger Pendelton Wood




### SYMPATHETIC HANDLING OF DETAILS GIVES HOUSE WIDE APPEA



LELAND Y. LEE PHOTOS





Robert Skinner's care and imagination in detailing raises this house above the level of the majority of development houses, and makes it adaptable to the needs and tastes of different families. Such touches as the clever concealment of the laundry facilities in the family room on the lower level, and the two-way alcove connecting the children's bedrooms so that they can be one large, or two smaller rooms as desired, are evidence of this attention to detail.


Structure of the house is Douglas fir framing with structural steel columns and fascia in the living room. Rough-sawn redwood and plaster are used for exterior walls. Central gas air-conditioning provides both heating and cooling. Cost was \$36,000.











### LIGHT PYRAMIDS ADD DRAMA TO FLEXIBLE SPACE

Variety and change form a neat synthesis with restraint and dignity in the design of this lake-front house in New Orleans. As the architect has commented, "its as near 'monumental' as a house ought to get." But the strength of its forms has been achieved with great spiritedness and is never heavy handed.

As a center for the family of five (there are three teen-age sons), the plan focuses on an extremely effective living area. It is, as the architect says, "one really nice, big, expansive, variable, flexible space." At the back of the house, toward the lake view, the room is walled with glass and set in a sunken area to be developed as a "water garden". Tall ceilings are expanded further upward by roof "pyramids" topped with skylights. Two revolving partitions in the center of the space can be closed to create separate sitting and play rooms

—one for the adults, one for the children. play room thus created is overlooked by a leading to the children's bedrooms on upper level. In the sitting area, the fireplach handled in a rather unusual way, with a festanding chimney (which also supports the reset outside the glass wall, and the fireplies cantilevered through the glass into the room of the standard of

To effectively contrast with the big liveroom, and to create a better sense of zon the other spaces in the house are at a hig level, smaller, lower ceilinged, and more closed. Even the dining room and study, whave one wall of glass, focus onto the coof the water garden, rather than out to the view of the lake. The kitchen and other ser areas are grouped in a wing by the dining roand the master bedroom suite flanks the stat the other side of the house.



FRANK LOTZ MILLER PHOTOS


ARCHITECT: CHARLES COLBERT of COLBERT, LOWREY, HESS, BOUDREAUX, FARNET

Residence for Mr. & Mrs. Victor Kirschman


New Orleans, Louisiana


Associate on Job: William J. Hess Jr.


Contractor: Richard F. Goodyear Inc.




FRANK LOTZ MILLER PHOTOS








#### NTILEVERED WINGS AND PLYWOOD WALLS LIGHTEN THE DESIGN



Most partitions in the house are surfaced with painted gypsum board, as are all ceilings except in the big room, which is finished with acoustical plaster. Floors are brick in living areas, tile in the service rooms. The house has year-round air conditioning, and a swimming pool off the play room. The cost was about \$110,000, excluding lot, landscaping and furnishings.





SECOND LEVEL



POOL







ROBERT C. LAUTMAN PHOTOS

## REMARKABLE SPACE AND HEIGHT IN SMALL HOUS

ARCHITECT: HUGH NEWELL JACOBSEN

Residence for Mr. and Mrs. Alan Naftalin


Riva, Maryland

Engineer: Carl Hansen

Contractor: Fishman Construction Co.

Perched on a wooded hillside, 40 feet above Beard's Creek, Maryland, this little house was designed by Hugh Jacobsen for the owners' weekend and summer use, but many people would be happy to regard it as a permanent home. Indeed the house, which is fully heated and air-conditioned, has been planned for the possible addition of two bedrooms and a bath in another building of similar design, should the owners decide to live there all the year round.

Although the house is really quite small— 32 foot square—it achieves a remarkable sense of height and spaciousness. A cypress deck on three sides of the house extends the living areas right into the trees and over the water, so that sitting there one has the impression of being in a tree house. High white ceilings, clean cut lines, simple well-designed furniture, the vertical ribbed effect of the cypress strips on the walls of the entrance hall, which take the eye right up to the plastic skylight in the roof, all combine to give this spacious feeling. The roof is framed by a 3/8 by 1-1/2 inch steel tension ring going around the entire perimeter of the house behind the cypress facia. The 1/2-inch exterior plywood roof sheathing acts as a skin tying the entire roof into one unit.







CARE IN DETAILING GIVES CRISP, UNCLUTTERED INTERIORS

ROBERT C. LAUTMAN PHOTOS








The compact plan works very well for Mr. and Mrs. Naftalin and their two small sons. The boys' bedroom which is only 6 feet 8 inches long by 6 feet wide, has two built in bunk beds at the level of each of the cast-bronze porthole windows. The door to this room is concealed in the cypress paneling in the hall. Leather thongs serve as pulls for this door and the doors to the powder room, clothes closets and laundry. The master bedroom and kitchen at opposite ends of the house, can be shut off from the living-dining room by plastic faced sliding doors. The shower serving the master bedroom has a concealed door opening onto the deck to allow swimmers to use it without going through the house. The raised entry hall is connected with the living room by a small spiral stair of 4-inch-thick laminated oak, stained walnut to match the walnut-stained oak flooring. The structure of the house is wood frame with walls of unfinished, tidewater red cypress, and a roof of ceramic tile.

A partial lower level is used for utilities and storage. The underside of the deck is fitted with a bank of fixtures to light the trees and erase interior reflections at night. These lights are controlled from the living room. The cost of the house, excluding lot, land-scaping and furnishings was approximately \$32,000.



#### ARCHITECT: WILLIAM MORGAN

Residence for Mr. and Mrs. David G. Rawls

Jacksonville, Florida

Structural Engineer: James N. Hutchinson


Mechanical Engineer: James N. Sampson

Contractor: Vernon Prevatt

ALEXANDRE GEORGES PHO



# A CANTILEVERED UPPER FLOOR INCREASES SPACE




In addition to their spectacular effects, cantilevers can help cut costs and add space in a house. This trim, well planned structure is supported by two stone "service towers", which contain baths and utilities. Steel-frame roof members cantilever twelve feet out from the towers at either end, supporting the second floors below by hanger rods, and sheltering the two carports beneath. Within, space is added for two bedrooms, while limiting the foundations to a relatively small area.

The house is arranged in three zones, each with its own airconditioning and heating system: living areas on the first level; and bedrooms for parents and children at opposite ends of the second floor, separated by the two story living room. Banks of closets and baths, vertical blinds, and acoustical ceilings help insure privacy. A four-foot-wide deck shades the glass walls of the east elevation, and gives exterior access from pool to bedrooms by way of circular steel stairs at either end. Windows are minimized on the front of the house.

The living areas are planned to open for use together, but can be closed by sliding doors into separate rooms.

Interior finishes include walnut paneling, stone and wallboard partitions, and terrazzo floors.






# RESTRAINT AND VARIETY ADD TO GOOD VALUE


The Rawls house is an extremely comfortable, easy-to-keep one, and well suited to its water-front Florida site. Variety in spaces and materials, but handled with a deft restraint, provide an element of change that is, all too often, either missing or overdone. As noted previously, sliding doors open all the lower floor into connecting areas; the living room and two flanking bedrooms are similarly connected. The house is adaptable to the constantly changing requirements of family living. A summary of the costs of construction are given below.


Labor and Contractor	00 45 4 00
Labor and Contractor	\$8,454.98
Material	5,891.14
Hardware	253.14
Plumbing	2,400.00
Masonry	284.40
Terrazzo	400.00
Steel	2,166.48
Insulation	329.00
Framing	808.64
Stonework	1,346.42
Electrical	2,855.00
Tile	332.00
Cabinets, Kitchen	880.00
Drywall	750.00
Glass	1,620.00
Millwork	1,824.48
Septic Tank	432.65
Pump	401.85
Roofing, Air Conditioning, Heating	5,734.86
2,	- , 1100


TOTAL .....\$37,165.76












# VARIETY IN LEVELS CREATES INTERESTING SPACES





### ARCHITECT: F. FREDERICK BRUCK

Residence for Mr. and Mrs. Alan Steinert

Cambridge, Massachusetts

Structural Engineers: Souza & True

Mechanical Engineers: Thomas & Young

Contractor: George Cheney, Inc.

Landscape Architect: Stanley Underhill


Interior Designers: Hans Krieks and Associates

one-story house with ample entertaining space, as well as more mate areas for quiet and study, was asked for by Mr. and Mrs. inert, who both lead active social and community lives and also oy frequent visits from their children and grandchildren. As the slopes quite steeply, it was necessary to make use of several els in order to meet the one-story requirement. The formal entry on one level, with the master bedroom and study-sitting room, ing room and kitchen all on one level two feet below. The living m and library are four feet below this and are approached from main entry down a series of broad, carpeted steps. A circular light in the middle, and floor-to-ceiling glass at the end of this sage serve to soften and lighten this rather long approach to the in living area. A partial second story was in fact included to acnmodate guests rooms and a maid's bedroom. Ceiling heights y from 7 feet 6 inches in the entrance, to 9 feet 4 inches in the ster bedroom and dining room, and 13 feet 4 inches in the living m and library. This variation in floor level and ceiling height es interest and vitality to what is essentially a rather quietly forl and elegant house. Most of the furniture was designed specially for the house. The

hitect designed all built in cabinet-work, shelving, desks and wer units. Dining and living room furniture was designed by ns Krieks and Associates. The dining room is particularly successwith its unusual view of the living room below and the garden ond, and the attractive tables which can be used separately or ned together for larger dinner parties. The sideboard is suspended m the wall by steel brackets attached to the studs. The warm nge-red carpet in the living areas seems to glow in the sunlight.




EXTERIOR MATERIALS CHOSEN TO SUIT SITE, CLIMATE AND SURROUNDINGS














The program requirements included a conservatory and a studio-workshop for Mrs. Steinert. The conservatory has been placed outside the living area, where it catches plenty of sun and makes a pleasant outlook from the living room. The studio is located below the master bedroom and has direct access to the garden.

Describing the construction of the house, Frederick Bruck said "the house is wood frame with dark brick veneer. Brick was chosen to blend with the substantial character of the surrounding houses, to reduce maintenance, and because it is a material which could meet the sloping terrain. Wood frame was chosen for economy and to facilitate construction during the winter months. Interior walls are plastered or covered with walnut plywood paneling."

The house has a warm-water radiant panel heating system, with copper tubing in all ceilings, some of the floors and walls. Ductwork is installed for future airconditioning of the whole house; at present only the bedrooms are cooled.



In addition to their trim, well planned architecture, these six devopment houses form an interesting study in land use. Instead of usual segmentation of the site into standard plots with standard backs, the development clusters the houses about a court in corner of the property, and thus frees the remainder of the wood land for use as a park. The central court provides direct access the garage and entrance of each house, as well as space for guparking. For visual relief, there is a landscaped center island with fountain. Walled patios, as well as the garages, front each house the court side to ensure privacy and help somewhat to reduce noise transmission into the house.

Though described as "town houses", they are actually detactunits, linked at the front by fences. The side walls are all but v dowless (each has a narrow slit of a window in the master be room), again to gain privacy. At the back, toward the more of land, there is a liberal use of sliding glass walls and balconies, a terrace off the lower level guest-recreation room. The latter gained as a "usable" basement area by utilizing the slope in land.

Stylistically, the houses are identical, though half have their pl flopped in the opposite direction from the others. However, e unit has enough inherent interest and variety to offset any mor ony, thus keeping unusually well to that fine line of unity plus dividuality. Part of this balance is kept, no doubt, by the fact the cluster arrangement prevents one from seeing all of the m complicated rear facades at any one time. Though still distinct, e house has a quieter facade fronting the court to give greater u as a group.

These particular houses are specifically designed for rental, the scheme offers great idea potential for any group of how where joint maintenance could be arranged for communal are Here, the management provides such services as leaf, snow trash removal, grass cutting and landscape work. Within specifimits, however, there is provision for individual gardening if designed.

### CHITECT: CARL LUCKENBACH


elopment House for Willits West Company


1ingham, Michigan

tractor: Willits West Company

## CLUSTERED DEVELOPMENT GETS PARK AS BONUS

HAZAR KORAB PHOTOS









BALTHAZAR KORAB PHOTOS

## ONVENIENT PLANS AND ARIED SPACES ENHANCE MALL, COMPACT HOUSES

houses in the Willits West develnent have well arranged, compact is. The entry, reached via a covl walk, gives direct access to all ms in the house without passing ough another; a door to the gapermits quick transferral of groes and the like from car to kitch-Little space is wasted in halls and allation—the corridor to the bedns is a relatively short one.


he kitchen is also well placed to e the entire house, as well as the ng patio and play yard at the t. Circulation paths to and from ous parts of the house are all dienough to avoid the kitchen being a major lane of cross traffic. nough the house is not a large several devices have been used ive variety and a sense of space he interiors. Living and dining s have been combined into a fair room, and in an "L" shaped ngement permitting the dining on to be closed off by a folding tion if desired. This major space tended outwards at each end by ding window wall: onto the patio e front, and to the balcony and at the back. A fireplace gives an d focal point, and is designed as estanding unit to somewhat lesss bulk. The shed roof over this of the house rises from the dinpace to a height a bit over ten at the fireplace. To contrast with stress towards openness in the g areas, the roof over the bedsection is pitched in the oppodirection, with ceilings dropping rd the windows to give a greater ig of shelter.

e houses are wood frame, with and textured plywood exteriors. iors are drywall. The cost of was about \$28,000.










JOSEPH MOLITOR PHOTOS



### ARCHITECT: HERBERT S. NEWMAN

Residence for Mr. and Mrs. Edward B. Winnick

Woodbridge, Connecticut

Lighting Consultant: Sylvan R. Shemitz


Contractor: Panza Construction

## "U" SHAPED WINGS RADIATE FROM CENTRAL CORE

A formalized scheme has been used here with great success to g flexibility and privacy to the actual living spaces within the hot. The plan is a highly stylized one, with four "U" shaped wi (enclosed by stuccoed bearing walls on three sides, glass on fourth) arranged in pinwheel fashion around an irregular shap service core. All fixed facilities, such as kitchen, bathrooms, laun and circulation, are in this core, permitting any arrangement desi within the bearing walls of the wings. The circulation space with the core itself is given added function by widening it to accommodate a gallery on the lower level and a family-sitting room on upper level. The different levels of the house, which fit the slop site, are connected by the staircase built around a skylighted o space planted with ivy and a large tree.

Although the architect has referred to the "U" shaped wings "caves", the effect on the interior is one of variety, brightness focus on pleasant views. In each, the roof is raised on supposts above the bearing walls to create surrounding bands clerestory windows. The open ends of the wings open to gard off the living room, a sunken garden off the guest wing.






VARIETY AND BRIGHTNESS MARK
THE INTERIOR SPACES OF THE HOU

The Winnick house derives a strong sculptural quality from the interplay of its projecting shapes and the resulting light and shadow on its textured white stucco surfaces. Interiors are also white (smooth painted plasterboard) planned to serve as "background surfaces for art, sculpture, furniture and people." The architect further adds that, "by creating a great variety of spatial experiences (the dining room is seven feet high, the living room carries up the full eighteen feet in height) a great deal of freedom is given the family within an ordered discipline, which establishes family gathering spaces and family private spaces." The system of projecting wings does produce an unusually effective zoning of different activities within a fairly compact plan. And any of the units could be completely shut off without affecting the convenience of the rest of the plan.


The house is constructed with a wood frame on a concrete block foundation, with the exterior finished (as noted before) in stucco. As the walls of the central core are considered to be "outside" the "U" shaped wings, stucco also becomes the wall finish of the gallery and upstairs sitting room. Floors are quarry tile, vinyl or ceramic tile. The approximate cost of the house without lot was \$60,000.







JOSEPH MOLITOR PHOTOS





### ARCHITECT: EDGAR WILSON SMITH

Residence for Edward D. Cauduro

Portland, Oregon

Structural Engineer: Bernard L. Tiland


Mechanical Engineer: Robert W. Zanders

Landscape Architect: Robert Hale Ellis, Jr.



CHARLES R. PEARSON PHOTOS








## WO-LEVEL HOUSE DAPTS WELL TO SLOPE

very tidy scheme has been evolved here to a two-level house into a sloping site - one ich avoids many of the complications ich can arise from split floor and roof els. All the living areas of the house are ntained in a rectangular, flat-roofed struce, which sits just beyond the first roll of d. Subsidiary areas (two courts, a storage om, and an open carport) are contained der an extension of the roof at the upper el, and tie the "basic house" to the higher ound. These subsidiary areas also serve the ded function of giving maximum privacy m the street for all living areas. The back the house is largely glass, looking out to leasant view to the southwest.

There are some interesting spatial surprises the house. As one approaches the house, is low, small scale and enclosed. Frosted ding glass doors preserve this quality ough the entry court. Once inside, one is a balcony overlooking a big view.








AN UNUSUAL PLAN COMBINES LIBRARY, DINING ROOM AND KITCHEN IN ONE ROOM

The plan of the Cauduro house is an extremely open one, with the guest room the only area that is completely closed off. However, the fireplace wall is designed as an effective baffle to screen kitchen operations at the lower level, and all but the desk area of the master bedroom.

The lower floor is arranged into only two "rooms", one for sitting and the display of an art collection, the other combining the functions of kitchen, dining room and library. Appropriate detailing, as can be noted in the photos above, helps to create a pleasant entity of these seemingly disparate functions. Simplicity in the finishes (hemlock, terrazzo and painted gypsum board) also help, and contribute a unity throughout the house. Cabinets are faced with walnut.


The structure of the house is planned for easy maintenance, as are the interiors: the frame is Douglas fir, with exterior walls of natural red cedar. The cost of the house is about \$35,000.








CHARLES R. PEARSON PHOTOS









## PLODED COLUMNS **ENCLOSE SPACE** WITHIN SPACE




ence for Mr. and Mrs. John C. Portman Jr., Atlanta, Georgia Mechanical Engineer: Britt Alderman, Jr. Electrical Engineer: Morris E. Harrison intractor: Sam N. Hodges, Jr., and Company Landscape Architect: Edward L. Daugherty

IITECTS: EDWARDS AND PORTMAN

John C. Portman's philosophy of architectural form and its use to modulate space and create special relationships between different kinds of spaces, has been embodied in this fascinating house, which he designed for himself, his wife and family of six children. The creation of "space within space" was fundamental to his conception of his own house, and his concern was to create a number of closely defined spaces within a larger space, so that by relating the one to the other, one would gain an impression of the "continuous flow of space." Describing how these ideas were incorporated in the design and construction of the house, the architect said: "The house is created by composition of component parts, i.e. the curved cypress column walls, sliding doors, the shopbuilt cabinet walls etc. The space has been exploded creating a sense of the pavilion with a closing of cellular units for privacy as needed. A sense of the whole is felt in all the spaces."










Throughout the house, these exploded columns appin varying sizes and have a wide range of function Stairs, halls, study-rooms, closets, baths are all enclowithin them. Skylights above, and side openings ad light at unusual angles and prevent the spaces within columns from seeming too enclosed. Outside the house the circular theme is repeated with brick-enclosed terral wading pools and flower beds.

The house is oriented so that the entrance axis is i direct line to the skyline of the City of Atlanta 15 m away. Entering the house on the second level, on immediately conscious of the magnificent skyline vi The indoor trees on the lower level form a perfect for the view. A water channel running through the liv area provides another touch of visual excitements.

Visually and spatially exciting as it is, the hous also carefully planned for functional efficiency and easy organization of the life of a large family. The live formal dining, and master bedroom can be separa from the rest of the house by sliding walnut doors tween the formal dining and kitchen areas. The kitc is placed so that the children's activities in the far room, play area and wading pool can be easily supvised. The cost of the house was about \$165,000.

## REFUL ZONING FACILITATES FAMILY LIVING







A ROBERT FISHER PHOTO

## TWO EXTERIOR TREATMENTS OF ONE BASIC PLAN


## ARCHITECTS: FISHER-FRIEDMAN ASSOCIATES – ROBERT J. GEERING ASSOCIATE

Development house for the Stoneson Development Corporation

Millbrae, California

Contractor: Stoneson Development Corporation

Landscape Architect: Ernest Wertheim






KARL H. RIEK PHOTOS



One of the difficulties in the design of a development house is to provide for enough variations, so that people buying the house do not necessarily feel that their house is identical with their neighbors' home. With this in mind, Robert Fisher designed a basic plan for the Stoneson Corporation, from which two quite different exterior treatments were developed.

Version B, illustrated on this spread, is constructed on a simple post and beam system. The roof is flat over the bedroom area, but comes to a peak over the main living and family rooms, giving variation in room heights. Glazing at either end of the roof peak provides an additional source of daylight, which serves to increase the apparent height of the rooms. Roof beams are expressed throughout the interior, and the roof decking of resawn pine, stained off-white is left exposed on the underside.

One of the main requirements of the program was the provision of as much outdoor living space as possible. Balconies have therefore been included outside the living room, family room and two of the bedrooms.



KARL H. RIEK PHO

### PYRAMID SHAPED ROOF EXPRESSES HIGH CEILING IN LIVING ROOM

Considerable care was put into the development of the plan, so that it would be suitable for different types of family. Dining and family rooms both adjoin the kitchen, so that either room could be used as a children's playroom, and be easily supervised by the mother from her work. All bedrooms are a reasonable size and have considerable privacy and could be used as study-bedrooms by school age children. Natural wood ceilings, gypsum board interior walls, hardwood, and vinyl-covered floors make a suitable background for varying tastes in furniture.

Describing version A of the Stoneson development house, the architect said "the bold, truncated medium shake, pyramid roof, capped with a monitor, covers the the entire house. The monitor was designed to contain skylight and conceal plumbing vents and furnace flower than the roof overhang was visually extended by the use of floating facia. The living room ceiling is raised in the form of a pyramid, and sheathed with tongued and groom redwood with a natural finish."

The house, which was designed for a hillside site, a garage, laundry and other usable space on the lolevel. Exterior materials were carefully chosen to be from the effects of weathering. With the exception of wood doors and windows, the garage and the stucco lostory, the entire exterior is stained with a weathering good Construction cost of the house was about \$21,000.





## ARCHITECTS OF THE RECORD HOUSES OF 1965

Houses designed by the following firms and individuals appear on pages noted:

OWARD BARNSTONE AND PARTNER, EUGENE AUBRY

66

FREDERICK LIEBHARDT & EUGENE WESTON III

Box 1012 Houston, Texas Howard Barnstone, A.I.A.



62



407 Via Del Norte La Jolla, California Frederick Liebhardt Eugene Weston III, A.I.A.

F. FREDERICK BRUCK

110

77 Walker Street Cambridge, Massachusetts F. Frederick Bruck, A.I.A.



CARL LUCKENBACH

287 East Maple Road Birmingham, Michigan Carl Luckenbach, A.I.A.

COLBERT, LOWREY, HESS, BOUDREAUX, FARNET

98

213 Bourbon Street New Orleans, Louisiana Charles Colbert, A.I.A.

222 West Osborn Road



MEATHE, KESSLER AND ASSOCIATES, INC.



18000 Mack Avenue Grosse Point, Michigan Philip J. Meathe, A.I.A. William Kessler, A.I.A.

DAILEY ASSOCIATES

78 106 WILLIAM MORGAN



1611 Ocean Boulevard

Phoenix, Arizona Alfred N. Beadle

126

58

Atlantic Beach, Florida William Morgan, A.I.A.

818 Atlanta Merchandise Mart Atlanta, Georgia John C. Portman Jr., A.I.A.



HERBERT S. NEWMAN

1204 Chapel Street New Haven, Connecticut Herbert S. Newman

WINSTON ELTING

EDWARDS AND PORTMAN

82

PAUL RUDOLPH

612 North Michigan Boulevard Chicago, Illinois Winston Elting, F.A.I.A.



31 High Street New Haven, Connecticut Paul Rudolph, A.I.A.

FISHER-FRIEDMAN ASSOCIATES

130

242 California Street San Francisco, California A. Robert Fisher, A.I.A. Rodney F. Friedman, A.I.A. Robert J. Geering, A.I.A.







122

54

JOSEPH J. SCHIFFER Independence Court

Concord, Massachusetts Joseph J. Schiffer

EARL R. FLANSBURGH & ASSOCIATES

74

EDGAR WILSON SMITH

44 A Brattle Street Cambridge, Massachusetts



1100 S.W. Sixth Avenue Portland, Oregon Edgar Wilson Smith, A.I.A.

Earl R. Flansburgh, A.I.A.

HUGH NEWELL JACOBSEN 102

2735 P. Street N.W. Washington, D.C. Hugh Newell Jacobsen, A.I.A.



TERNSTROM & SKINNER

920 North La Cienega Los Angeles, California Robert H. Skinner, A.I.A.

GENE LEEDY

70 86



536 South Pineapple Avenue Sarasota, Florida Jack West, A.I.A.

555 Avenue G, N.W. Winter Haven, Florida Gene Leedy, A.I.A.



J. WEST AND ASSOCIATES

## THE COST OF RECORD HOUSES IN YOUR CITY

In referring to Record Houses, our readers have often asked: "What would it cost to build this particular house in my city?"

William H. Edgerton, Editor-Manager of the Dow Building Cost Calculator, has done some research for us to provide the answers for those Record Houses for which cost data was available, as though they were to be duplicated in 14 selected cities located in

representative geographic areas of the United States. The figure for each listed city is applicable within a 30-mile radius of that city.

In an effort of this kind, it must be recognized that the figures in the accompanying chart may vary within a 5 per cent range, and perhaps more, should unusual conditions prevail locally. However, over a period of 39 years the Dow Building Cost Calculator has established

a good record, and these figures sho be quite accurate for their intended purposes.

If you are impressed by certain R ord Houses, look up their local e mated approximate cost for the conearest you. If the figure is attractic consult an architect to see what he do for you.

Except where noted, the figures given here do not include the costs of la

## RECORD HOUSES 1965 Comparative Building Cos

				cc
NAME OF HOUSE WHERE BUILT (PAGE NUMBER)	CONSTRUCTION COST	ATLANTA	BALTIMORE	BOSTON
Beadle House, Phoenix, Ariz. (78)	37,000	30,950	33,950	36,550
Kirschman House, New Orleans, La. (98)	110,000	101,500	111,400	119,850
Stoneson Development House, Millbrae, Calif. (130)	21,000	17,800	19,500	21,000
Gatos House, Weston, Mass. (74)	75,000	63,500	69,700	75,000
Naftalin House, Riva, Md. (102)	32,000	29,150	32,000	34,400
Levitt Development House, Rockledge, Fla. (70)	20,900†	19,300	21,150	22,800
Wiley House, Del Mar, Calif. (62)	30,000	25,400	27,850	30,000
Willits Development House, Birmingham, Mich. (114)	28,000	22,400	24,500	26,450
Rawls House, Jacksonville, Fla. (106)	37,165	36,100	39,650	42,700
Winnick House, Woodbridge, Conn. (118)	60,000	47,500	52,150	56,100
Portman House, Atlanta, Ga. (126)	165,000	165,000	180,900	194,650
Wallace House, Athens, Ala. ( 58)	90,000	99,700	109,400	117,700
Schiffer House, Concord, Mass. (54)	35,000	29,700	32,550	35,000
Cauduro House, Portland, Ore. (122)	35,000	32,300	35,500	38,200
Development House, South Pasadena, Calif. (94)	36,000	31,250	34,300	36,900
Arvida Development House, Sarasota, Fla. (86)	60,000	55,450	<b>6</b> 0,850	65,450

<sup>\*</sup>OMITS: land, landscaping, closing costs, fees as noted. †INCLUDES: land, landscaping, closing costs, fees.

caping, unusual foundation condidue to topography or soil, furngs, or the architect's design and evision fees, but cover the costs of ruction of the house itself and the equipment.


should also be remembered that any r change in items such as interior terior finish material, or the floor can have a large effect on the cost tilding one of these houses. The Dow Building Cost Calculator & Valuation Guide is widely used throughout the United States and Canada to indicate replacement costs for more than 700 building types that have counterparts almost everywhere. The costs are revised and supplemented quarterly keeping them in balance with ever-changing prices for building materials and wage rates for building trades craftsmen. Also included is a series of city building cost indices showing city-bycity historical cost changes. Dow building cost data is generally recognized by courts as authoritative, and is used by real estate assessors, fire insurance valuation engineers, architects, builders, mortgage loan officers in financial institutions, real estate agents and appraisers, and a broad list of governmental agencies.

## Selected Cities

Prepared by William H. Edgerton, Manager-Editor,
DOW BUILDING COST CALCULATOR & VALUATION GUIDE

A service of the F.W. Dodge Company, a division of McGraw-Hill, Inc.

	DALLAS	DENVER	KANSAS CITY	LOS ANGELES	MIAMI	NEW YORK	PITTSBURGH	SAN FRANCISCO	SEATTLE
)	33,100	35,700	35,700	35,700	36,100	43,000	39,150	36,550	36,100
)	108,600	117,000	117,000	117,000	118,450	141,000	128,300	119,850	118,450
D	19,000	20,500	20,500	20,500	20,750	24,700	22,500	21,000	20,750
)	67,900	73,200	73,200	73,200	74,100	88,200	80,300	75,000	74,100
)	31,200	33,600	33,600	33,600	34,000	40,500	36,850	34,400	34,000
D	20,600	22,250	22,250	22,250	22,500	26,800	24,400	22,800	22,500
)	27,150	30,000	30,000	30,000	29,600	35,250	32,050	30,000	29,600
þ	23,950	25,800	25,800	25,800	26,100	31,100	28,300	26,450	26,100
D	38,650	41,650	41,650	41,650	42,150	50,200	45,700	42,700	42,150
Ď	50,800	54,800	54,800	54,800	55,450	66,000	60,000	56,100	55,450
)	176,300	190,000	190,000	190,000	192,400	229,000	208,400	194,650	192,400
)	106,650	114,950	114,950	114,950	116,350	138,500	126,050	117,700	116,350
þ	31,700	34,200	34,200	34,200	34,600	41,200	37,500	35,000	34,600
)	34,600	37,250	37,250	37,250	37, <mark>7</mark> 00	44,900	40,850	38,200	37,700
)	33,400	36,000	36,000	36,000	36,450	43,400	39,500	36,900	36,450
)	59,300	63,900	63,900	63,900	64,700	77,000	70,100	65,450	64,700
_									









JENN-AIR offers a selection of single, double and eye-level ovens—plus the new *Regal Twin* ovens for '65. All utilize JENN-AIR's "professional concept" ventilation to whisk fumes outdoors. True open-door broiling is possible because heated oven air may be removed and replaced with fresh air many times each minute. All advanced features are available. Elegance of design and performance has universal appeal.

JENN-AIR America's Finest Cooking Centers



## Best Design AWARD

"BEST DESIGN OF A CONSUMER PRODUCT"

-The American Iron & Steel Institute

In open competition a jury of the nation's leading architects, designers, and engineers selected Jenn-Air for the coveted award—"Best Design of a Consumer Product."

It was the only appliance to receive this award. Now there is a new freedom and beauty in kitchen design—with a hoodless fume removal system more completely effective than any range and hood combination.

Beautiful functional design with a purpose—stainless steel elegance that lasts—plus the highest standards yet achieved for kitchen cleanliness.... and much more.

Judge For Yourself... Send today for your free color brochure and the fascinating story of America's most beautiful (and practical) range and oven built-ins—with full venting of excess heat and fumes outdoors.

## JENN AIR SALES CORP.-DEPT. C

1102 Stadium Drive • Indianapolis, Indiana 46207 Please send me your free 12 page color brochure. ☐ Check here if you wish JENN AIR dealer to contact you.

ADDRESS or BOX NO. \_\_\_\_\_

For more data, circle 39 on Inquiry Card



## New Products for the House

### AIRS BY MIES VAN DER ROHE

ong the Knoll collection of furniture Ludwig Mies van der Rohe, are the chair (top left) and the Tugendhat r (top right). The MR chair, deed in 1927, was Mies' first chair deand is available in two versions, the ng model shown and a wider, lower r for lounge use. Both have saddle ner slings laced over a cantilevered frame. The leather and stainless I Tugendhat chair which was deed by Mies in 1930 has only recenteen added to the Knoll collection. Il Associates. Inc., 320 Park Ave., York 22, N.Y.

CIRCLE 300 ON INQUIRY CARD

### ILPTURED CHAIR IN EL AND LEATHER

gned by sculptor, Clement Meade, this version of the sling chair ter) is contoured for long-range sit-comfort. Special care has been noto achieve anatomically perfect nowith the angled steel elements, the support the saddle leather seat back panels. The angled tops of the leare fitted into stitched leather eves on either side. The dip in the panel makes it possible for the side to be used as arm rests. Leif Wess-now Associates, 301 East 64th St., York, N.Y.

Circle 301 on Inquiry Card

### CHITECT-DESIGNED ENITURE COLLECTION

new Edgewood collection, designed or the direction of architect, William bruster, includes this bench (botright) and small marble topped end. Features of the new pieces are neut lines and elegant chisel points of stainless steel. Edgewood Fure Company, Inc., 208 East 52nd New York 22, N.Y.

Circle 302 on Inquiry Card more products on page 140

or more information . . . circle e key numbers of the products on hich you want more information ee number below each product em) on the Inquiry Card, pages 7-168



# NATIONAL CORPORATION

goes 100% International

# hot water heat



## for its electric heated homes

- The biggest breakthrough in the electric heating industry came when the world's largest makers of homes decided to specify this revolutionary new heating system.
- Why not electric heat before? Simply because Jim Price, National Homes' chairman of the board, found that when his dealers installed ordinary electric resistance heating, it took them far longer to sell the homes than with their gas or oil heating equipment.
- Why electric heat now? When Jim Price discovered that one of his dealers in Indianapolis using International hot water electric heat was actually selling homes faster than ever before with any type of heat, he investigated immediately. He learned that this dealer was offering International hot water electric heat at the same price as gas heating. And, that of 55 homebuyers given a choice between the two forms of heat, 52 had selected International.

He was amazed further to learn that this dealer was offering a third option: Ordinary electric resistance heating at a cost of \$200 less than International hot water electric heat . . . without a single taker.

It's no wonder that Mr. Price has gone all out to promote International hot water electric heat in National Homes new 1965 line of homes. And, to recommend this heating system to his three subsidiaries: Lesco Homes, Inc., Knox Homes, Inc., and Best Homes, Inc. All of these companies are now featuring International hot water electric heat without plumbing.

And brand new from International: hot water electric heat without plumbing for schools at extraordinary low cost.



Here is one of the most revolutionary heating developments ever provided for schools, public places, etc. Each unit is 8" wide, 12" high and 8 feet in length, and delivers 1700 BTUs per foot length (over 11 sq. ft. hot water radiation, equiv.), with 200 CFM outdoor air heated to temperature required. Simply specify number of units required underneath windows at outside walls where heat is absolutely essential. One single control box, same width and height, one ft. long, controls all heaters for each room. Send today for free engineering data, specifications and cost information.

SEND FOR FREE BROCHURE . . . the full story of electric heating, why it has been so costly in the past and why utilities are now finding International hot water electric heat without plumbing so remarkable in holding such steady and uniform temperatures . . . where it's needed . . . that homes can now be heated electrically at a surprisingly low cost.

YOUR NAME.

PHONE NO.

ADDRESS

Note: Mail room measurements or plans with this coupon if you desire an engineered heating layout without cost.

fully quaranteed for ten years







Exclusive U.S. Patent No. 2772342
U.S. and Foreign
Patents Pending



This advertisement featuring all-electric National Homes appeared in the January 22, 1965 edition of LIFE magazine.

## world's largest builders of homes and apartments

## (And so do Knox Homes, Lesco Homes and Best Homes)

### IS A BTU A BTU?

We have surveyed more than 1,000 of our installations, and have found operating costs to be an average 20% below utility estimates. How can this be if a BTU is a BTU?

The answer is in how well those BTUs are utilized. In test after test, we have found that International hot water electric heat maintains less than a 2°F. temperature differential between floor and ceiling. There is no heat bunched at the ceiling, which is so often the case with other forms of electric resistance heat. As a result, thermostat settings can be lower. And, according to tests reported by the Coal Institute, for each degree on the thermostat above 72°, heating costs

rise 3%. How is this minimum floor-toceiling differential maintained? primary reason is because each baseboard heater gives off only that amount of heat needed to balance cold air coming off outside walls and windows. On a mild day, for example, the water in the heaters might be only 110°F. On a cold day, it will be over 200°F. And further, heat is released from the circulating water even during "off-cycles."

These very same facts also account for the remarkable comfort experienced with International hot water electric heat. There are no cold floors, because the floor is only 2°F. cooler than the ceiling. And, there are no cold drafts resulting from "on-again, off-again" heat. Air circulates slowly and smoothly at all times. Neither is there air stratification that can cause clouds of cigarette smoke to form in the room.

The same facts also account for International's healthfulness. Dust particles will scorch and turn into cinder at 325°F., temperatures reached by even low-density ordinary electric resistance heaters. These carbon cinders cause wall smudging as well as irritate nose and throat membranes. International baseboards do not reach these scorching temperatures even on. coldest days.

Finally, International electric hot water baseboards are the safest heaters on the market. For example, they are the only electric baseboard heaters that can be placed behind the flimsiest drapes with absolute safety. The New York City Building Code will allow only International to be placed behind draperies, doors or furniture.

How does the International unit

An electric heating element is encased in a copper tube containing a hermetically sealed solution of water and anti-freeze. When the solution is heated it automatically circulates through the tube. When the thermostat cuts the unit off, warmth continues to be released by the circulating water. Each unit is completely self-contained. There is never any need to add water or to refill. An electric limit control and air expansion chamber are contained within the unit.

Beyond a doubt, International hot water electric heat is the finest heating system of any kind on the market today.



### PERMANENT BASEBOARD

240 (or 208) Volt Current; 60 Cycle; Single Phase

permanent model	btu/hr	watts input	amps	length	
EBH- 300	1050	300	1.25	28"	
EBH- 500	1700	500	2.85	35"	
EBH- 750	2550	750	3.15	47"	
EBH-1000	3400	1000	4.2	59"	
EBH-1380	4690	1380	5.7	75"	
EBH-1500	5100	1500	6.3	83"	
EBH-2000	6800	2000	8.4	109"	


(Units to 9 ft. Length: Depth 31/4" x 91/6" High)

### RECESSED HEATERS

240 (or 208) Volt Current; 60 Cycle; Single Phase

floor model	btu/hr	watts input	amps	length
FM- 500	1700	500	2.85	351/4"
FM- 750	2550	750	3.15	471/4"
FM-1000	3400	1000	4.2	591/4"
FM-1380	4690	1380	5.7	751/4"
FM-1500	5100	1500	6.3	831/4"
FM-2000	6800	2000	8.4	1091/4"

(Units to 9 ft. Length; Depth 61/4" x 101/4" High)



#### Special note to architects and builders:

This equipment is currently being installed This equipment is currently being installed in apartments, condominiums and housing projects. You will find public acceptance of this heat astonishingly greater than with any other form of heat, as has been National Homes' experience. Take advantage of all the values of our heating system by specifying it. If they haven't the information already of the property of the standard property and the property of the standard property and the standard property of the standar ready on our equipment, have your local utility, electrical distributor or contractor phone us immediately.

SAMPLE SPECIFICATION: Heating equipment

SAMPLE SPECIFICATION: Heating equipment shall be self-contained, permanently sealed, International hot water electric heating base-boards with anti-freeze protection to —50°F., with 10-year guarantee, U.L., NEMA Listing, 240 volt, self-contained air expansion chamber and electrical limit control. Individual room thermostats.

room thermostats.



For more data, circle 40 on Inquiry Card



nobody but nobody delivers a disposer with more quality features than In-Sink-Erator

Surveys prove women want homes with disposers. This disposer is engineered to set quality and performance standards others would like to live up to!

In-Sink-Erator Model 77 gives the Lady what she wants! Grinds in both directions, doubles shredder life, thanks to patented automatic reversing switch. Exclusive Self-Service Wrench frees accidental jams quickly, cuts customer complaints and costly call-backs. Special Detergent Shield guards against corrosion damage from caustic agents. Nobody offers a 5-year protective warranty the equal of In-Sink-Erator's! Models for homes and apartments in every price range.

Write for full information. If you prefer, a representative will call at your convenience.



IN. SINK. ERATOR MANUFACTURING COMPANY . RACINE, WISCONSIN

For more data, circle 41 on Inquiry Card

## Product Reports

continued from page 137



## LEATHER AND CHROME LOUNGE CHAIRS

The smooth contours of this attrac lounge chair are designed for com and support. The base is polis chrome and the upholstery bl leather. Foam rubber is used through as padding and for the seat cushion. mensions are: width 34 in.; depth 29 height 27 in. Dux. Inc., 1633 Ad. Rd., Burlingame, Calif.

CIRCLE 303 ON INQUIRY C

### SIT-DOWN SINK

Designed especially for invalids and elderly, a new stainless steel, double s unit has a shallow compartment on side, which provides comfortable room underneath. A drain opening accommodate the garbage disposer is cated at the rear of the shallow s Elkay Manufacturing Company, 2 South 17th Ave., Broadview, Ill.

CIRCLE 304 ON INQUIRY C

### OCCASIONAL TABLES

The Mitre group of occasional table figured American walnut veneer, designed for home and office purporthe line at present includes magazend, and corner tables. The Leof Company, Burlington, Iowa


CIRCLE 305 ON INQUIRY C



more products on page

For more data, circle 42 on Inqui





Janitrol 570 Series Year Round Comfort Package eliminates need for giant central heating and cooling plant in apartment buildings. Features closet-size heating-cooling units and through-the-wall condenser.

Janitrol's 570 Package was made for the man who designs, builds or rents apartments. And for the man who lives in one, too.

The entire heating unit and cooling coil fits into only 12" x 28" of floor space. Tucks easily into the corner of a small closet. Needs zero clearance on the side and back and only 6" in front. Needs only a 4" vent pipe.


The condensing unit is only  $39'' \times 18\frac{1}{4}'' \times 18\frac{1}{4}''$ . Installs easily through the wall—or on the roof or on an outside slab.

Yet this compact package delivers 2 tons of cooling and 80,000 Btu heating. It was designed for apartments. But it's also the perfect

answer to small house year round comfort or large house zoned heating-cooling. Installation is literally a snap. Charged refrigerant lines have quick-connect couplers at both ends.

Janitrol's 570 Comfort Package may well be the best unit for your next job. Available in 1½, 2, 3 ton cooling and 50,000, 80,000, 100,000 and 150,000 Btu Heating Packages.

Get at least one estimate from your Janitrol Dealer. He's in the Yellow Pages. Janitrol gives you more to work with.



## sell more


BY RECOMMENDING



**QUALITY** 

### FOR EVERY BATHROOM

When buying a home, one of the two rooms with the greatest attraction for Mrs. Housewife-and usually for the man of the house, too —is the bathroom! And in many transactions, it is the unusual touches for bathrooms—the distinctive features that others do not have-that help sell many complete installations. Here are a few of Hall-Mack's finest quality bathroom accessories-every one with exclusive and outstanding sales appeal. By making your customers' bathrooms more attractive and convenient, Hall-Mack quality helps you to clinch and increase many a sale.



For more data, circle 44 on Inquiry Card

Sold by leading plumbing, tile and hardware dealers everywhere.

Name .

Company

Zip Code

## Product Reports

continued from page 140

### GROUP OF NEW CREDENZAS

A series of flush-top credenzas, w bases of either teak or walnut, has cently been introduced. All the units



the line are 29 in. high and 18 in. de Tops are available in walnut, teak plastic. Robert John Company, 1 partment K., 821 North 2nd St., Ph. delphia, Pa. 19123

CIRCLE 306 ON INQUIRY CA

### ROOM AIR CONDITIONERS

The *Imperial* room air conditioner available in ten different models rang in capacity from 6,400 to 18.0 BTUH. The unit features a reversi decorator panel giving a choice of ward grain vinyl or textured tweed visinish to match different interior stings. The model has a directional



door which can direct the air flow in even pattern by reducing drafts. I door can deflect air from 15 to 85 toward the ceiling across the room. rectional louvers provide additional distribution control. Airtemp Divisi Chrysler Corporation, Dayton, Ohio CIRCLE 307 ON INQUIRY C.

more products on page

Just mail the coupon today! A new color brochure — "Accent on Accessories" offers a wide choice of origi-



# "If you are looking for a sure way to add fresh buyer-appeal to your homes try EXTERIOR DECORATING WITH CONCRETE"

Says Harold O. Klopp, well-known landscape architect and chief consultant to the Chicago World's Flower Show

An important trend today is to total homesite living. Home buyers are looking not only at interiors but at exterior features. They want charm in the home surroundings. For promotion-minded builders the need is answered effectively by Exterior Decorating with Concrete—a new concept in the decorative use of concrete.

It starts with the basic units of

any home setting—drives, walkways, patios designed in wholly new and unusual patterns. It means special ''designer touches'' that give character and distinction.


Concrete is infinitely versatile. It can be patterned, shaped, colored in a thousand ways to fit the personality and style of any house, any landscaping plan and arrangement of plantings. Installed at the model home, decorative features in concrete can readily be offered as options or a part of the package.

On this and the following three pages are shown ideas for decorative uses of concrete developed by landscape architect H. O. Klopp for homes in the \$18,000 to \$30,000 range. They give you a good idea of the exciting possibilities of exterior decorating with concrete.



"Turning a yard into a selling feature is simple with concrete." In this design, Mr. Klopp shows a walk of precast concrete rounds set in exposed aggregate concrete made with black Japanese pebbles. This contrasts beautifully with a driveway landing strip of

brushed and scored white concrete. A separate "sneak path" of black precast rounds adds interest to the house entry. These designs and surface effects, as well as innumerable others, can be easily and economically duplicated by a builder's own finishing crews.



"Make it a decorative driveway...
use concrete to add drama!" says
Mr. Klopp. Here, a natural concrete surface is given interest, a new look, with
a bold pattern of redwood divider strips.
Adjoining walks supply an appealing

contrast with surfaces of black concrete, broom finished and scored in random rectangles. There's no limit to the ideas that can be created. Exterior decorating with concrete can add unique sales appeal to homes in any cost range.


### "I look on concrete as a <u>decorator</u> material for outdoor living features, as well as a construction material.


Most builders have thought of concrete pretty much in terms of its strength and durability and its popular structural uses in homes—and with good reason. But, today this viewpoint is changing. As a landscape architect, I'm really enthusiastic about the striking decorative effects and beauty that concrete can produce. Actually concrete meets the three basic needs in any decorating—texture, color and form. And this is what gives such limitless potential to exterior decorating with concrete."

### Texture Color Form

In using concrete decoratively, there's practically no end to the beautiful and unusual effects you can get. Surface texture can range from toppings of sparkling chips or fine pebbles to inlaid stone, to broom, comb or burlap drag patterns.


Color? Mix it right into the concrete—pure white to jet





black and all the bright hues in between. And concrete takes any contour so it can be formed and tooled to fit every decorative need and idea.

Out of the material itself grows this whole idea of exterior decorating with concrete—and the exceptional opportunity it offers any builder to add a new distinction and competitive selling advantage to his homes at a realistic cost.




In the sketch below, Mr. Klopp shows how simple but effective use of angles, curves and surface texture creates a concrete patio that's distinctive and high on livability. It also provides a handsome setting for plants and flowers.

The patio itself is exposed aggregate concrete with redwood dividers. It's bordered by a low

planting wall of split-block concrete masonry. The garden walk, too, is textured—in squares of exposed aggregate concrete, set in loose matching aggregate.

"A patio can be an 'outdoor living room'
with character






*Ideas unlimited.* For suggestions and assistance in developing distinctive uses of decorative concrete, call on your ready-mixed concrete producer or your local PCA office. They can also provide any needed technical information. For free booklet on the newest ways of finishing concrete, write the address below. (U.S. and Canada only.)

### PORTLAND CEMENT ASSOCIATION

Dept. A5-8, 33 West Grand Ave., Chicago, Illinois 60610

An organization to improve and extend the uses of concrete, made possible by the financial support of most competing cement manufacturers in the United States and Canada



## Kohler lavatories in accent colors! the first really *new* idea in years

And what a bright idea this is! Use a neutral shade for tub and closet—then let the lavatories stand forth in bold and brilliant contrast. Play red against white; let blue flatter gray; contrast a soft tan with a deep, rich coffee tone. That's Accent Color! To help you make the most of it, Kohler is now fashioning lavatories in five sprightly new shades (that's Antique Red above), each chosen to compliment Kohler white or one of the six regular Kohler colors. Select from three styles in enameled cast iron: Radiant, Farmington, Tahoe. The accent is on color—our new brochure spells out the whole, exciting story. For the brochure and more information see your Kohler distributor or write Accent c/o Kohler Co., Kohler, Wis.



Jade with Cerulean blue. Remember when no one even thought of using blue and green together? Now recommend it as an easy to live with combination that fits right into all decorating ideas.



EXPRESSO WITH SUEZ TAN FOR A WARM RICH LOOK. This combination can be either masculine or softly feminine. Suggest colorful towels and accessories in orange,




CITRON WITH SUNRISE YELLOW.
These light, bright colors live together in absolute harmony. There's a whole spectrum of colors to go with Citron and Sunrise Yellow—a new world of decoration.



BLUEBERRY WITH ARGENT GRAY FOR ELEGANCE. This is a quieter kind of drama. The bathtub and other fixtures in a soft silver gray, the lavatories in wonderful blueberry. The results will be beautiful.

### KOHLER OF KOHLER

Kohler Co., Established 1873, Kohler, Wisconsin



A packaged unit, complete with hardware designed by Mosley electronic specialists for perfect • TV/FM distribution.

HOMES


The DS-1PK TV/FM & Audio wall outlets give each home a factory - engineered, built - in system that connects one rooftop antenna with two to eight rooms (have four TV sets operating simultaneously or move one around) and at the same time, use the antenna wiring to carry one Audio or Hi-Fi signal between two or more outlets.

Write today for our detailed brochure.
You'll want this low cost extra
feature in your New Homes!

Please send me, I ature on the DS-1			- 3	141		oblig DS = 1		liter-
Name						Test.		á e
Address			7.	4 -	Į.	4		100
City & State		1	104		31.	. 1		
MOSLE	V	FI	FC.	TR	N	ICS	Inc	

For more data, circle 47 on Inquiry Card

### Product Reports continued from page 144



#### GLASS CANDLESTICKS


Designed by Oiva Toikka of Finlar these glass candlesticks can be useither singly, paired, or in groups, provide an unusual decorative effect These candlesticks are part of a coll tion of designs in glass by Oiva Toik and Kaj Franck. *D/R Internation Inc.*, 53 East 57th St., New York N.Y.

CIRCLE 308 ON INQUIRY CA

#### INFRARED CEILING HEATER


A new two-lamp, recessed, infraceiling heater, *Model 5002*, has be designed for use in bathrooms in new remodeled homes. A regular R40 lamay be used in one of the two sock on the fixture to provide light as well heat. The unit comes pre-wired for either as a heater, or as a heat and lifixture. The lamps are angled to pide a wide area of heat distribution *Emerson Electric Company*, 8100 Firisant Ave., St. Louis, Mo. 63136

CIRCLE 309 ON INQUIRY C.



more products on page

For more data, circle 48 on Inquis



until you look into Chrysler Airtemp's brand-new line of gas furnaces!

Your prospects will appreciate the Chrysler quality and dependability built into the modern Airtemp gas heating system you offer them. And *you* will appreciate the attractive prices your distributor is ready to offer you now on this complete new line of gas furnaces. Features? Here are just a few:

- 1. Many models available, with a wide range of heating capacities to meet the needs of any home.
- 2. Highest quality performance at reasonable prices. 3. Specially designed burner burns all types of gas.
  4. Ultra-efficient heat exchanger to help lower fuel bills. 5. On all models Minneapolis Honeywell thermostats are standard equipment. 6. Glass wool insulation to conserve both heat and fuel. 7. Compact—fit easily in small closets and other limited-space areas. 8. Attractive cabinet. Bonderized finish over galvanized steel for beauty and extra-long life. 9. Designed for easy add-on cooling.

CALLYOUR DISTRIBUTOR FOR INFORMATION ON AIRTEMP'S NEW GAS FURNACE LINE—

OR WRITE PETE.





Mail to: Pete Fry, Airtemp Division Chrysler Corporation P. O. Box 1037, Dayton, Ohio 45401

OK, Pete. I'm ready to sell and to sail! Rush me complete information on everything I've checked below:

- Chrysler Airtemp's hot new line of gas furnaces.
   Chrysler Airtemp's complete line of oil and electric furnaces.
- ☐ How I can win FREE 8-day Caribbean Cruises for me and my family on the brand new super-liner S.S. Oceanic.

NAME\_\_\_\_\_\_ADDRESS\_\_\_\_\_\_STATE\_\_\_\_ZIP\_\_\_\_

### Product Reports


continued from page 150

#### PIERCED CERAMIC LAMPS

Designed by Lee Rosen, these ceramic hanging lamps are individually hand-thrown on a potter's wheel. Twelve different sizes are available in a variety of shapes. The piercings are also done by hand; a few models are available with long narrow slit openings. Design Technics, 7 East 53rd St., New York, N.Y.

CIRCLE 310 ON INQUIRY CARD





An inexpensive way to add a room, upstairs or down. Just install a Sunbrella fabric roof . . . 22% cooler underneath than with others, wonderful air porosity. And none of our 25 gay colors can fade. Will not be affected by rot or mildew. Crack and scuff resistant, too. (Woven of 100% Acrilan\* acrylic fiber—that's why it's a miracle fabric.) Matching awnings are smart, too. Marvelous for new homes. Sensational for perking up remodeling jobs. And think what a non-glare, beautiful exterior fabric like this can add to a hotel, motel, shopping center or office building. Shouldn't you investigate? Write for information and design idea booklet.





### Add wings

that are guaranteed 5 years with Sunbrella®

For more data, circle 50 on Inquiry Card

### **BUILT-IN VACUUM SYSTEM**

The MagiVac built-in central vacual cleaning system is said to be up to times more powerful than standar portable cleaners. The system consists rigid plastic tubing which runs throwwalls and attic, and connects wall of lets with the power unit, which is sit at ed either in the garage or utility room. The fact that the power unit is in a fix location allows it to be larger and the fore more powerful than portable unit A cyclonic separator uses centrifut force to trap about 99 per cent of dust, and the remainder is caught or reusable filter. The system is convenient.



for most homeowners in that it openses with heavy equipment, elimina the dust bag, and is available for inst use all over the house. The dust receptle requires emptying only every 3 omonths. MagiVac Division, John Mitchell Company, 3800 Comme St., Dallas, Tex.

CIRCLE 311 ON INQUIRY CA


#### NEW FURNITURE COLLECTION

This lounge chair, sofa and occasio table are part of a new series of future known as the *Signature* series. It terials are walnut, mahogany, Englourled pollard oak, foam rubber a down. *JG Furniture Company*, 160 E 56th St., New York, N.Y.

CIRCLE 312 ON INQUIRY C.



more products on page




OT-400 The same OT – 400 hangers may be used on either ¾" or 1 ¾" doors just by reversing their positions. Simplifies ordering for you! Be sure to sell customers on new, easy adjustment feature! All M-D Sliding Door Hardware comes packaged in complete sets.

## NEW! Adjustable Sliding Door

THE MACKLANBURG-DUNCAN CO.


### HARDWARE

Easier to Install! Easier to sell!



#### **ADJUSTABLE HANGERS**


straighten doors after they are hung on track. Tap adjustment arm of hanger to right or left to raise or lower doors.



### **ADJUSTABLE GUIDES**

have plastic inserts adjustable for ¾" and 1¾" doors. Installation is faster since plate requires only 2 screws.


**OT-200** New, faster adjustment feature is only one of many that gets customer's attention and approval! Extra sturdy aluminum track provides positive protection against wheels jumping the track! Hangers are heavy gauge, cadmium-plated steel. Lifetime plastic wheels have built-in lubrication.





### Aluma-Slide

Your customers can use Aluma-Slide on any size cabinet . . . with any panel material. Comes in decorative Alacrome, Anodized Albras, Anodized Albright or Anodized Satin. Sets available for ½", ½", ¾", ½" or ¾" sliding panels of glass, plywood, hardboard, etc. Packaged sets ready to use.














### FOLDING DOOR HARDWARE

Show customers how easily doors open and close! For closets, wardrobes, dens, bars, room dividers, etc. Ideal for 2 or 4-panel full or half-size interior doors of any thickness. Gives full access to closets, yet saves floor and wall space. Installs quickly! Completely packaged sets for all standard openings.











MACKLANBURG-DUNCAN CO.
BOX 1197 • OKLAHOMA CITY, OKLA.

BUILDERS: M-D products are sold nationally by leading Hardware, Lumber and Building Supply Dealers.

For more data, circle 51 on Inquiry Card

Ice Cube

MUST A PATIO DOOR CREATE A CRITICAL AREA?



IOT IF YOU CHOOSE A CARADCO

with weathertight reasons

**WOOD** • WOOD is 1,770 times better as an insulating material than aluminum, and has natural acoustical qualities... WOOD sets the stage and mood for any decorating decor, stain or paint... WOOD is a proven material that has lasted for centuries. In addition, it is water repellent preservative treated.

**FLOATING ACTION** • Floating action rigid vinyl track backed with polyurethane foam provides year around double weather strip contact.

**HIDDEN REINFORCERS** • Hidden reinforcers...heavy "T" extrusions of aluminum around each door provides unparalleled sturdiness.

1/8" INSULATING PLATE GLASS • 1/8" INSULATING PLATE GLASS with 1/2" air space... 1/8" INSULATING PLATE GLASS gives the most resistance against heat loss thru the glass and frosting on the interior... 1/8" INSULATING PLATE GLASS offers clear visibility and reduction of noise.


JUMP-PROOF SCREEN • Jump-proof screen of sturdy aluminum.

"DELRIN" ROLLERS • Delrin rollers in tandem...easy...smooth... effortless operation.

**DENSE WOVEN PILE** • Dense woven pile weatherstrip seals out drafts at sill.

THERMAL BARRIER SILL • THERMAL BARRIER SILL with heavy oak and aluminum combined in compression to stop transfer of heat and cold...
THERMAL BARRIER SILL stops carpet soil...THERMAL BARRIER SILL has extra strength for cantilevering if necessary.

DIMENSIONS
8'-2%" 4'-2%" 5'-11%" 7'-11%" 8'-11%" 11'-11%"



AVAILABLE WITH LEFT OR RIGHT OPENING DOORS

### ARADCO INC.

DUBUQUE, IOWA

nufacturers of Creative Building Products
tact your CARADCO distributor for a tracing
ail file. All CARADCO Patio Doors are readily
tilable throughout the United States and Canada






MARBLE PATTERNS including Travertine for luxurious walls in any decor, any building.



**DECORATOR PATTERNS** including four Chantilly designs plus Fleece, Lace and Nugget designs.



MARLITE MURALS including Ponta Roma, River Landing and Williamsburg for custom-decorated walls.



TRENDWOOD FINISHES including Colonial Maple and Provincial Walnut for distinctive interiors.



### New Marlite Decorator Paneling

### Beautiful decorating ideas come easy with Marlite!

Now more than ever, Marlite plastic-finished paneling offers infinite decorating possibilities to help your customers plan distinctive and luxurious interiors. With Marlite's 1965 line of smart Decorator Paneling, no other material gives you such a wide selection of colors, patterns and designs.

Unique decorator patterns, rich marbles, authentic Trendwood® reproductions, bold

new designer colors, and striking new Marlit Murals make this soilproof paneling at hom in any decor.

And wash-and-wear Marlite resists hear moisture, stains and dents. It's easily installe over old or new walls, never needs paintin or further protection. Marlite stays like new for years with an occasional damp cloth wiping

Get details on Marlite Decorator Panelin from your building materials dealer, consu Sweet's File, or write Marlite Division of Masonite Corporation, Dept.505, Dover, Ohio

Marlite® plastic-finished paneling

r Puncang

ANOTHER QUALITY PRODUCT OF MASONITE® RESEARCH

For more data, circle 53 on Inquiry Card

### CASINGS

# DRYWALL TRIM HEADQUARTERS


U.S.A.

We are manufacturing experts and specialists of Roll Formed metal trim. Our line includes all standard stock drywall metal products, plus exclusively patented Edge and Corner Guards.

We will make any special trim your job may require.

IMMEDIATE SHIPMENTS
Coast to Coast Warehouse Stocks





NO JOINT CEMENT NEEDED!

Applied before or after board is installed. Combination of inclined plane and rib on back flange creates a positive grip action holding the trim snugly against the board face.



New patented EDGE-LOCK design insures mechanical cement adhesion by means of cement holes under the nose and undercut design.

NO. 240 WITH PATENTED EDGE-LOCK

NO. 133 "L" SHAPE Same patented EDGE-LOCK features as No. 240 corner guard.

NO. 106 "L" SHAPE Applied after board is installed.

NO. 108 "U" SHAPE Extra flange provides additional stiffening and strength.

NO. 134 SQUARE PROFILE WITH PATENTED EDGE-LOCK Can be used for DOUBLE LAMINATED BOARD SYSTEMS OR SLOTTED JAMB INSTALLATION. Mechanical bonding features same as No. 240 corner guard.

NO. 107 "L" SHAPE PROFILE Same application as No. 134 described above.

NO. 220 CORNER GUARD A popular corner guard, double-knurled to provide better cement adhesion.

WRITE FOR CATALOG OF COMPLETE LINE

CASINGS

West Middlesex, Pennsylvania 16159

### Product Reports

continued from page 154

#### RADIANT HEATING SYSTEM

The Sun-Glo home heating system, which consists of flexible panels of two outer layers of thin vinyl and a filling of nylon net interwoven with thin, zigzagging, resistance wiring, can be rolled onto the ceiling rather in the same way as wallpaper. Attached to the source of electricity, the heating element throws forth waves of radiant energy which is



converted to heat when it contacts objects in the room. The system operates

at only 100 deg F Temperature in room is controlled by individual the stats. The panels can be applied to ceiling in a random pattern and capainted or sprayed with acoustical terial for textural interest. Operation 240 volts, with a heat output coproximately 17 watts per sq ft. Goodyear Tire and Rubber Components News Bureau, Akron 16, Ohio

CIRCLE 313 ON INQUIRY

### GAS FIRED BARBECUE

The Ranchero II gas-fired barbec equipped with ceramic briquets variation and even heat and make ou cooking cleaner and easier to reg Large enough to take sizeable por of meat and equipped with a chapotato rack, the unit enables a con



meal for the family to be cooked is shift. The burner is made of cas and the rest of the unit is rust procaluminum. A rotisserie kit with respit and meat holders is also ava O'Keefe & Merrit Company, 3700 Olympic Blvd., Los Angeles, 90023

CIRCLE 314 ON INOUIRY

### CIRCULAR SHOWER UNIT

Circular shower stalls manufar from a combination of crushed polyester resins and reinforcing a are said to have the advantage of bining light weight with consid strength. The units are easy to and require less space than similar square built-in units. The Swan Cotion, 721 Olive St., St. Louis, Mo.

Circle 315 on Inquiry more products on pag



### CAPTURES THE IMAGINATION OF EVERY HOUSEWIFE!

A few years from now, the house without central vacuuming will become as obsolescent as today's home without central air conditioning! That's why you should include MagiVac in your plans now to safeguard the present and future value of your homes! A miracle of convenience, MagiVac makes ordinary cleaning methods obsolete...eliminates bulky equipment and tangling cords. Unlike standard dust-bag cleaners, MagiVac sends allergy-irritating dust out of the house...out of the air you breathe! So powerful, it outcleaned the two most commonly used commercial rug cleaning units in recent tests by the National Institute of Rug Cleaners.\* Remotely located power unit with twin motors in series delivers amazing 120" water lift with "noiseless" operation. Exclusive Cyclonic Action traps over 99% of dust and dirt in big receptacle that requires emptying only a few times a year. Installation is simple and surprisingly inexpensive. Power unit is guaranteed 12 full months by the John E. Mitchell Company, manufacturer of fine machinery since 1905.

\*Details of test available on request.

Sign, attach to your letterhead (or postcard bearing your name and address) and mail today!

### John E. Mitchell Company/MagiVac Division

3800 COMMERCE • DALLAS, TEXAS

Gentlemen: Please rush free literature on the MagiVac central cleaning system.

Signed:

For more data, circle 55 on Inquiry Card


# Are you going to let plain old dirt spoil the appeal of your next job?

You put your heart into creating a home or building your clients will enjoy and be comfortable in. Then airborne particles such as soot, smoke, dust and pollen do their dirty work on walls, draperies, curtains, furniture...not to mention the discomfort they can cause allergy sufferers. This does little to increase client satisfaction.

**The problem:** There may be 100 to 500 million particles in every cubic foot of city air. Ordinary mechanical furnace filters are only about 5% to 8% efficient. Generally they catch only some of

the larger particles that measure five microns or more.

The solution: The Honeywell Electronic Air Cleaner is a two stage electrostatic precipitator that removes up to 95%\* of all airborne dust and pollen that passes through it. By ac-



**Typical example** of the dirt removed from household air by Honeywell's Electronic Air Cleaner. Actual dirt sample furnished on request.

tual test it traps particles as small as three hundredths of a micron (particles so tiny it would take about 7,000 of them to stretch across this  $\odot$  dot). Tobacco smoke particles fall in this particular class.

Your clients will notice the dif-

ference. They will breathe cleaner, fresher air. Their homes or businesses will look better. They'll save on cleaning bills.

FHA Approved: The Honeywell Electronic Air Cleaner is approved for government and conventional financing. It is easily installed in the

duct work of a new or existing forced air system. There's also a handsome Living Area Control

Panel that offers a convenient check of the cleaner's performance.

Send for product literature: It will help you advise your clients on the latest trend in new home and light commercial construction — Honeywell Electronic Air Cleaning.

\*As measured by the National Bureau of Standards Dust Spot Method.

### Five models available from portable to central systems.



38 portable lectronic air cleaner. 75-CFM cleans area p to 300 sq. ft.



**F40** Console unit. Available in 175-CFM or 325-CFM. Cleans area up to 600 sq. ft.



**Y492** "whole house" models up to 2,200-CFM. 100,000 to 220,000 BTU's, 2½-5½ ton capacity.




Y449 residential-small commercial models. Up to 4000 CFM. 280,000 to 400,000 BTU's, 7-10 ton capacity.



Y456A residential-small commercial models. "In Place" wash. Up to 4,000 CFM, 200,000 to 400,000 BTU's, 5-10 ton capacity.

Honeywell, De Minneapolis, l	Minnesota 55408	
Please send me pro		
Please have your re	presentative call.	
lame		
Address		
City	State	Zin



# Roman splendor on a small lot! The Thermopane® Atrium House

The Romans had a wonderful w life. And a great design idea. P a sun-filled courtyard right smathe middle of the house—wh could be enjoyed in complete pr They even had a word for it. "At The only thing they seldom had cold weather.

You can improve on their design




Atrium enclosed with Thermopane insulating glass in Andersen gliding doors and fixed window walls.

dd walls and sliding glass doors d with Thermopane insulating to all the rooms around the n. If you want to make the most mall lot...so the people you're ling or building for can look in at instead of out at the neighbors them a Thermopane Atrium. You could wind up a hero.

Thermopane and only Thermopane is backed by 25 years of research and production skill. And it's signed for your protection. Available with clear Parallel-O-Plate® glass or with Heat Absorbing, Parallel-O-Grey® and Parallel-O-Bronze® plate glass for sun control. Libbey·Owens·Ford Glass Company, Toledo, Ohio.





For more data, circle 57 on Inquiry Card


### WILL YOUR NEW HOME BE LIGHTNING PRONE\* or LIGHTNING SAFE?



Why Worry through the next 1,000 thunderstorms?

\*Modern homes ARE more lightning prone. Lightning causes 37% of fires in outlying areas . . . up to 60% of loss claims . . . \$100 of every \$500 of loss. 26.8% of lightning deaths and injuries occur in the home!

SAFEGUARD
YOUR FAMILY
WITH A
BUILT-IN
LIGHTNING
PROTECTION
SYSTEM.



Cost Only pennies per electrical storm, a modest price to pay

Architects: Get design assistance and literature for specifying.
Builders: Ask for information on promoting LIGHTNING-SAFE HOMES.

LIGHTNING PROTECTION INSTITUTE / 2 N. RIVERSIDE PLAZA CHICAGO, ILLINOIS 60606

For more data, circle 58 on Inquiry Card



Filuma doors blend with all building materials — any architectural design . . . plan a gay, bright garage in your next home with the Frantz Filuma fiberglass/aluminum garage door. Translucent fiberglass panels (white, tan, green or coral) brighten every corner of the garage with natural light . . . adds extra living space. Never needs paint . . . just hose it off to keep it new. Light in weight, too. Special zinc-plated hardware won't rust. Protected under Patent Nos. 194094, 3104699. Available nationally through lumber dealers. Send for color brochure.

### FRANTZ MANUFACTURING COMPANY

Department 24 • Sterling, Illinois

The Nation's Foremost Manufacturer of Fiberglass/Aluminum Garage Doors.

For more data, circle 59 on Inquiry Card

### Product Reports

continued from page 160

### HARDWOOD WALL WITH CONCEALED CLOSET DOORS

Rooms paneled with a new type of h wood plywood can incorporate fol closet doors which exactly match walls. The illustration shows hardw plywood of pecan, inlaid with strip walnut every 16 in. to give a plant fect. Suitable for residential as we



commercial use, the closet doors made by cutting 4 ft by 8 ft shee decorative paneling on the 16 grooves, and backing these with other thickness of plywood. *Ge Pacific Corporation*, *P.O. Box 311*, *land*, *Ore*. 97207.

CIRCLE 316 ON INQUIRY

#### NEW RESILIENT FLOORING

Selbaflor, a new development in pe flooring, consists of scientifically pared plastic decorator flakes and uid resin-matrix glaze. The resin-n is a polyurethane liquid poured of and treated to give a tough, resilien seamless surface. Selbaflor, laid thickness of between  $\frac{1}{16}$  in. and is said to give a long-lasting st which is non-slip and has a 100 pe recovery factor even after punisl by spiked heels or furniture and e ment casters. A special cushion can be laid under Selbaflor to inresiliency if desired. Selby, Batter, Company, 5220 Whitby Ave., Ph. phia, Pa.

CIRCLE 317 ON INQUIRY

### HARD WEARING CARPET F HOME AND OFFICE

Gropoint Executive is a new al loop pile carpet, which is said to b hard wearing and suitable for hea in home or office. Eleven shade available including browns, greens and gold. Bigelow-Sanford 140 Madison Ave., New York 16

Circle 318 on Inquiry more products on pag

For more data, circle 60 on Inc

### Easiest ceiling of all to install!



### Timberline by K-Lux

Put up a Timberline suspended ceiling, and you've created a friendly room. Warm and inviting, with the robust look of open beam wood grain design.

Want a dramatic luminous ceiling? Just add K-Lux translucent panels, with the lighting concealed above. For either luminous or non-luminous applications, there's a choice of stylish lay-in panels. The cost is modest.


And the ceiling is permanent. The rich wood grain finish is bonded to steel beams. The color blends beautifully with all kinds of surroundings. Traditional or contemporary. Light or dark.

Timberline is truly the easiest ceiling of all to install. No small parts. No fastening to the wall. Available everywhere from leading builders' supply companies. Send now for descriptive literature.



Snap-Lock Beam System.

You can install it with as little as 1" of ceiling clearance. The illustration also shows the tabs that may be bent out to hold panels in place. The ceiling consists entirely of only three types of parts: 9' or 12' beams, three-foot square panels, and a wall angle that requires no fastening to the wall.



Patio and Entrance Screens / Window Walls / Fences / Wind Breaks / Store Displays

### The charm of decorative glass at a fraction of the cost.

K-Lux Architectural and Decorator Panels—K-Lux brings you old and hallowed patterns, richly embossed in permanent plastic. They'll give you lovely decorative effects, without high costs.

You can use K-Lux panels wherever glass goes, and in many surprising places where glass can't go. They're much lighter in weight. And they'll withstand impact many times the shattering point of glass. The panels can be easily cut to any shape and

nstalled by ordinary, everyday con-

struction methods.

Use indoors or outdoors. In shutters, lividers, privacy screens and lumious walls. In entrance foyers, doors, vindow panes and dozens of other laces.

Let your imagination roam free mong the many K-Lux patterns and olors. Send for our brochure today.








Cabinet Inserts / Folding Screens / Partitions / Luminous Ceilings / Skylights / Soffits / Bar Trim

(-LUX PRODUCTS DIVISION, K-S-H PLASTICS, INC. • 10212 MANCHESTER • ST. LOUIS, MO. 63122





Distributor:

### **JET 360 MEANS LESS INVENTORY**

tock only the basic hood and a choice of separately packaged Decor Panels

's design engineers have solved your range hood inry problem. With just one basic Jet 360 hood and a ion of Decor Panels, you can fill your customer's color ements with minimum investment. Fasco offers a e of contemporary or traditional front panel stylings.

### Mr. Builder:

### MATCH ANY KITCHEN DECOR

AFTER range hood is installed

The Jet 360, while a custom unit, is compact and can be installed by one man at anytime during house construction, ready to operate. Mrs. Housewife can decide on her kitchen decor and colors at the very last moment, and you can match them perfectly. The hood is installed . . . all that remains is to slip the correct color Decor Panel in place.

#### **ALL THESE OTHER DISTINCTIVE SELLING FEATURES**













Features: Easy to Clean • Removable Aluminum Filter • Horizontal or Vertical Venting • Fasco 10" Impeller • Twin Lighting

ORDER NOW AND CASH IN ON THIS BRAND NEW RANGE HOOD DESIGN!



FASCO INDUSTRIES, INC. AUGUSTA AT UNION • ROCHESTER, N. Y. 14602



### Product Reports

continued from page 170

#### COMPACT BATH TUB

Designed especially for use in smaller second bathrooms, the *Restal* receptor tub has been restyled to include a number of new features. The bathing well of this enameled, cast iron tub extends the full width in front and full depth opposite the faucet wall. It then curves diagonally to the faucet area, creating a corner seat and showering footrest, and continues in a straight line to the front



rim. The bathing area is full size for children and comfortable for adults. The bath is also particularly suitable for the elderly because of the low 12 in. sides, and comfortable back and foot support. American Standard, Plumbing & Heating Division, 40 West 40th St., New York 18, N.Y.

CIRCLE 322 ON INQUIRY CARD

### STAINLESS STEEL SINK WITH LIGHTING PANEL

A new stainless steel sink with the *Consolette* lighting panel provides the housewife with light where she most needs it and eliminates the need for overhead lighting in the sink area. The *Consolette* sink, in a 33 in. by 22 in. double compartment size, and 25 in. by 22 in. single compartment model, has a built-in spray faucet, which enables full water flow to be changed to rinsing spray with a quick flick of the finger. *Elkay Manufacturing Company*, 2700 South 17th Ave., Broadview, Ill.

CIRCLE 323 ON INQUIRY CARD





#### LEATHER WALL TILES

A new effect in architectural wall has been introduced with the Ad range of tiles, consisting of natural gleather laminated to a warp-free band die-cut for exact size and thicks. Available in a range of 18 colors, tiles are manufactured in 12 in. and squares. American Architectural Products, 250 Passaic St., Newark, CIRCLE 324 ON INQUIRY C

more products on page



# Here's how G-E Central Air Conditioners solved the problem of even cooling in the multi-room apartments of Robert Schmertz



"Our apartments, which range up to 1,000 sq. ft. and have as many as four rooms, are laid out so that we prefer  $1\frac{1}{2}$  and 2-ton G-E Central Systems to give us even distribution of cooling through ductwork at a low operating cost," says Bob Schmertz of Leisure Village, Lakewood, N. J.



"Because some folks feel the heat more than others, they appreciate the fact that with individual central systems, each apartment has its own separate climate control.

"Of course," Mr. Schmertz says, "we chose G.E. in the first place because we know G.E. makes the most reliable products. And with G.E.'s top engineering design, we can count on the most dependable equipment. We're selling well, thanks in great part to G.E."

# Quiet, low-cost G-E Zoneline Air Conditioners solved Ben Cogen's Sherwood Park Apartments cooling problems



"G-E Zoneline through-the-wall air conditioners are amazingly quiet, and their low-installation costs fit our needs perfectly," says Ben Cogen, owner of handsome, new low-rise apartments in Lima, Ohio. "Zonelines are attractive, too, both on the exterior and the interior."



"Our apartments are laid out so that a single G-E Zoneline can air condition our three-room suites, and two G-E through-the-wall units take care of our larger four-room apartments. Each tenant can control the temperature in his own apartment. If repairs are needed, it requires shutting down just one unit, and it slides out of its through-the-wall case in seconds. Actually, we're so satisfied with G-E Zonelines, we're putting 40 more in our new apartments."

There's a General Electric air conditioning system that's right for your installation. Get full details from your G-E representative or write Air Conditioning Department, General Electric, Appliance Park, Louisville, Kentucky.



## Specify glass the


### In convenience and economy



**PPG Twindow**® **Insulating Glass** gives all the advantages of storm windows without the bother. Wood windows glazed with PPG Twindow®keep rooms warmer in the winter, cooler in the summer. They reduce down drafts—give owners more livable space. They reduce fogging and frosting. Noise is cut down. And they keep heat bills down without the need to put up, take down and wash storm windows.

### mkes a difference:

### In safety



**PPG Herculite® K Tempered Safety Glass** is the glass to use in patio doors and wherever glass might get broken. It's many times stronger than ordinary glass. And if it does break, it breaks into small round pieces that don't cut. Specify it for shower doors, storm doors, patio doors. For full details on Twindow®and Herculite® write: Pittsburgh Plate Glass Company, One Gateway Center, Pittsburgh, Pennsylvania 15222.

PPG makes the glass that makes the difference

# Are you choosing windows that give your clients THE MOST for their money?

With DeVAC THERMO-BARRIER WINDOWS your clients benefit from practical advantages that mean in-pocket savings. Their initial investment in heating and cooling equipment is less. Their savings on fuel costs will continue year after year.



The kit contains:

- Savings estimate cards
- Heating and cooling requirement factors
- Calculations to back these up

Here is an example of how this kit recently was used. In a college dormitory with 23,100 square feet of window opening, the savings of DeVac doubleglazed windows versus single glazed were estimated to be \$14,230 in initial heating equipment, \$34,650 in air conditioning equipment . . . plus a year-afteryear savings of thousands of dollars in heating and cooling costs.

### Write for your free kit today.

We'll be glad to send you a copy of an independent analysis of field tests comparing DeVac Thermo-Barrier double glazing with single glazing and with twinpane type of double glazing.

See our catalog in Sweet's.



### Windows Without Equal

DeVAC, Inc. 10074 Highway 55 Minneapolis, Minn. 55427
Please send me
DeVac Savings Analysis Kit
N.Y. State Research Study
Name
Address
CityState

For more data, circle 74 on Inquiry Card

### Product Reports

continued from page 174

### PRE-HUNG DOOR HAS FOAMED PLASTIC CORE

The *LaPorte* series of flush doors features a new type of bonded construction through which basic elements of the door are interlocked and permanently wedded by internal expansion of the highly adhesive foam urethane core. Typical finishes include embossed and



colored anodized aluminum as well as textured and wood grained vinyls laminated to steel. The door is pre-hung in either a unit frame or a two-part frame of anodized extruded aluminum. Amarlite Division. Anaconda Aluminum Company, P.O. Box 1719, Atlanta, Ga.

CIRCLE 325 ON INQUIRY CARD

### BUILT-IN REFRIGERATOR—FREEZER

The Model 145 BIRF deluxe, built-in refrigerator has a 12 cu ft refrigerator compartment, and a 7.7 cu ft freezer. The refrigerator and freezer both feature automatic defrosting from a defrost evaporator located in the freezer compartment and ducted through to the refrigerator section. Refrigerator temperature is controlled by a modulating mechanical damper control. The deluxe model also features an automatic icemaker and swing-out storage basket in the freezer section. The model is completely self-venting. No special cabinet is required to house the equipment. Sub Zero Freezer Company, Inc., P.O. Box 4130, Madison, Wis. 53711

CIRCLE 326 ON INQUIRY CARD





This unique feature of new Kennatrack door hardware catalogs was designed for direct tracing. Pull-out section has all details, drawings and dimensions on all hardware lines, side by side for comparison. No guesswork. No errors. Bring your files up-to-date. Send for these four new catalogs now—the most comprehenisve, easy-to-follow in the industry.





POCKET DOOR HARDWARE

FOLDING DOOR HARDWARE





BY-PASSING DOOR

FOLDING K-DOOR UNITS



For more data, circle 75 on Inquiry Card



### STYLED FOR BEAUTY...EQUIPPED FOR COMFORT... THIS "RECORD HOUSE" IS Hydro-Flo HEATED



Among the houses receiving Architectural Record's annual "Award of Excellence for House Design" is this residence conceived by Meathe,

Kessler and Associates, Inc. The selection of B&G Hydro-Flo products for the forced hot water heating system of the house provides comfort equipment known for quality and performance.

The B&G Hydro-Flo System clearly demonstrates the benefits of water as a heating medium. The heat supply is automatically and closely modulated to maintain constant comfort, no matter how the weather changes. No sharp variations in room temperature... no drafts... no overheating discomfort and fuel waste, especially in spring and fall when only a little heat is needed. Snow melting panels and zoning are optional features.


B&G Booster pumps, for circulating the system, have for years given proof of complete dependability. They are specifically designed to meet the exacting requirements of forced hot water heating systems... quiet and long-lived!

Address literature requests to ITT Bell & Gossett Hydronics, division of International Telephone and Telegraph Corporation, Morton Grove, Illinois, Dept. IM-32-2.




The B&G Booster . . . key unit of a B&G Hydro-Flo Forced Hot Water Heating System

BELL & GOSSETT III



Over the years, "Record Houses" architects have selected G-E kitchen appliances more than 2 to 1 over the next leading brand.



Record Houses" was first issued, hundreds of spectacular new esigns have been featured in this edition of Architectural Record ne.

the same period, 501 kitchen aphave been specified by archieneral Electric appliances have ecified 201 times. The next leadand 88 times. The items selected I G-E refrigerators, food freezers, dishwashers, ranges, food waste Disposall® units, thru-the-wall air conditioners, laundry equipment including both washers and dryers, and home intercom systems.

Certainly the advanced design of G-E products justifies this preference. So, too does the continuous addition of new work-saver features to these appliances and G.E.'s great reputation for quality and dependability.

Also of great importance to architects is G.E.'s readiness to work with them in all areas of kitchen design, from planning a general layout to selecting exactly the right appliance for a particular kitchen.

If you haven't yet taken advantage of this extraordinary G-E service, don't hesitate to do so. Your local General Electric distributor is not only waiting but anxious to help you.



### New Literature for Home-Planning

For more information circle the key numbers of the literature you want (see number below each literature item) on Inquiry Card, pages 167-168

#### SAUNA

A well-illustrated fold-out, drawn up by this company which manufactures heating elements for the dry-heat baths, provides basic plans and specifications for do-it-yourself installation. Sketches show six possible types and sizes of sauna units for the home. General Electric Company, 1 Progress Rd., Shelbyville, Ind.\*

CIRCLE 400 ON INQUIRY CARD

#### CERAMIC TILE

A new color catalog illustrates 64 different tiles and 87 patterns available on open stock in the Romany-Spartan series. Floor, wall and counter tiles are coordinated with the fixture colors of leading manufacturers. United States Ceramic Tile Company, 217 Fourth St., N.E., Canton, Ohio\*

CIRCLE 401 ON INQUIRY CARD

#### AIR CONDITIONING

Room air conditioning units in three different capacity ranges are shown in a six-page folder, which includes specifications for each unit. York Corporation, York, Pa.\*

CIRCLE 402 ON INQUIRY CARD

#### RESIN-SET QUARTZ PANELS

A 4-page folder (AIA 8-C) illustrates a new building r rial, natural crushed quartz set in clear or colored poly resin. Characteristics of "Royce Rock" are given, along a list of possible uses: counter tops, wall facing, etc. St wall Manufacturing Company, Inc., Murphy, N.C.

CIRCLE 403 ON INQUIRY (

#### IRON HARDWARE

A 16-page catalog No. 14A, (AIA 27B) is now available door latches, hinges, locks and brackets in forged iron. ( net hardware and mailboxes are also shown. Each item is trated, and specifications are given. McKinney Sales of pany, Scranton, Penn.

CIRCLE 405 ON INQUIRY (

### FABRIC WALL COVERINGS

An 8-page folder contains actual samples of wall fa "locked" in vinyl plastic (AIA 28-C). Linen, rush cloth jute fabrics are shown, as well as a botanical series. Polyple United Inc., Union, N.J.


CIRCLE 406 ON INQUIRY (

#### LAVATORY COLORS

Five new "Accent" colors for basins, shown in actual bathr settings and coordinated with the manufacturer's standard ture colors, are shown in an 8-page booklet. Kohler Comp Kohler, Wis.\*

CIRCLE 407 ON INQUIRY (

\*Additional product information in Sweet's Architectural F more literature on pas



disappearing act . . .

### the hugh acton folding pedestal tabl

The trick is in the mirror chrome steel self-leveling ba Just give it a turn, flip the top, grab the handle and stor Available in conference sizes, round and rectangul Write for the free Hugh Acton 1965 catalog. Hugh Acton, 58 Brookside Drive, Birmingham, Michigan. hugh acto



Moist O'Matic system shown here costs \$189.95, covers up to 85' x 100' of lawn

### Completely automatic underground sprinkler system for as little as \$100




### What a sales tool!

Iere's the first automatic underround sprinkler system available at ow cost. Called Moist O'Matic and eveloped by Toro, it sells for onehird the price of many ordinary ystems, offers advantages found nly in systems that are prohibiively expensive.

Suilding block construction. You can nstall a Moist O' Matic system to prinkle any size area from just part f the lawn to everything that grows. Each wave sprinkler covers up to 0' x 50'. The pop up sprinkler hanle those smaller, hard-to-water areas. You can buy complete kits for speific areas, add-on kits, individual omponents.

Quick, low-cost installation. Your own crew can install a system covering  $50' \times 50'$  (see below) in two man



\$100 Moist O'Matic system installs in two man hours. Sprinkles up to 50' x 50' area. Additional sprinklers can be operated from electric control center for greater coverage.

hours, the system shown above in less than eight man hours. No special plumbing or electrical work required.

Fully automatic. The electric control center works like a clock radio. It turns sprinklers on and off at times selected even when nobody's home. System can be operated manually for model home demonstrations.

Get more facts. If you're looking for a new, low-cost sales tool with a high dollar image, investigate Moist O' Matic. Contact your Toro Distributor. He's listed in the Yellow Pages under "Sprinkler Systems." Or write direct to Toro, 8111 Lyndale Ave. South, Minneapolis, Minn. 55460.



### Moist O'Matic® Lawn Sprinkler System

8111 LYNDALE AVENUE SOUTH, MINNEAPOLIS, MINNESOTA 55460

Famous for power mowers for over 50 years.

PATENTS APPLIED FOR

nore data, circle 78 on Inquiry Card

For more data, circle 79 on Inquiry Card

**And now American-Standard brings you** 

# The quietest toilet you nevel

for the most luxurious bathrooms you'll ever desig



## leard

ouldn't you welcome a toilet that ishes in a whisper, never needs ndle jiggling, won't overflow and ntilates itself (yes, ventilates self) every time it's used?

Pre it is! A quick look will tell you before they become bathroom odors. The Vent-The tank is tucked down low, almost out of parts to install, adjust or service. . Flush the new Luxor and you can hardly one piece of fine vitreous china, so easy to on it whisks toilet odors down the drain York, N.Y. 10018.

this American-Standard Luxor\* is totally Away is fast and thorough, with no mechanical

This is the finest, most luxurious toilet availve your ears, it's so quiet. Bowl and tank able at any price. It is worthy of the most sumptuous bathrooms you design. For more . But this unique toilet promises more. The information see your American-Standard reprenal Vent-Away\* toilet ventilator is built sentative or write American-Standard, Plumbing into the Luxor. At a touch of the flushing and Heating Division, 40 West 40th Street, New

### **AMERICAN-STANDA**



For more data, circle 80 on Inquiry Card

### New Literature

continued from page 182

#### LIGHTING

A full-color, 104-page booklet (AIA 31-F-2) is now available, containing 754 different lamps and accessories. Special purpose models—heat lamps, light-ventilator units, illuminated ceilings—are included, as well as specifications and dimensions for all styles. Residential Lighting Division, Thomas Industries Inc., 207 East Broadway, Louisville, Ky.\*

CIRCLE 408 ON INQUIRY CARD

### ACRYLIC PLASTIC

A series of "Plexiglas Homeowner Booklets" present various possible uses of acrylic plastic in the home. Basic specifications and installation requirements are given for room dividers, ceilings, sliding doors, etc. *Rohm & Haas*, *Philadelphia*, *Pa.*\*

CIRCLE 409 ON INQUIRY CARD

#### CERAMIC TILE

Illustrated in full color, this brochure presents 6 different types of tile in room settings. Available for ten cents from Dept. AO-102, American Olean Tile Company, Lansdale, Pa.\*

CIRCLE 410 ON INQUIRY CARD

### SWIMMING POOL HEATER

An 8-page brochure gives detailed information about pool heating units, and includes a table for computing the size installation needed for pools of different capacities. Raypac Company Inc., 2430 Chico Ave., El Monte, Cal.

CIRCLE 411 ON INQUIRY CARD

#### RADIO-INTERCOM SYSTEM

A 6-page foldout (AIA 31-i-6) gives specifications of types of inter-room communication: AM/FM, AM/FM tsistor, and an AM radio-intercom. *Miami-Carey Divis Philip Carey Mfg. Company, Cincinnati, Ohio.*\*

CIRCLE 412 ON INQUIRY C

#### VINYL WALLCOVERING

A 6-page foldout illustrates 15 "handprints" available on 60 basic patterns of vinyl wallcoverings. Special charges custom designed patterns are included. L. E. Carpente Company Inc., Empire State Building, New York, N.

CIRCLE 413 ON INQUIRY C

#### DOORS AND WINDOWS

Full color folders illustrate wood doors and windows of glass panes and mullions which can be removed for easy cleing or painting. Installation details are included in the fouts, available from the Wabash Screen Door Company, I Florida St., Memphis, Tenn.

CIRCLE 414 ON INQUIRY C

#### ATTIC FANS

Ventilation principles and how to select the correct size type of fan are explained in a new booklet. Several syste and methods of installation are pictured, and fans, shut and accessories are also included. The Lau Blower Competer 2027 Home Ave., Dayton, Ohio

CIRCLE 415 ON INQUIRY C

\*Additional product information in Sweet's Architectural File

more literature on page

### THE "RECORD" OVER 10 YEARS...

### Cabot's STAINS

specified by

33%

of the Award-Winning
Architects for
"RECORD HOUSES"
71 OUT OF 215
from 1956 to 1965



Home in Del Mar, Cal.; Architects: Frederick Liebhardt & Eugene Weston III, La Jolla, Cal. Cabot's Stains on Exterior and Interior

For a full decade, Samuel Cabot Inc. has led all other paint and stain manufacturers in specifications for "Record Houses." This remarkable record of consistency reflects the confidence of the nation's leading architects in the quality of Cabot products. For client satisfaction, specify Cabot's Paints and Stains.

For architectural specifications on Cabot's Paints & Stains, write to:

SAMUEL CABOT INC. 529 S. Terminal Trust Bldg., Boston, 10, Mass.


For more data, circle 81 on Inquiry Card

# CHROMALOX ELECTRIC HEATERS GIVE HOMEOWNERS THE "MOST WANTED" FEATURES



### Chromalox baseboard heaters for new homes and add-ons

Whether you are installing Chromalox Electric Baseboard Heating Units in new homes or for modernization and add-ons, you'll find them easy and quick to install. Units are low in cost, can be tailored to meet the specific heat requirements of any home or room. Chromalox Baseboard Heaters give draft-free heat that can be thermostatically controlled room-by-room.




Slim, trim Chromalox Baseboards come in three and four-foot lengths . . . can be installed in combination for any wall section. Units may be screwed to the mounting surface without disassembling. Metal-sheathed Fintube\* elements are freefloating for quiet operation. Low surface and wireway temperatures for greater safety. Built to NEMA and UL standards.



### CHROMALOX electric HEATING/COOLING

For more data, circle 82 on Inquiry Card

### Other fine Chromalox comfort conditioning equipment



### Chromalox radiant and forced-air heaters

Take your choice—silent fan-driven Chromalox Heaters perfect for add-on or existing rooms; or Radiant Heaters for heating bathrooms, hallways and similar small areas. Units have built-in thermostats for exact temperature control. Easy-to-make electrical connection is all that's needed for each unit.



### Chromalox electrend counterflow units

Here are efficient units that take absolutely no floor space, yet can be installed in existing construction or add-on rooms. Units take air from ceiling level, gently draws it across electric heating elements and distributes the re-warmed air at floor level. Each unit is controlled by its own built-in thermostat to give room-by-room comfort. Models available for recessed or surface mounting.

#### Send coupon for details

EDWIN L. WEIGAND COMPANY 7741 Thomas Blvd., Pittsburgh 8, Pa.

Planca	cand	ma	Bullotin	P00103

Name

Firm (if any)

Address

City, Zone, State

☐ I am a homeowner ☐ I am an architect □ I am a contractor

ect Other\_

### Wood windows vs. metal windows: here are the facts.

A metal window frame is cold. Cold to touch. Cold to be near. It's the nature of metal, caused by what heating engineers call excessive thermal conductivity.

### Are metal windows really "refrigerators?" Unfortunately, it's true.

Findings listed below show heat loss of various materials 1" thick, 12" square, with only 32 degree difference between inside and outside temperatures:		
	Wood25 BTU's per hr.	
HEAT	Glass186 BTU's per hr.	
LOSS	Steel9,984 BTU's per hr.	
	Aluminum45,312 BTU's per hr.	
Source: Heating, Ventilating & Air Conditioning Guide. Chapters 5 and 6—1949.		

The chart tells the whole sad story. Aluminum conducts heat over 1770 times as fast as wood. Thus a wood window frame is over 1770 times as effective in preventing costly heat losses through radiation as aluminum, the most common type of metal window frame.

1) Heating, Ventilating & Air Conditioning Guide, Chapters 5 and  $\,6-1949.$ 

Take a single-glazed window unit with an 80% glass area. This unit, manufactured from wood, insulates 22% better than when made of aluminum. And when insulated glass is used, that figure soars to 36%!

Cold metal surfaces, as they conduct heat from a room, also conduct heat from the body, causing chills. In addition, as warm air comes against a cold surface, it cools and drops rapidly to the floor. This creates a cold draft.

In fact, these metal-caused cold drafts can reach velocities of 12 feet per second.<sup>3</sup> Pretty windy for a family living room.

Since wood, by its nature, is so superior an insulator against heat radiation, you can expect well-hung quality wood windows to be virtually free of the greater heat loss and chilling drafts caused by metal window units.

Excessive thermal conductivity in metal causes another problem, too. *Condensation*.


To be comfortable, every house should have humidity. (About 30-35% is average.) But when this normal humidity touches a freezing metal window frame, it condenses.

Condensation can build up with amazing rapidity on metal frames...even form ice. And...water drips... all over the sill, the moulding, and the wall. This can be damaging, costly... and infuriating to a housewife whose wallpaper has been ruined. This type of condensation is impossible with quality wood window frames.

<sup>2)</sup> Home Planning, Vol. 20, No. 16-1964.

<sup>3)</sup> Electricity and Building Magazine, Sept., 1964.


### Here are the cold hard facts about metal windows.



In summer, heat radiation is still at work—and the metal frames that made rooms colder in winter make rooms hotter in summer.

Of course, air conditioning can keep any house cool at a price. But here again, the cost of air conditioning a home with metal windows *has* to be higher than a home with ponderosa pine windows if all other factors are equal.

### Get the undiluted truth on condensation.



### Wood windows are a matter of good taste, too.

Today's creative architects and builders are constantly searching for new dimensions in home design.

This calls for imagination and insight. It also requires a nearly infinite variety of window styles and designs for them to choose from.

Beautiful ponderosa pine wood windows offer this variety. Stock ponderosa pine windows are readily available in every type, every style and every size imaginable.

Is it any wonder that more architects, more builders and more home buyers are insisting on the natural beauty and practicality of wood windows?

Of course there are still some people who take windows for granted. But you can change all this and profit from it, too. Trouble-free windows make quicker, happier sales.

Just point out that windows are 30 to 70% of the exterior of a home. Explain that choosing the right window is much, much more than a simple matter of cost or practicality. It's also a matter of good taste.

And good taste says just one thing: a fine home just has to have wood windows.



Reprints of this message available free upon request.



### PONDEROSA PINE WOODWORK

39 South La Salle Street Chicago, Illinois 60603

### New Literature

continued from page 186

#### LAVATORY CABINETS

Ready-made sink enclosures, faced with formica, are shown in color renderings of 8 different styles. The folder also includes a listing of sales offices. Formica Corporation, 4614 Spring Grove, Cincinnati, Ohio\*

CIRCLE 416 ON INQUIRY CARD

#### KITCHEN APPLIANCES

Both gas and electric stoves are shown in two 8-page booklets illustrating built-in models. Specifications and cut-out dimensions are given; range hoods and disposal units are pictured. Vernois Company, 114 West 11th St., Kansas City, Mo.

CIRCLE 417 ON INQUIRY CARD

#### PEDESTAL TABLES

A well-illustrated catalog displays chrome base, wood or laminate top tables for office, home or library use. Study carrells and book stands are shown, and price list is included. *Hugh Acton*, 588 Broodside, Birmingham, Mich.

CIRCLE 418 ON INQUIRY CARD

#### ACRYLIC PAINT ADDITIVE

A 38-page book reviews tests of "Rhoplex" emulsions, designed to improve the durability of paint applied to wood or masonry. The proper ratio of paint to emulsion for each surface is suggested and application methods are described. Resins Dept., Rohm & Haas Company,\* Philadelphia, Pa.

CIRCLE 419 ON INQUIRY CARD

### **GAS-FIRED FIREPLACE**

A 4-page brochure describes the *Regency* free-standing place, and gives specifications and installation requiren *The Majestic Company, Inc., Huntington, Ind.* 

CIRCLE 420 ON INQUIRY

#### LIGHTING FIXTURES

A 52-page catalog (AIA No. 31-F-2) is now available this line of lighting fixtures. Pictured in full color are temporary and traditional chandeliers, wall brackets, other models. A price list is included. A. W. Pistol, Inc., Drake Ave., New Rochelle, N.Y.\*

CIRCLE 421 ON INQUIRY

#### WOOD DOORS

This 15-page booklet (AIA No. 19-E-1) contains spections, construction details, and guarantee for the *Roddis* Included are fire, sound retardant, X-ray and institut doors, in addition to models for home installation. Whaeuser Company, Box B 271, Tacoma, Wash.\*

CIRCLE 422 ON INQUIRY


#### SECURITY LIGHTING

A 4-page reprint from Lighting magazine explains the p ple of the photoelectric cell that automatically turns on at dusk. The article outlines the security aspects of comoutdoor lighting, and describes methods of installation. Liguard Electronic Manufacturing Company Inc., 1213 Eucl. Houston, Tex.

CIRCLE 423 ON INQUIRY

\*Additional product information in Sweet's Architectural File

### PRESTEEL STAIRWAYS BY Woodbridge



Send us your plans or specifications, we will send you a quotation by return mail. The finest for new homes, or conversions. No welding necessary, one man can erect them. Standardized design makes parts interchangeable. Choice of wood treads, many colored plastic handrails available.

### Woodbridge ECON-SPIRAL STAIRWAY

Designed to meet the requirements of a low-cost spiral stairway. One man installation. High quality, safety features. Left or right hand ascents. Choice of four diameters. Heights up to 12'0". Only \$22.00 per ft. (height).

2715 N. Clybourn Ave., Chicago, Illinois 60614



### WOODBRIDGE ORNAMENTAL IRON CO.

WEllington 5-1500



### New Literature

continued from page 190

### LOOR MATS

3-page folder describes the Storm King brush mat that rotects heavy-traffic floors and rugs from dirt and moisture amage. The Slater Company, 300 W. Hubbard St., Chicago,

CIRCLE 424 ON INQUIRY CARD

### ANGE HOODS

full-color brochure (AIA 30-D-1) gives specifications for ne "Chuck Wagon" hood and blower, designed for barbecues nd other heavy-duty uses. Broan Manufacturing Company, fartford, Wis.

CIRCLE 425 ON INQUIRY CARD

### RADE-LEVEL WOOD FLOORS

study at Washington State University, sponsored by the Naonal Lumber Manufacturers Association, explains a method f installing wood floors close to level grade. The 24-page reort describes the testing program and gives construction detils. National Lumber Manufacturers Association, Technical ervices Div., 1619 Mass. Ave., Washington, D.C.

CIRCLE 426 ON INQUIRY CARD

### UILT-IN CLEANING SYSTEM

In 8-page brochure presents the *Vacu-Flo* cleaning unit: hat it is, full specifications, and the recommended method f installation. The system can be built into old as well as new ouses. *H-P Products*, *Inc.*, *Louisville*, *Ohio*.

CIRCLE 427 ON INQUIRY CARD

### REPAIR COMPOUND CHART

A fold-out suitable for insertion in ring binders gives the manufacturers' recommended uses for 10 repair, adhesive, or seal-ant compounds. The illustrated chart matches the product to the job: wood, metal, ceramic, canvas, etc. Dept. 133, Smooth-On Manufacturing Company, Jersey City, N. J.

CIRCLE 428 ON INOUIRY CARD

### **BATHROOM CABINETS**

Two cabinets with a keyless lock designed to prevent access by children under the age of six are featured in this 1965 catalog (AIA-29). Also included are wall-hung or recessed units, some models with replaceable insert-panels or louver doors. The 24-page brochure is available from the *Grote Manufacturing Company*, *Madison*, *Ind.*\*

CIRCLE 429 ON INQUIRY CARD

### **ALUMINUM LADDERS**

Nine ladders for home and industrial use are pictured in a 4-page folder. Included is a multi-purpose model designed for use on uneven ground or stairs. *Patent Scaffolding Company*, 38-21 Twelfth St., Long Island City, N. Y.

CIRCLE 430 ON INQUIRY CARD

### CERAMIC TILE

A 6-page brochure presents the colors available in *Trend* Tile. Full specifications are given in the folder. *Building Products, Interpace, 2901 Los Feliz Blvd.*, Los Angeles, Calif.\*

CIRCLE 431 ON INQUIRY CARD

\*Additional product information in Sweet's Architectural File

more literature on page 194



**EPCO** offers the Architect and the Builder a greater selection of better designed,

better quality hardware for buildings of every type...



25 MAGNETIC CATCHES FOR CABINETS AND DOORS


For the complete line see Sweet's Catalog under Arch. File 19g-En and Light Const. File 7b-En . . . or write directly to:

THE ENGINEERED PRODUCTS CO.

P.O. BOX 108

FLINT, MICHIGAN 48501


TRACKS AND GUIDES FOR 1/8", 3/16", 1/4", 1/2", 5/16" AND 3/4" SLIDING PANEL DOORS




TRACK AND FRAME ASSEMBLIES FOR 1/4" BY-PASSING DOORS




23 PULLS FOR DRAWERS AND DOORS






23 KNOBS FOR DOORS AND DRAWERS



# It pays to specify Westinghouse. Nobody else gives you so many ways to solve a problem your way

At Westinghouse, we think an appliance should know its place. And its place is where you want to put it. That's why we make the most versatile line of appliances in the business. So you can specify Westinghouse and get exactly what you want to fit your needs.

Let's begin with refrigerators. If there's a space problem, our 9.1 cu. ft. Westinghouse Model RVF05 is just 24 inches wide. Even with the door open. At the other end of the line is Model RJF41. A big 13.5 cu. ft. Frost-Free refrigerator-freezer.



Refrigerator

In electric ranges, our 21" Model NFE1B is perfect for compact kitchens. It's a complete unit, all the way to the floor. Stylish but inexpensive. On the deluxe side, our 30" Model KEE3B, Terrace Top Range® has double-oven, rotisserie and Roast Guard.



Model NFE1B Slide-in Range



Model KEE3B Continental Double-Oven Range


Dishwashers have become a "muin modern homes and apartmen Model SUF4D is designed especia for economy installations. Moc SUF4A is a 5-cycle dishwasher fluxury housing.



Model SUF4D Economy Dishwasher



Model SUF4A Super Feature Dishwasher



here laundry equipment is to be led within an apartment or small e, only Westinghouse has Wash ry Twins that stack to fit almost there. Your choice of gas or ric dryers. In a central laundry , Westinghouse coin-operated ers have been proven by years gged, dependable service in selfce laundries.



DTF100 Laundry Twins

Westinghouse room air conditioners come in a variety of thru-the-wall units. All may be positioned flush with the outside wall for trim good looks. Split System units provide compact central cooling for a house or individual apartment.



Room air conditioner



Split-System Central Air Conditioning

Just one call puts you in touch with a complete line of Westinghouse residential products. Appliances, heating & cooling equipment, lighting, wiring, elevators, laundry equipment, even Micarta® plastic surfacing.

Make that call now to the Residential Sales manager at your nearest Westinghouse Major Appliance Distributor. See our new 1965 Residential catalogue, or consult Sweet's Light Construction or Architectural Files.



For more data, circle 86 on Inquiry Card

### New Literature

continued from page 191

### AIR CONDITIONING, HEATING

Specifications for more than 100 gas, oil and electric furnaces, space heaters, and room or central air conditioning are given in a 16-page book. Gas and electric water heaters are also included in the fully illustrated pamphlet. The Coleman Company, Inc., Heating and Air Conditioning Division, Wichita, Kans.

CIRCLE 432 ON INQUIRY CARD

### **GLASS**

An informative, well-photographed book explains the glass-making process and its history, and presents some new developments, for example, glass that bends and photochromic glass that darkens on exposure to light. *Public Relations Department of the Corning Glass Works, Corning, N. Y.*\*

CIRCLE 433 ON INQUIRY CARD

### WOOD-PRESERVING OVERLAY

A 6-page illustrated booklet describes FORBON, a plastic overlay designed to improve characteristics and uses of low-grade wood. *National Vulcanized Fibre Co., 1065 Beech St., Wilmington, Del.* 

CIRCLE 434 ON INQUIRY CARD

### KITCHEN VENTILATORS

An 8-page catalog (AIA 30-D-1) gives full specifications and dimensions for stove hoods and kitchen and bath ventilators. *Trade-Wind*, 7755 Paramount Place, Pico Rivera, Calif.

CIRCLE 435 ON INQUIRY CARD

### LOUVER WINDOWS

Several styles of awning windows, available in insulating gla are shown in a fully-illustrated, 32-page catalog. Jalousie, be and removable sash models are included. *Woodco Corpotion, North Bergen, N.J.*\*

CIRCLE 436 ON INQUIRY CA

### WINDOW SHADES

Vinyl-treated pull shades are now available in four differ screen-printed patterns, in several color combinations. A focontaining samples of the shade fabric can be obtained from the manufacturer. Breneman-Hartshorn Inc., 1133 Sycam St., Cincinnati, Ohio

CIRCLE 437 ON INQUIRY CA

### WEATHERSTRIPPING

A recently revised booklet, (AIA.35-P-6) explains the different types and applications of weatherstripping, including various methods used for protection from drafts, moistunoise, light, etc. Written objectively, the 22-page book is tailed and well-illustrated. *Pemko Manufacturing Compa. Emeryville*, Calif.\*

CIRCLE 438 ON INQUIRY CA

### GARDEN ACCESSORIES

Aluminum lawn edging, trellises, markers and other equipme are shown in a full-color foldout; Retail prices are included Nichols Wire & Aluminum Company, Danveport, Iowa\*

CIRCLE 439 ON INQUIRY CA

\*Additional product information in Sweet's Architectural File

more literature on page I

# interior elegance

HINGES ON

Soss Hinges are called "invisible" because when doors are closed, the hinges tuck themselves neatly out of sight. Where doors meet walls, space gaps and doorjambs are eliminated. Flowing, unbroken lines are created that please the eye and add custom richness to the room. Leading architects have been recommending Soss Invisible Hinges for over fifty years because the touch of elegance they add makes buildings and homes so much more "livable".



For full information and prices, write to:

SOSS MAHUFACTURING COMPANY
DAR-06 • P.O. Box 38
DETROIT 13. MICHIGAN



For more data, circle 87 on Inquiry Card



# tough enough for kid stuff

# **CHURCH**

### "the best seat in the house" $^{\circ}$


The beautiful styling of Church residential seats is overshadowed only by the customer satisfying service they offer. All models are quality engineered and beefed-up to withstand the toughest conditions. Low cost Church #540 alkyd molded seats inherit ruggedness from a special process which bonds a mixture of choice hardwood fibres with super strength phenolic resins under tremendous pressure. A baked-on melamine finish provides lustrous beauty and high resistance to wear and moisture. Luxurious Church solid plastic seats—from the moderately priced #3 and #37 series to the heavy duty #300—possess extraordinary strength and a jewel-hard surface. A wide selection of molded thru colors are available to match the fixtures of all leading manufacturers. For full information on the complete Church line, see your Church distributor or write for free 24-page catalog #16.

Church seats were specified in 12 of 13 Record Houses of 1964 surveyed.



EXCLUSIVE CHURCH
"EASY-OFF" HINGE
is available on deluxe
heavy duty solid plastic
seats and the new
high-fashion Church #37.
It permits removal of
seat and cover for thorough
cleaning and sanitation.
All Church residential
seats are fitted with sturdy
metal hinges covered with
matching colored plastic
for added beauty and
protection from tarnish
and corrosion.

C. F. CHURCH DIVISION
40 West 40th St., New York 18, N.Y.



Tomorrow, scientists may discover the cause of leukemia. But today we need your help.

The American Cancer Society is devoting more research money to leukemia than to any other form of cancer. Many different possibilities are being explored—viruses, anticancer drugs, early diagnosis, immunology, bone marrow transplantation.

Progress is being made. Lives are prolonged by many months, sometimes by years, with drugs and other therapy. The course of leukemia has been slowed and even



temporarily halted by chemicals and blood transfusions.


And today there is *hope*. Many research scientists believe that the next major breakthrough may be against leukemia. But much more could and should be donenow. This will take money—lots of money.

Your dollars will help speed the day of victory. Please give generously. Mail your check to CANCER, c/o your local post office.

AMERICAN CANCER SOCIETY

# Architects Want the Inside Story

- 1. Top rail nylon guide (M) panel
- 2. Head guide rail
- 3. Top rail channel (M) panel
- 4. Stile reinforcer (F) panel
- 5. Rubber bumper
- 6. Meeting stile interlock (F) panel
- 7. Bottom rail roller channel (M) panel



- 8. Roller assembly
- 9. Roller assembly adjustment screw
- 10. Sill assembly
- 11. Latch lock assembly
- Lock stile reinforcer (M) panel
- 13. W/S head stop (mitered)
- 14. Head stop
- 15. Screen head rail

# BUILT BETTER AND SERVICED BETTER BY THESE FRANCHISED R.O.W MANUFACTURERS

### Adelman Lumber Co.

13th and Smallman Sts. Pittsburgh, Pennsylvania 15222

### V. E. Anderson Mfg. Co., Inc.

P. O. Box 430, Bradenton, Florida 35505 Galva, Illinois

1407 North Harding, Indianapolis, Ind. P. O. Box 1250, Owensboro, Ky. 42301

### A. A. Kindem and Sons, Inc. 83rd and Grand Avenue South Minneapolis, Minnesota 55420

Klein Industries, Inc.
P. O. Box 30, Cobleskill, New York

### M W Distributors

Rocky Mount, Virginia 24151

### Mann Building Products, Inc. 3058 Monroe Street, Toledo, Ohio 43606

### Missoula White Pine Sash Co.

P. O. Box 1247, Scott and Stoddard Sts. Missoula, Montana 59801

### Noelke-Lyon Mfg. Co.

North Main Bluff Rd., Burlington, Iowa

### Porter-Hadley Company

255 Cottage Grove, S.E. Grand Rapids, Michigan 49502

### R.O.W Window Co.

P. O. Box 1474, 612 Moen Ave. Joliet, Illinois 60431

### Stengel Sash & Door Co.

1901 Ross Avenue Cincinnati, Ohio 45212

### Wisconsin Window Unit Co.

Merrill, Wisconsin 55452

### Woodco Corporation

224 Walker Street, Lowell, Mass. 08150 North Bergen, New Jersey 07047 Many wood patio doors look something alike. Only the R•O•W IDSUL-DOR has the fifteen features that insure lasting trouble-free performance. That's the INSIDE STORY.



REG. T.M. OF R.O.W WINDOW SALES CO. FERNDALE, MICH.

For more data, circle 442 on Inquiry Card

### New Literature

continued from page 194

### TILE INSTALLATION

A 20-page handbook demonstrates, with illustrations, Tile Council-approved methods of applying ceramic tile to interior and exterior surfaces, including refrigerator and steam rooms and swimming pools. Setting and grouting materials are discussed, and the proper applications and cleaning techniques for each given. Tile Council of America, 800 Second Ave., New York, N.Y.\*

CIRCLE 440 ON INQUIRY CARD

### AUTOMATIC HUMIDIFIER

The Humidipack humidifier, mounted in the supply plenum or trunkline of a forced air heating system, will automatically bring the moisture content of air to a desired level. A fourpage folder explains details of the system and also gives data on operation and installation. Thatcher Furnace Division of Crane Co., Dept. 228P, Center St., Garwood, N.J.

CIRCLE 441 ON INQUIRY CARD

### WOOD WINDOWS

A 4-page brochure with colored illustrations gives details of the company's range of wooden windows and patio doors. Photos show double-hung and casement windows, removable gliders, self-locking awnings and rolling patio doors installed in different types of buildings. Diagrams are included to show installation details. R.O.W. Window Sales Co., 1465 Academy, Ferndale 20, Mich.\*

CIRCLE 442 ON INQUIRY CARD

### BARBECUES

Fact-sheets are available detailing dimensions and construction specifications for indoor or outdoor grills. Included an directions for do-it-yourself, and several types of smokerhood and fireplace accessories. Superior Fireplace Company, 60 North Point Rd., Baltimore, Md.\*

CIRCLE 443 ON INQUIRY CAI

### **OUTDOOR LIGHTING**

Fully illustrated, this 12-page booklet presents outdoor lighting fixtures for both home and commercial use. Featured a units for underwater installation, and a series of new floo lights and brackets. Stonco Electric Products Company, 3. Monroe Ave., Kenilworth, N. J.\*

CIRCLE 444 ON INQUIRY CAI

### WOOD DECKS

Photographed in full color, an 8-page booklet presents design by twelve architects, for outdoor wood decks. Shown in the booklet are several possible locations and uses for decks expanding the living area of a house. Western Wood Product Association, Yeon Building, Portland, Ore.


CIRCLE 445 ON INQUIRY CAI

### FREEZERS AND RANGES

Two series of fact sheets (AIA 30-F6, 35-C11) present t 1965 line of *Whirlpool* freezers and gas and electric stove. The sheets, illustrated in color, also give specifications at warranty details for each model. *RCA-Whirlpool Corportion, Benton Harbor, Mich.*\*

CIRCLE 446 ON INQUIRY CAI

\*Additional product information in Sweet's Architectural File



PATES SISTERSTED In The Yellow Pages

\* Raylon fiberglass panels are guaranteed for 15 years for color consistency, smart appearance and surface durability.

DIXON, ILLINOIS



For more data, circle 89 on Inquiry Card

the building interior with natural light


MAINTENANCE-FREE . . . aluminum and fiberglass

panels never require painting -


natural beauty blends with any architecture






























# **SAVE...** with AA reinforcing and wall ties for every application.

- Only AA Wire Products offers a full line of quality masonry wall reinforcing and wall ties engineered specifically for individual applications. No one wire reinforcement can do every job best. Each type of wall construction presents a separate problem. AA Wire Products solve these problems!
- For highest quality continuous masonry reinforcing to fit your requirements— Insist on AA Wire Products.
- AA offers greater savings. Lower material costs by eliminating header courses—up to 1170 face brick eliminated in 1000 sq. ft. 8" wall! Reduced labor costs.
- All AA products are "Flush Welded" proven strongest!
- Write for AA Catalog featuring sizes and specifications on complete line of

AA "Flush Welded" reinforcing products, flexible anchorage and wall ties.

### Send for FREE catalog!

Reference:

1965 Sweets' File 4h/Aa 1964 A.I.A. BPR 4.05 A-B 1965 CE Spec. Data file S-a CSI File Div. 4 A.I.A. File 3M-5F





WIRE PRODUCTS COMPANY

714 EAST 61ST STREET • CHICAGO, ILLINOIS 60637 • (312) 643-8203 MANUFACTURED IN CHICAGO, ILLINOIS • DALLAS, TEXAS • TORONTO, CANADA





# Builders: this is one of the few products you won'

Everything else—from foundation to chimney—is just an arm's length away the minute you need it. To flooring, for example. Twenty-three different flooring manufacturers keep their catalogs right at your f gertips...in Sweet's. Door manufacturers: 23. Windows: 17. Heating systems: 22. And that's only a samp

All together, your Sweet's Light Construction Catalog File contains catalogs—all conveniently bour indexed and up-to-date—in 203 product categories. Purpose: to make your job easier and save you tir—whether you're comparing products, or reviewing details with a prospective home buyer. We call the



## nd in your Sweet's Light Construction Catalog File.

stant availability." Your colleagues call it a builder's best friend.

Conclusion: the next time you need information about home building products, ch for Sweet's.


Sweet's Construction Catalog Services, F. W. Dodge Co., Div. of McGraw-Hill Inc. West 42nd St., New York, N.Y. 10036



.6% of NAHB MEMBERS NAMED SWEET'S NO. 1 PRODUCT INFORMATION SOURCE.

# Prevent Bathtub SAGGING

with



# LUCKE BATHTUB HANGERS

### Essential—but often overlooked

Make certain that every bathtub installed in your projects is insured against settling and subsequent water seepage. Lucke tub hangers distribute the weight of the tub evenly on all joists and a special flange insures a perfect water seal when bonded with Lucke Leak Proof Filler. This mastic compound is guaranteed to maintain its elasticity during extreme temperatures.

Used in quality houses, motels, hospitals and institutions for over 20 years.

### 

### PHOTOGRAPHERS OF RECORD HOUSES OF 1965

Photographs of the houses by the following photographers appear in articles on pages noted

JERRY DUCHSCHERER 78
6401 East Vernon Avenue
Scottsdale, Arizona

ALEXANDRE GEORGES 58, 70, Call Hollow Road 106, 126 Pomona, New York

BALTAZAR KORAB 90, 114 950 North Hunter Boulevard Birmingham, Michigan

ROBERT C. LAUTMAN 102 2118 Massachusetts Avenue N.W. Washington, D.C.

LELAND Y. LEE 94 2004 North Curson Avenue Los Angeles, California

FRANK LOTZ MILLER 66, 98
1115 Washington Avenue
New Orleans, Louisiana

JOSEPH MOLITOR 54, 82, 118 112 Pine Avenue Ossining, New York

LIONEL MURPHY 86 1948 Bahia Vista Sarasota, Florida

CHARLES R. PEARSON 122 18710 88th West Edmonds, Washington

LOUIS REENS 74, 110 27 West 96th Street New York, New York

KARL H. RIEK 130 90 Second Street San Francisco, California

SHEEDY & LONG 96 1265 South Cochran Los Angeles 19, California

DOUGLAS M. SIMMONDS 62 11339 Waterford Street Los Angeles, California

# Is <u>your</u> Blood Pressure


200

160

140

120

An



this leading


cause of heart

attack and stroke.



**HEART FUND** 


For more data, circle 92 on Inquiry Card



# Rough Side Story

■ The "texture" wood product of Potlatch's fine architectural line is wood siding. It is today's big story for designed-in warmth and beauty (and durability, too) in residential, institutional and light commercial building exteriors.

Its precise shadowline patterns may be selected to fit styles contemporary or traditional, and its textured surfaces may be stained or painted according to plan. Potlatch wood sidings are kiln dried for maximum stability and nailholding. And they are a part of the complete Potlatch family of western and southern wood products for building and industry.



Inland Rustic (details above, surface texture in photo inset at left) Siding is dual patterned for V-groove on reverse side. Other Potlatch Sidings include roughsawn boards for Board-on-Board and Board-and-Batten, and Dolly Varden bevel patterns.

Wood Products for Building Trends . . . by

### Potlatch FORESTS, inc.

symbol of quality



National Sales Office, AR-397 Potlatch Forests, Inc., P. O. Box 8850 Chicago 66, Illinois

Attention: Merchandising Manager Send information on Potlatch TrendTex Wood Sidings to:

Firm\_ Address

\_ Zone\_\_\_ State\_ Architect\_\_Builder\_\_Dealer\_\_Wholesaler\_\_Other\_

General Offices: Lewiston, Idaho Bradley-Southern Div.: Warren, Arkansas

For more data, circle 93 on Inquiry Card

# INDEX TO ADVERTISED PRODUCT INFORMATION

Hugh Acton   182   182   184   185   184   184   185   184   184   185   184   184   185   184   184   185   184   184   185   184   185   184   184   185   184   185   184   184   185   184   185   184   184   185   185	AA Wire Products Co	Hall-Mack Company 144 Home Ventilating Institute 44 Honeywell 37, 161	Nichols Wire & Aluminum Co
Marsher   Mars	Corp 20-21		Ponderosa Pine Woodwork . 188-1
International Oil Burner	& Heating Div 184-185	Inland Steel Company 151-152	Association 145 to 1
Cabot, Inc.   Samuel   186   Corp.   142-143   Jenn-Air Products Co., Inc.   136   Sanford Truss, Inc.   Sanford Truss	Auto Flo Corp	International Oil Burner Co	Red Cedar Shingle & Handsplit
Calori, Inc., Samuel   180   California Redwood Association   141   Caloric Corp.   3rd Cover   Cambridge Tile Mfg. Co.   32-33   Cameron & Co., William   6   Caradco, Inc.   156-157   Casings, Inc.   156-157   Casings, Inc.   159   Chicago Faucet Co.   34   Chrysler Corp., Airtemp Div.   153   Church Div., C. F., American   Standard   195   Compotite Shower Pan   174   Connor Lumber & Land Co.   29   DeVac, Inc.   178   Clightning Protection   Institute   164   Ludowici-Celadon Co.   191   Masonite Corp.   45   Follansbee Steel Corp.   45   Follansbee Steel Corp.   45   Follansbee Steel Corp.   45   Follansbee Steel Corp.   39 to 42   General Electric Co.   175, 180-181   General Electric Co.   175, 180-181   General Electric Co.   175   Galifornia Redwood Association   141   Caloric Corp.   3rd Cover   Cambridge Tile Mfg. Co.   3rd Cover   Cambridge Tile Mfg. Co.   3rd Cover   Cambridge Tile Mfg. Co.   3rd Cover   St. Charles Mfg. Co.   Sanford Truss, Inc.   18   Schlegel Mfg. Co.   18   Schlegel Mfg.			Rolscreen Company 35
Cambridge Tile Mfg. Co.   32-33   Cameron & Co., William   6   Caradco, Inc.   156-157   Kohler Company   149   Schlegel Mfg. Co.   2   Schlegel Mfg	California Redwood Association 141	Jenn-Air Products Co., Inc 136	
Casings, Inc.   159	Cambridge Tile Mfg. Co 32-33 Cameron & Co., William 6	Products Co 178	Schlegel Mfg. Co
Chrysler Corp., Airtemp Div. 153 Church Div., C. F., American Standard 195 Compotite Shower Pan 174 Connor Lumber & Land Co. 29 DeVac, Inc. 178 Elikay Mfg. Co. 30 Engineered Products Co. 191 Fasco Industries, Inc. 172-173 Federal Pacific Electric Co. 28 Follansbee Steel Corp. 45 Frantz Mfg. Co. 164 Frigidaire Div., General Motors Corp. 39 to 42 General Electric Co. 175, 180-181 General Electric Co. 175, 180-181 Co. 162-163 Co. 162-163 Swan Corporation Swan Corporation Swan Corporation Thermoproof Glass Co. Toastmaster Div., McGraw-Edison Co. Toro Mfg. Co. 10 Universal Rundle Corp. Universal Rundle Corp. Wagner Mfg. Co. Westinghouse Electric Corp. 192-1 Wagner Mfg. Co. Westinghouse Electric Corp. 192-1 Whirlpool Corp. Wiegand Co., Edwin L. 1 Woodbridge Ornamental Iron	Casings, Inc 159		Slater Electric Co
Compotite Shower Pan 174 Connor Lumber & Land Co. 29 DeVac, Inc. 178 Elkay Mfg. Co. 30 Engineered Products Co. 191 Fasco Industries, Inc. 172-173 Federal Pacific Electric Co. 28 Follansbee Steel Corp. 45 Frantz Mfg. Co. 164 Frantz Mfg. Co. 164 Frigidaire Div., General Motors Corp. 39 to 42 General Electric Co. 175, 180-181 General Electric Co. 175, 180-181 General Electric Co. 175, 180-181 General Electric Co. 175 Gen	Chrysler Corp., Airtemp Div 153 Church Div., C. F., American	Libbey-Owens-Ford Glass	Southern Pine Association Swan Corporation
Lucke, Inc., William B. 202  DeVac, Inc. 178  Lucke, Inc., William B. 202  Ludowici-Celadon Co. 51  Elkay Mfg. Co. 30  Engineered Products Co. 191  Fasco Industries, Inc. 172-173  Federal Pacific Electric Co. 28  Follansbee Steel Corp. 45  Frantz Mfg. Co. 164  Frigidaire Div., General Motors Corp. 39 to 42  General Electric Co. 175, 180-181  General Electric Co. 175, 180-181  General Electric Co. 175, 180-181  Lucke, Inc., William B. 202  Ludowici-Celadon Co. 51  Toastmaster Div., McGraw-Edison Co. 175  Toro Mfg. Co. 10  U.S. Plywood Corp. Universal Rundle Corp. 158  Universal Rundle Corp. 144  Wagner Mfg. Co. 4th Co. Westinghouse Electric Corp. 192-1  Whirlpool Corp. 192-1  Whirlpool Corp. 192-1  Whirlpool Corp. 192-1  Wiegand Co., Edwin L. 14  National Lumber Mfrs. Woodbridge Ornamental Iron	Compotite Shower Pan 174	Lightning Protection	Terrafino Corporation
Elkay Mfg. Co			Toastmaster Div., McGraw-
Fasco Industries, Inc. 172-173 Masonite Corp. 158 Universal Rundle Corp. Uvalde Rock Asphalt Co. 4th Corp. 150 Wagner Mfg. Co. 4th Corp. 150 Wagner Mfg. Co. Westinghouse Electric Corp. 39 to 42 National Concrete Masonry Assn. 169 Whirlpool Corp. 192-150 General Electric Co. 175, 180-181 National Gypsum Co. 2nd Cover Glen Raven Cotton Mills, Inc. 154 National Lumber Mfrs. Woodbridge Ornamental Iron	Zilley Zilg. Co	Malta Mfg. Co 206	Toro Mfg. Co
Frantz Mfg. Co	Federal Pacific Electric Co 28	Masonite Corp.         158           Mitchell Co., John E.         160	Universal Rundle Corp
Corp	Frantz Mfg. Co 164	Mosley Electronics, Inc 150	Westinghouse Electric
Glen Raven Cotton Mills, Inc 154 National Lumber Mfrs. Woodbridge Ornamental Iron	Corp	Assn	Whirlpool Corp
	Glen Raven Cotton Mills, Inc 154	National Lumber Mfrs.	Woodbridge Ornamental Iron

NEW YORK—James E. Boddorf, Advertising Sales Mgr., Sam H. Patterson, Promotion Mgr., Joseph R. Wunk, Advetising Production Mgr., 330 W. 42nd St.; NEW YORK SALES OFFICE—John I. Howell, Donald T. Lock, Ted Rosco 500 Fifth Ave.; ATLANTA—Shelden F. Jones, 1375 Peachtree St., N.E.; BOSTON—Ted Roscoe, 607 Boylston S CHICAGO—Robert T. Franden, James A. Anderson, Robert G. Kliesch, 645 N. Michigan Ave.; CLEVELAND John C. Jackson, Louis F. Kutscher, 55 Public Square; DALLAS—Bradley K. Jones, Vaughn Bldg.; DENVER David M. Watson, 1700 Broadway; DETROIT—Louis F. Kutscher, 856 Penobscot Bldg.; LOS ANGELES—Robe L. Clark, 1125 West Sixth St.; PHILADELPHIA—Michael J. Davin, John A. Teefy, 6 Penn Center Plaza; PITT BURGH—John C. Jackson, 4 Gateway Center; ST. LOUIS—Richard Grater, 7751 Carondelet Ave.; SAN FRA. CISCO—Tom Tredwell, 255 California St.



A professional pest control operator can termite-proof a building for more than 15 years with a single application of aldrin.

# How to make sure termites won't undermine your homes or your reputation

Specify pre-construction termite-proofing with aldrin

TERMITE CONTROL with aldrin insecticide does a lot more than just protect wood. It protects your reputation for quality and careful planning.

And aldrin also helps assure continuing pride of ownership and satisfaction on the part of your clients.

Read the paragraphs that follow for a quick review of the reasons why termite control with aldrin is economical, efficient and permanent.

Unbeatable termite control: Aldrin delivers 100% efficiency, and maintains it for long periods. U.S. Forest Service tests show aldrin is still fully effective after 15 years.

Concentrated for economy: Each gallon of formulated aldrin contains 4 pounds of actual aldrin. Competitive insecticides normally contain only 2 or 3 pounds actual. Figure the costs per

pound of active ingredient and you'll see that aldrin costs less. And this means, of course, that every gallon of finished spray made with aldrin costs less.

**Recognized value:** Aldrin is listed in the minimum property standards of F.H.A. Many other authorities also recognize the worth of aldrin for termite control. The 15-year control record of aldrin in continuing tests explains both its effectiveness and its economy.

**Stability in soil:** Once in place, aldrin assures a lasting barrier that termites can't penetrate. Soil water does not weaken the control of aldrin, or wash it out of the treated area.

Easy, problem-free application: Professional pest control operators have the equipment and the know-how to make a quick, thorough application of aldrin. They're trained to work with your construction people and to do the job without interfering with your schedule.

For free technical information on aldrin for termite control, write Shell Chemical Company, Agricultural Chemicals Division, Dept. AR-5, 110 West 51st St., New York, N. Y. 10020.

Before using any pesticide read label directions carefully.



For more data, circle 94 on Inquiry Card



# This little tag packs a powerful message

### It's NEW and it hangs in every Malta window

It proudly tells of the best window guarantee in the business. It works overtime to assure your customers of the quality you've chosen. It backs your personal pledge of value and satisfaction. It reflects Malta's effective quality control. It recommends highly the dependable Malta distributors who have enthusiastically accepted this warranty plan, assuring their local cooperation. And it will help sell homes to today's quality conscious home buyers.

Malta window materials and workmanship have always been guaranteed. And you have come to expect a lifetime of satisfaction and good service from them. Now, with this warranty in writing for every one of your customers, you can recommend Malta Quality Windows with confidence.

Malta's 10 Year Warranty covers every window in the line; Malt-A-Matic, Malt-A-Magic, and Duo-Magic; Malt-A-Vent; Malt-A-Casement; Malt-A-Glide; Vinaline and Malt-A-Dart.

A copy of the warranty will be sent upon request.





The line and the design for creative window planning

MALTA MANUFACTURING COMPANY - GAHANNA, OHIO 43020, U.S.A.

W2

For more data, circle 95 on Inquiry Card